VOLUME 29 / NUMBER 3 / 1987

Radiocarbon

Published by THE AMERICAN JOURNAL OF SCIENCE

Editor MINZE STUIVER

Associaté Editors To serve until January 1, 1989 STEPHEN C PORTER Seattle, Washington

To serve unfil January 1, 1988 W G MOOK Groningen, The Netherlands HANS OESCHGER Bern, Switzerland

To serve until January 1, 1990 ANDREW MOORE New Haven, Connecticut

To serve until January 1, 1992 CALVIN J HEUSSER Tuxedo, New York

Managing Editor RENEE'S KRA

Kline Geology Laboratory Yale University New Haven, Connecticut 06511

ISSN: 0033-8222

NOTICE TO READERS AND CONTRIBUTORS

Since its inception, the basic purpose of *RADIOCARBON* has been the publication of compilations of ¹⁴C dates produced by various laboratories. These lists are extremely useful for the dissemination of basic ¹⁴C information.

In recent years, *RADIOCARBON* has also been publishing technical and interpretative articles on all aspects of ¹⁴C. We would like to encourage this type of publication on a regular basis. In addition, we will be publishing compilations of published *and unpublished* dates along with interpretative text for these dates on a regional basis. Authors who would like to compose such an article for his/her area of interest should contact the Managing Editor for information.

Another section is added to our regular issues, "Notes and Comments." Authors are invited to extend discussions or raise pertinent questions to the results of scientific investigations that have appeared on our pages. The section includes short, technical notes to relay information concerning innovative sample preparation procedures. Laboratories may also seek assistance in technical aspects of radiocarbon dating. Book reviews will also be included for special editions.

Manuscripts of radiocarbon papers should follow the recommendations in Suggestions to Authors* and RADIOCARBON Style Guide (R, 1984, v 26, p 152–158). Our deadline schedule for submitting manuscripts is:

For	Date	
Vol 30, No. 2, 1988	Jan 1, 1988	
Vol 30, No. 3, 1988	May 1, 1988	
Vol 31, No. 1, 1989	Sept 1, 1988	

Half life of ¹⁴C. In accordance with the decision of the Fifth Radiocarbon Dating Conference, Cambridge, 1962, all dates published in this volume (as in previous volumes) are based on the Libby value, 5570 ± 30 yr, for the half life, This decision was reaffirmed at the 11th International Radiocarbon Conference in Seattle, Washington, 1982. Because of various uncertainties, when ¹⁴C measurements are expressed as dates in years BP the accuracy of the dates is limited, and refinements that take some but not all uncertainties into account may be misleading. The mean of three recent determinations of the half life, 5730 ± 40 yr, (Nature, v 195, no. 4845, p 984, 1962), is regarded as the best value presently available. Published dates in years BP can be converted to this basis by multiplying them by 1.03.

AD/BC Dates. In accordance with the decision of the Ninth International Radiocarbon Conference, Los Angeles and San Diego, 1976, the designation of AD/BC, obtained by subtracting AD 1950 from conventional BP determinations is discontinued in Radiocarbon. Authors or submitters may include calendar estimates as a comment, and report these estimates as cal AD/BC, citing the specific calibration curve used to obtain the estimate. Calibrated dates will now be reported as "cal BP" or "cal AD/BC" according to the consensus of the Twelfth International Radiocarbon Conference, Trondheim, Norway, 1985.

Meaning of δ^{14} C. In Volume 3, 1961, we endorsed the notation Δ (Lamont VIII, 1961) for geochemical measurements of ¹⁴C activity, corrected for isotopic fractionation in samples and in the NBS oxalic-acid standard. The value of δ^{14} C that entered the calculation of Δ was defined by reference to Lamont VI, 1959, and was corrected for age. This fact has been lost sight of, by editors as well as by authors, and recent papers have used δ^{14} C as the observed deviation from the standard. At the New Zealand Radiocarbon Dating Conference it was recommended to use δ^{14} C only for age-corrected samples. Without an age correction, the value should then be reported as percent of modern relative to 0.95 NBS oxalic acid (Proceedings 8th Conference on Radiocarbon Dating, Wellington, New Zealand, 1972). The Ninth International Radiocarbon Conference, Los Angeles and San Diego, 1976, recommended that the reference standard, 0.95 times NBS oxalic acid activity, be normalized to δ^{15} C = $-19\%_{00}$.

In several fields, however, age corrections are not possible. $\delta^{14}C$ and Δ , uncorrected for age, have been used extensively in oceanography, and are an integral part of models and theories. For the present, therefore, we continue the editorial policy of using Δ notations for samples not corrected for age.

*Suggestions to Authors of the Reports of the United States Geological Survey, 6th ed, 1978, Supt of Documents, U S Govt Printing Office, Washington, DC 20402.

CONTENTS

Climatic Implications of Chenier Dates in Northern Australia Brian G Lees and Annemarie Clements	311
¹⁴ C Traced in Kraków After the Chernobyl Accident Tadeusz Kuc	319
¹⁴ C Background Levels in an Accelerator Mass Spectrometry System J S Vogel, D E Nelson, and J R Southon	323
An Assessment of Laboratory Contamination at the Isotrace Radiocarbon Facility D M Gurfinkel	335
Measurement of Small Volume Oceanic ¹⁴ C Samples by Accelerator Mass Spectrometry	
P Schlosser, C Pfleiderer, Bernd Kromer, Ingeborg Levin, K O Münnich, Georges Bonani, Martin Suter, and Willy Wölfli	347

DATE LISTS

Lu	Sören Håkansson University of Lund Radiocarbon Dates XX	353
UGRA	Cecilio González-Gómez, Purificacion Sánchez-Sánchez, and Elena Villafranca-Sánchez	
	⁹ University of Granada Radiocarbon Dates IV	381
VRI	Heinz Felber Vienna Radium Institute Radiocarbon Dates XVI	389
WIS	Raymond L Steventon and John E Kutzbach University of Wisconsin Radiocarbon Dates XXIV	397

NOTES AND COMMENTS

Radiocarbon Dates from Two Coastal Sites in the Manu'a Group, American Samoa	
T L Hunt and P V Kirch	417
LIST OF LABORATORIES	421
INDEX TO VOLUME 29	435

ì.