

Index

- $B_s \rightarrow \mu^+ \mu^-$ decay, 217–220
- D -term, 69
- F -term, 69
- $K_L - K_S$ mass difference, 191
- $\gamma\gamma$ collider, 452
- γ_S -dependent fermion mass matrices, 124
- $\mu \rightarrow e\gamma$, 194
- $\mu \rightarrow e\gamma$, 103
- μ problem, 269
- $\tan \beta$ determination, 447
- θ -identities, 56
 - bilinear, 57
 - quartic, 58
 - trilinear, 57
- $b \rightarrow s\gamma$ decay, 103, 214–217
- $e\gamma$ collider, 452

- aesthetics, 19
- AMSB models, 278–285
 - D -term improved AMSB model, 284
 - minimal, 280
- anomalous dimension matrix, 216
- anomalous isotopes, 222
- anomalous magnetic moment, 103, 220
- anomaly-mediated SUSY breaking, 278–285
 - D -term improved AMSB model, 284
 - mAMSB model, 280
- auxiliary field, 72, 95, 99

- Baker–Campbell–Hausdorff formula, 86
- baryogenesis constraints on R -violating couplings, 463
- beam polarization, 298, 331–335
- beamstrahlung, 335–337
- beta function, 199
 - MSSM gauge couplings, 201
 - MSSM Yukawa couplings, 203
 - SM gauge couplings, 200
- Big Bang model, 221
- Big Bang nucleosynthesis, 223
- Boltzmann equation, 223
- branes, 278
- bremsstrahlung, 335–337

- Callan–Symanzik equation, 199
- canonical quantization, 32
- cascade decays, 379
- Casimir operator, 41
- CERN LHC, 414
 - precision measurements, 427
 - reach, 416–422
 - reach within mSUGRA, 420
- charge conjugation matrix, 24
- chargino pair production, 308
- chargino–neutralino production, 301
- charginos
 - couplings to W^\pm , 173
 - couplings to Z^0, γ , 173
 - couplings to matter, 170
 - decays, 357–361, 516–523
 - mass, 149
- chiral superfield, 29, 61–63, 82
- co-annihilation, 227
- cold dark matter, 21
- Coleman–Mandula theorem, 45
- compactification scale, 295
- connection field, 239
- cosmic microwave background, 223
- cosmological constant, 223, 243, 258
- cosmological implications, 221–231
- cosmology, 221
- covariant derivative, 65, 100, 239, 244, 245
- CP problem, 195–198
- CP violation, 195–198
- curl superfield, 64, 71

- D -term, 69
- D -term scalar mass splitting, 275
- dark matter, 222, 228
- dark matter detection, 222
- dimensional reduction, 201
- dimensional regularization, 200
- Dirac field, 32
- Dirac spinor, 44, 128
- direct detection
 - seasonal modulation, 229
- direct test of SUSY, 447

- direct WIMP detection, 228
 DRED, 201
 DREG, 200
- E821 experiment, 220
 effective mass, 428
 Einstein Lagrangian, 242
 electroweak model, 6
 endpoints, 439
 equivalence principle, 236, 240
 event generation, 374–393
 - beam remnants, 383
 - cascade decays, 379
 - hadronization, 382
 - hard scattering, 377
 - parton showers, 377
 event generators, 383
 extra dimensions, 17, 278, 294
- F*-term, 69
 Fayet–Iliopoulos *D*-term, 98, 284
 FCNC, 191–194
 Fermilab Tevatron, 322, 402
 Fierz re-arrangement, 30, 57
 Fierz transformation, 30
 fine tuning, 211
 - cosmological constant, 258
 - fine-tuning parameter, 213
 fine-tuning problem, 16, 104
 flat direction, 108, 140
 flavor-changing neutral currents, 190
 flavor problem, 191–194
 - alignment solution, 193
 - decoupling solution, 194
 - degeneracy solution, 193
 focus point, 214, 227, 409
 Friedmann–Robertson–Walker universe, 223
- gauge-coupling unification, 199–203
 gauge invariance, 1
 gauge kinetic function, 116, 251
 gauge-mediated SUSY breaking, 285–293
 - minimal GMSB model, 287
 - non-minimal GMSB models, 293
 gauge transformation, 80, 84
 gauge transformations
 - Abelian, 84
 - non-Abelian, 86–89
 gaugino, 95
 gaugino condensation, 116
 gaugino-mediated SUSY breaking, 294
 Gauss’ theorem, 25
 general co-ordinate transformations, 236
 general relativity, 236–245
 - field equations, 242
 - Lagrangian, 242
 - spinors, 243
 - tensors, 237
 gluino decay, 342–350, 491–501
 gluino mass, 148
 gluino QCD interaction, 163
 GMSB models, 285–293
 - determining the SUSY breaking scale, 437, 450
 - LHC searches, 420
 - Tevatron searches, 407
 goldstino, 111, 115, 189
 - composite, 115
 - coupling of, 117
 - decays to, 368–373, 491, 506, 509, 511
 - interactions, 368–371
 Goldstone’s theorem, 111
 graded Lie algebra, 31, 46
 Grassmann numbers, 50
 - differentiation, 55
 - integration, 76
 gravitinos, 189, 246
 - as LSPs, 286, 291
 - decays to, 291, 368–373, 491, 506, 509, 511
 - interactions, 368
 - mass, 259
 gravitons, 189, 246
 gravity-mediated SUSY breaking, 264–278
 - gaugino mass, 267
 - scalar interactions, 266
 - scalar mass, 266
 GUTs, 270
- Haag–Lopuszanski–Sohnius theorem, 47
 hadronization
 - cluster, 382
 - independent, 382
 - string, 382
 HB/FP region, 409, 419, 424, 426
 HERWIG, 383
 hidden sector, 264
 Higgs boson, SM, 8
 - mass limits, 21
 Higgs bosons, MSSM, 144–148
 - couplings, 174
 - decays, 364–367, 524–530
 - production, 485
 - searches, 411, 421, 423
 Higgs mechanism, 4, 141
 Hubble parameter, 223
 hyperbolic branch, 213, 227, 409
- IMH model, 276
 initial state radiation in e^+e^- collisions, 335
 inoMSB, 294
 inverted mass hierarchy, 276
 ISAJET, 383
 - event generation, 388
 - set-up, 384
 - SUSY models in, 385

- Jacobi identity, 30, 53, 55
- Kähler function, 252
- Kähler metric, 252
- Kähler potential, 69, 70
 - gauge theory, 82
 - non-renormalizable theory, 251
 - renormalizable theory, 70
- Kaluza–Klein, 295
- Kobayashi–Maskawa, 9
- Kuraev–Fadin distribution, 335
- LEP, 398
- LEP2, 322
 - SUSY searches, 399–402
- leptogenesis, 234
- lepton flavor violation, 233
- Lie algebra, 41, 53, 80
 - adjoint representation, 91
 - conjugate representation, 97
 - representations of, 53
- lifetime, 339
- lifetimes of sparticles, 338
- linear e^+e^- collider, 323, 437–450
- Little Higgs models, 18
- local gauge transformations, 79
- local Lorentz transformations, 243
- local supersymmetry, 245–260
 - sum rule, 259
 - supersymmetry breaking, 257
 - transformations, 250, 255
- Lorentz group, 42
- LSP lifetime in RPV models, 467
- Majorana field, 32
 - two-point function, 33, 317
- Majorana mass
 - CP -violating, 134
- Majorana spinor identities, 26
- Majorana spinors, 24, 44, 128
 - bilinears, 26
- Majoron, 471
- mAMSB model
 - LHC searches, 420
- mass insertions, 195
- mass sum rule, 118, 120
- Master Lagrangian
 - gauge theories, 99
 - non-gauge theories, 75
- matter parity, 132
- metric tensor, 241
- minimal coupling, 3
- minimal supergravity model, 207, 269–270
- Minimal Supersymmetric Standard Model, *see* MSSM 127
- motivations for supersymmetry, 19
- MSSM, 127–189
 - beta functions, 201
 - construction, 127
 - EWSB, 138–141
 - field content, 128
 - gauge symmetry, 127
 - interactions, 161–183
 - electroweak, 164
 - Higgs bosons, 174–183
 - QCD, 161
 - masses
 - charginos, 149–154
 - gauge bosons, 141
 - gluinos, 148
 - Higgs bosons, 144–148
 - matter fermions, 142
 - neutralinos, 149–152
 - sleptons, 155–160
 - squarks, 155–160
 - parameter space, 134–138
 - radiative corrections, 184–188
 - soft SUSY breaking terms, 134
 - superpotential, 130
- mSUGRA model, 207, 211, 269
- mu problem, 269
- muon anomalous magnetic moment, 220–221
- muon collider, 452
- naturalness, 211–214
- neutralino relic density, 223–228
- neutralinos
 - couplings to W^\pm , 173
 - couplings to Z^0 , 173
 - couplings to matter, 168, 169
 - dark matter, 223
 - direct detection, 228
 - indirect detection, 230
 - decays, 361–364, 509–516
 - mass, 149
- neutrino mass, 231–234, 471
- new physics
 - motivations for, 11
- next-to-lightest SUSY particle (NLSP), 292
 - decay length, 372
- NMSSM, 161, 177
- Noether procedure, 247
- Noether’s theorem, 27
- non-renormalization theorem, 104
- non-universal
 - gaugino masses, 273
 - scalar masses, 267, 268
- O’Raifeartaigh model, 107
- Palatini formalism, 242
- partial decay rate, 339
- parton distribution function, 299, 307
- parton model, 299
- Planck mass, 243
- Planck slop, 265
- Poincaré group, 45
- Polonyi model, 259
- proton decay, 21, 271, 459
- PYTHIA, 383

- QCD, 6, 161
- quadratic divergences
cancellation of, 36, 104
- R -parity, 132
- R -parity violation
bilinear, 470
collider signatures, 468
constraints, 459–466
explicit, 457
interactions, 457
LSP decay, 467
muon decay, 461
 s -channel production, 465
spontaneous, 470
trilinear, 457
- radiative decays, 214
supersymmetry limit, 103
- radiative EWSB, 21, 209–211
- Rarita–Schwinger field, 246
Lagrangian, 247
- reduced Planck mass, 243
- relic density, 222, 223–228
- renormalization group equations, 199–209
- renormalized perturbation theory, 199
- resonance annihilation, 228
- REWSB, 209–211
- RGEs, 199–209
gauge couplings, 200
soft parameters, 204–206
Yukawa couplings, 203
- Ricci scalar, 242
- Ricci tensor, 242
- Riemann curvature tensor, 240, 245
- rotations, 41
- Runge–Kutta integration, 206
- scalar potential, 258
- scattering events, 390
- see-saw mechanism, 232
- sleptons, 129
decays, 353–357, 506–509
electroweak gauge couplings, 165
masses, 155
- SO(10) SUSY GUT model, 274
- sparticle decays, 338–373
a sample calculation, 342
- sparticle lifetime, 340, 341
- sparticle production, 298–337, 476–490
 e^+e^- colliders
chargino/neutralino, 328–331, 488–490
polarized beams, 332, 490
sleptons/sneutrinos/squarks, 325–328, 485–488
two-photon background, 337
a sample calculation, 301
at the LHC, 322
at the Tevatron, 322
hadron colliders
associated production, 319–320, 481
chargino pair, 308–309, 476
chargino/neutralino, 306–308
gluino/squark, 314–319, 479–481
neutralino pair, 310–311, 478
NLO corrections, 321
slepton/sneutrino, 312–313, 482
- sphaleron, 234, 463
- spin connection, 245
- spontaneous symmetry breaking, 3–6, 138
- spurion, 123
- squarks, 129
decays, 350–353, 501–506
electroweak gauge couplings, 165
masses, 155
QCD interactions, 162
- Standard Model, 1, 6–10
- SU(2), 41
- SU(5) SUSY GUT model, 270
- sum rule, 118, 120, 259, 262
- super-algebra
irreducible representations, 47
- supercurrent, 27
- super-GIM mechanism, 196
- super-Higgs mechanism, 258
- super-Poincaré group, 19
- supercovariant derivative, 66–68
- superfields, 49–102
SUSY transformation, 60
chiral, 61–63
curl, 64, 89
in Wess–Zumino gauge, 91
expansion of, 51
gauge, 79–102
gauge potential, 81, 87
gauge transformation, 84
left-chiral scalar, 61
left-chiral spinor, 82
products, 64
real, 52
right-chiral scalar, 63
scalar, 51
- supergravity, 20, 245–260
breaking, 257
Lagrangian, 251
models, 264–278
mSUGRA model, 269
- supernovae, 223
- superpotential, 69, 72
non-renormalizable theory, 251
renormalizable theory, 72
- superspace, 50, 76
- superstring theories, 20
- supersymmetric gauge theories
action, 102
recipe, 101
- supersymmetric Lagrangian
as integral over superspace, 78, 102
gauge theory, 98
gauge kinetic terms, 92
gauge-matter interactions, 95
non-gauge theory, 68–76
 D -term contribution, 72
 F -term contribution, 74

- supersymmetry
 - algebra, 30, 41–48
 - collider simulation, 374–393
 - defined, 18
 - new problems with, 474
 - representations of, 47, 60
- supersymmetry breaking, 105–126
 - F*-type, 108
 - dynamical, 116
 - explicit, 40, 121
 - mediation of, 263
 - soft, 40, 122, 134
 - non-analytic terms, 123
 - spontaneous, 106
 - D*-type, 106, 113
 - F*-type, 106
- supersymmetry generators
 - represented as derivatives, 54
- supertrace, 110, 120
- SUSY searches, 395–427
 - Z* pole, 398
 - early experiments, 395
- LC
 - mass measurements, 439–447
 - reach, 423
 - spin determination, 438
- LEP2, 399–402
- LHC
 - precision measurements, 427–437
 - reach, 416–422
- Tevatron
 - reach, 407–414
- SUSYGEN, 383
- technicolor model, 16
- top quark, 210
 - SUSY decays of, 367, 523
- torsion tensor, 239
- total decay rate, 339
- trilepton signal at the Tevatron, 406
- trileptons, 409
- two spinors, 44
- universality, 196
- universality hypothesis, 206
- vierbein, 244
- VLHC, 453
- weak hypercharge, 130
- Wess–Zumino gauge, 85, 87, 89
- Wess–Zumino model, 23–40, 76, 247
 - algebra, 30
 - auxiliary fields, 24
 - chiral multiplet, 28
 - interactions, 35
 - Lagrangian, 23
 - local supersymmetry, 248
 - quadratic divergences, 36
 - quantization, 32
 - superpotential for, 76
 - SUSY breaking, 39
 - SUSY transformations, 25
- Wilson coefficients, 216
- WIMPs, 222, 228
- WMAP, 223
- Yang–Mills gauge theories, 3

