

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

The Second British Academic Conference in Otolaryngology . . . . .		1187
The James Yearsley Lecture: The Handicap of Deafness . . . . .	IAN G. ROBIN	1239
Recurring Middle Ear Infection and Serum Proteins in Children . . . . .	U. K. KIVIRANTA	1253
Societies' Proceedings—		
The Education of an Otolaryngologist . . . . .	T. G. WILSON	1263
Organization of the E.N.T. Specialty in Western Europe . . . . .	L. RÜEDI	1269
Organization of Otolaryngology in the United States . . . . .	GEORGE E. SHAMBAUGH, JR.	1273
General Notes . . . . .		1279

## Headley Brothers Ltd

Ashford, Kent

*Annual Subscription* £5/5/0 net, U.S.A. \$15

*Monthly, 12/6 net post free*



# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.


8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

## *United States of America*

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent, England.

© *Journal of Laryngology and Otology*, 1967




**could  
removal  
of mucus  
minimize  
post-operative  
hypoxia . . .  
in those cases  
where it  
matters most?**


**airbron**

"...may have a place in the management of chronic bronchitis, tracheostomy and certain post-operative cases." Leading article, *Brit.med.J.*, 1966, **2**: 603.

Post-operative hypoxia does not normally endanger the healthy patient, but "there are many whose pre-existing desaturation is such that a slight fall in tension cannot be tolerated."<sup>1</sup> An important cause of this pre-existing hypoxia is chronic airways obstruction, due to excess mucus. Thus removal of mucus with AIRBRON\* (20 per cent acetylcysteine solution) can be regarded as a way of minimizing hypoxia.

 Detailed information available on request  
The British Drug Houses Ltd. London 1. *Lancet*, 1964, **1**: 220 \*trade mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



## the longest beard

belonged to Jules Dumont who was born in France in 1856. It was said to be 11 ft 11½ ins in length.

**for the longest-lasting gentlest  
relief of nasal congestion**

**OTRIVINE®**

xylometazoline hydrochloride

Basic NHS prices:

0.1% Spray and Drops. ½ fl.oz. 3s 4d.

Paediatric 0.05% drops 10 ml. 3s 0d.

Full information available on request.

**C I B A**  
O13

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID  
IS RECOMMENDED  
ONLY AMPLIVOX  
OFFERS THIS  
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

14 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION  
SPECIFY AMPLIVOX**

**AMPLIVOX**

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE**

**80 NEW BOND STREET**

**LONDON, W.1**


**TEL : 01-493 9888**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**FROM  
THE  
FRONT**

*...and with A.V.C. where required*



—that is the triumph of the  
**MACKIE**  
hearing aid

The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum

intelligibility of speech without background interference.

It is exported to many countries including the United States of America—a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies  
FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# ONLY **AMPLIVOX** provides a *complete* audiometric service!



## Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




## Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

## Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry  
Speech Audiometers  
Speech Training Equipment  
Loop Amplifiers, etc.



**PLUS** An efficient and speedy **calibration service**

*please write for technical literature to meet your needs*

**AMPLIVOX**

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- Robust construction—high grade components
- Portable, battery operated
- Modern transistor circuitry
- Versatile with many facilities

# LINCO



## AUDITORY TRAINING UNIT LINCO MK. 3

- Improved performance
- Treble and Bass tone controls
- Compact and light weight
- Reasonably priced—£52 ex works

For further details please write to:

**G. C. Johnson, Leyton Instrument Co. Ltd.,**  
54 Albert Rd., Caversham, Reading, Berks. Reading 72293

# THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
**EAR, NOSE AND THROAT**

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$18.00 per year      Canada \$19.00 per year  
Foreign \$19.00 per year

ESTABLISHED 1896


THEODORE E. WALSH, M.D.  
EDITOR

517 SOUTH EUCLID AVENUE  
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Just one of the reasons why Ceporin has an important place in the ENT unit



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# Ceporin<sup>®</sup> (cephaloridine)

**Broad spectrum**


Ceporin is highly active against most gram-positive organisms—including penicillin-resistant staphylococci—and many gram-negative organisms.

**Bactericidal**

Ceporin rapidly kills susceptible organisms at or near the minimum inhibitory concentration, leaving little opportunity for resistance to develop.

**Safe**

Ceporin has very low toxicity and can usually be given safely to penicillin-hypersensitive patients. The injection is remarkably painless.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**Clinical success**

In the ENT unit, Cefporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. In particular, it is an excellent alternative where penicillin might prove ineffective or dangerous. Cefporin's broad-spectrum activity is also very useful in the mixed infections often encountered in the ear, nose and throat.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# Ceporin<sup>®</sup> (cephaloridine)

## Presentation

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark

Detailed literature available on request



Glaxo Laboratories Ltd., Greenford, Middlesex



Please mention *The Journal of Laryngology and Otology* when replying to advertisements




**all clear**

**in sinusitis, otitis media and coryza**

'Triogesic' provides decongestion with analgesia.

	<b>TABLETS</b>	<b>ELIXIR</b>
	scored (per tablet)	cherry flavoured (per 5 ml.)
<b>Revised Formula</b>	Phenylpropanolamine-HCl 12.5 mg. Paracetamol B.P. 500 mg.	Phenylpropanolamine-HCl 3 mg. Paracetamol B.P. 125 mg. Alcohol (95%) 0.5 ml.
<b>Packs</b>	tubes of 30	bottles of 8 and 20 fl. oz.
<b>Basic N.H.S. Price</b>	3/6d. for 30 tablets	5/10d. for 8 fl. oz.


Literature and sample on request. A. Wander Ltd., 42 Upper Grosvenor Street, London W.1



M438D

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# **ZEISS** Operation Microscope II with Zoom focusing and Zoom optical system



- A revolutionary step in the design of surgical microscopes, giving complete foot-button control of—
- a Motorised height adjustment of the rollable stand.
  - b Motorised fine focussing upwards and downwards
  - c Motorised pancratic zoom system giving continuous magnification range 5x to 25x (with the zoom objective 200 mm and 12.5x oculars)

Accessories include Observation Tubes, Camera Attachments and Oculars for spectacle wearers.

Full details from Carl Zeiss at  
Degenhardt & Co. Ltd.,  
20/22 Mortimer Street,  
London, W.1  
01-636 8050 (15 lines)

## **ZEISS**





West  
Germany

## **Degenhardt**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What do you do about a case like this?



Now, for the profoundly deaf child and the adult with a severe fragmentary loss—a completely new hearing aid. The Zenith 'Vocalizer' enables hearing correction to be maintained down to frequencies previously beyond the scope of all but desk appliances. The 'Vocalizer' actually amplifies down to one hundred cycles. It can prove helpful for children and adults with some residual hearing for low frequencies but a total loss for the medium and high frequencies. It incor-

porates new facilities to provide for Loop Listening simultaneously with the child hearing his own voice for speech training. Because the 'Vocalizer' is light yet robust, he can continue to use the same aid at home as he uses at school.

**REFER YOUR PATIENTS TO INGRAMS** who will gladly provide this unique hearing aid on trial—or any other aid from their comprehensive range of twenty-six different makes. Patients have the widest choice with Ingrams. If you would like details, please write.

**Ingrams**

**THE DIFFERENT MAKES TO CHOOSE FROM**

2 Shepherd St, Shepherd Market, London W1. HYD 9041 Branches throughout Great Britain

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# WINDHO

## Instrumentation for Audiology and Psychoacoustics

U.K. Distributors of the World's leading makes




**Madsen**  
*Electronics* <sup>A</sup>/<sub>S</sub>



*Kamplex*

GRASON-STADLER



*Audium*

*Please let us know your needs*

**G. C. Johnson, Leyton Instrument Company Limited,**  
54 Albert Road, Caversham, Reading, Berks Reading 72293

*Our Range includes:*

- Portable Audiometers
- Clinical Audiometers
- Lequesy Audiometers
- Speech Audiometers
- Acoustic Impedance Meters
- Sound Level Meters
- Zwislocki Bridge
- Psychogalvanometer
- Auditory Trainers
- Group Hearing Aids
- Individual Hearing Aids for School use
- Silicon Based Aural Impression Materials
- Audiometric Examination Rooms and many other items

For advertisement space in this Journal

apply to

**HEADLEY BROTHERS LTD.**

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of am-pen-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia  Lung Abscess  Tonsillitis  Pharyngitis  Acute bronchitis

Septicaemia

Cellulitis  Carbuncles  Infected dermatoses

Osteomyelitis  Osteitis

Post-operative wound infections  Burns  Skin graft protection

Subacute endocarditis

Staphylococcal enterocolitis  Staphylococcal urinary tract infections  
Staphylococcal meningitis

## **Dosage**

*Adults:* 500mg (2 capsules) four times daily, by mouth, 250mg (1 vial) by intramuscular injection, four times daily.

*Children:* Under 2 years—quarter adult dose. 2 to 10 years—half adult dose.

*Additional information is available on request.*

## **Contra-indications**

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.


## **Side-effects**

As with other penicillins.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England. Original originators of the new penicillins.





## THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

## 'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London  
(The Wellcome Foundation Ltd.)

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements