

The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

Contents

THE CHANGING PATTERN OF OTOTOLOGY AND LARYNGOLOGY	VICTOR LAMBERT ✓
DIVERTICULA OF THE THORACIC ŒSOPHAGUS	H. J. SHAW ✓
THE TREATMENT OF SEVERE PROGRESSIVE EPISTAXIS BY RADIO THERAPY	J. P. STEWART and J. D. SAMMON ✓
THE OSTEOPLASTIC FLAP APPROACH TO THE FRONTAL SINUSES	THOMAS GIBSON and FORBES M. WALKER ✓
THE MANAGEMENT OF INJURIES OF THE NOSE AND UPPER JAW	E. G. COLLINS ✓
CLINICAL RECORDS—	
RESTORATION OF NASAL CONTOUR, WITH A NOTE ON USE OF POLYTHENE BLOCK	C. L. HEANLEY ✓
OTOSCLEROSIS ASSOCIATED WITH MALIGNANT MELANOMA OF THE EAR	I. FRIEDMANN and A. RADCLIFFE ✓
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD, 109 Kingsway London WC 2.

8. The annual subscription is three guineas sterling (U.S.A. \$10,) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC 2.

United States of America

Orders for this *Journal* may be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC 2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

Impacted Wax

Removed swiftly and safely

Even severely impacted wax can now be safely loosened, softened or dissolved by Cerumol. Pressure syringing is no longer necessary.

Cerumol was clinically tested in a London hospital and is an accepted product for use in a large number of hospitals and general practices throughout the country. It is included in Category No. 4 in the Classified List of Proprietary Preparations issued by the Ministry of Health, and may therefore be prescribed on N.H.S. form E.C.10. Price under the National Health Scheme, 2s. 8d. per 10 c.c. vial with separate dropper. Also packed in 2 oz. and 10 oz. bottles for hospital use.

Safe, Efficient, Anti-bacterial. Saves Time and Trouble.

Obtainable through your Chemist.

CERUMOL
Regd. TRADE MARK

EAR DROPS

**A Product of The Laboratories for Applied Biology Ltd.,
London, N.16.**

Professional sample and literature available on request from the distributors

TAMPAX LIMITED,

Medical Department, 110 Jermyn Street, London, S.W.1.

Telephone : Whitehall 8696.

Please mention *The Journal of Laryngology* when replying to advertisements

Hearing Re-education without Hearing Aids (contd.)

Hearing re-education without a hearing aid is also indicated for the following persons: 1. Those with a 35 to 50 decibel loss in the better ear who are acoustically suited, but whose station, calling or temperament makes them unsuited for a hearing aid. 2. Those unsuited for a hearing aid whose tinnitus or other aural symptoms are caused by the hearing loss itself. 3. Those who have had a hearing aid fitted to their poorer ear because they were unable to tolerate a hearing aid in the better ear. (Such patients can attain a satisfactory level of hearing through auditory re-education alone and thus are relieved of the necessity of resorting to a gauche procedure.) 4. Those who are well suited but prefer not to wear a hearing aid. (Unless they have more than a 50 decibel loss in the better ear, it would be justifiable to give them auditory re-education first and decide later whether they have to wear a hearing device.) 5. Those who through disuse of the poorer ear, exhibit one or more of the disabilities characteristic of monaural hearing.

A report, analysis and interpretation of the results of 50 hard-of-hearing persons so rehabilitated will gladly be forwarded upon request to:

THE SECRETARY, THE AUDITORY TRAINING UNIT
 'Arden House', 21/23 Wigmore Street, London W.1. Tel: LANgham 8253



From the Arden Acoustics Laboratory, working under the scientific direction of Dr. S. C. Ghose, now comes the very first completely 'silent' Aural Aid. Embodying an entirely new approach to the problem of noise elimination, the Arden 'Phoenix' represents a major advance in aural aid technique.

The new Arden 'PHOENIX' Aural Aid . . .

has been especially developed for use in those cases where it is recommended that the re-education programme be carried out in conjunction with an aural aid.


The frequency characteristics of the 'Phoenix' may be varied in many unique ways to suit the individual hearing requirements of each patient.

A further important feature is its original system of Automatic Volume Limitation, which assures that sound levels higher than the critical recruitment level of a perceptive deaf ear are heard in comfort and at a tolerable level. The top microphone is an interesting new feature, enabling the patient to hear equally well from all directions.

For further particulars please communicate with:

THE MEDICAL SECRETARY, ARDEN HEARING SERVICE
 'Arden House', 21/23 Wigmore Street, London W.1. Tel: LANgham 8251 (5 lines)

Please mention *The Journal of Laryngology* when replying to advertisements



These noxious creatures

Tyrosolven is a lozenge containing tyrothricin, an antibiotic, and benzocaine, a local anaesthetic. It is of particular value during influenza epidemics, since it is effective against most of the potentially noxious creatures which proliferate in the mouth and pharynx under such conditions, e.g. haemolytic, streptococci, enterococci, vibrioform and fusiform bacilli and spirochaetes.

Dosage: Place 1 lozenge under the tongue hourly. Allow to dissolve. Do NOT chew. Repeat until condition improves, then continue dosage 3-hourly.

Formula:
Tyrothricin 1 mg.,
benzocaine 5 mg.

Packing:
Tubes of 20 lozenges;
dispensing pack of 250.
Tyrosolven is not
subject to Purchase Tax.

Tyrosolven

No Warner preparation has ever been advertised to the public.

WILLIAM R. WARNER & Co. Ltd.,
Power Road, London, W.4.

Please mention *The Journal of Laryngology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

BINDING

Journal of Laryngology & Otology

Subscribers wishing to have their Journals bound
can do so by sending them to the Publishers.

Volumes are strongly bound in whole dark blue buckram cases,
with gold lettering on spine. The cost of binding is 25s. per
volume, including postage.

Some missing parts can be supplied at 7s. 6d. each, or the whole
volume, complete in the above binding, for 88s.

Publishers' cases can be supplied for 10s., including postage.

HEADLEY BROTHERS LTD, 109 KINGSWAY LONDON WC2

Please mention *The Journal of Laryngology* when replying to advertisements

THE INSTITUTE OF LARYNGOLOGY & OTOTOLOGY

(University of London)

330/332 GRAY'S INN ROAD, LONDON, W.C.1

Advanced Revision Course for Final F.R.C.S. students from February 8th to April 23rd, 1954. Arranged as part-time course (mostly evenings) to meet circumstances of students holding appointments. Fee, **£21**.

Intensive Course in Endoscopy for senior students and practising members of the specialty. Whole-time from April 26th to May 1st, 1954. Includes practical work. Fee, **£10 10s**.

Intensive Clinical Lecture Course from February 1st to 26th, 1954. Whole-time course intended to form a theoretical basis in preparation for practical clinical training. Fee, **£12 12s**.

Basic Sciences Class (with facilities for dissection) for Part I, D.L.O. students from February 22nd to May 28th, 1954. Fee, **£21**.

Detailed syllabus obtainable from the Dean

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

**for more than two decades a dependable
and welcome aid to patient-comfort**

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

THE CHANGING PATTERN OF OTOTOLOGY AND LARYNGOLOGY. Victor Lambert (Manchester)	63
DIVERTICULA OF THE THORACIC ŒSOPHAGUS. H. J. Shaw (London)	70
THE TREATMENT OF SEVERE PROGRESSIVE EPISTAXIS BY RADIO- THERAPY. J. P. Stewart and J. D. Sammon	82
THE OSTEOPLASTIC FLAP APPROACH TO THE FRONTAL SINUSES. • Thomas Gibson and Forbes M. Walker	92
THE MANAGEMENT OF INJURIES OF THE NOSE AND UPPER JAW. E. G. Collins (Aberdeen)	101
CLINICAL RECORDS—	
RESTORATION OF NASAL CONTOUR, WITH A NOTE ON USE OF POLYTHENE BLOCK. C. L. Hcanley (London)	112
OTOSCLEROSIS ASSOCIATED WITH MALIGNANT MELANOMA OF THE EAR. I. Friedmann and A. Radcliffe (London)	114
GENERAL NOTES	120

For Advertisement space in this Journal apply to :
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

Please mention *The Journal of Laryngology* when replying to advertisements