

THE  
GEOLOGICAL MAGAZINE.

NEW SERIES.

DECADE V. VOL. VIII.

JANUARY — DECEMBER, 1911.

THE  
GEOLOGICAL MAGAZINE

OR

Monthly Journal of Geology:

WITH WHICH IS INCORPORATED

“THE GEOLOGIST”.

NOS. DIX TO DEPARTMENT,  
GEOLOGY DEPARTMENT,  
BIRKBECK COLLEGE, ESC  
EDITED BY

HENRY WOODWARD, LL.D., F.R.S., F.G.S., F.R.M.S.

LATE OF THE BRITISH MUSEUM OF NATURAL HISTORY; PRESIDENT OF THE  
PALÆONTOGRAPHICAL SOCIETY; ETC., ETC.

ASSISTED BY

PROFESSOR J. W. GREGORY, D.Sc., F.R.S., F.G.S.

DR. GEORGE J. HINDE, F.R.S., F.G.S.

SIR THOS. H. HOLLAND, K.C.I.E., A.R.C.S., F.R.S.

PROFESSOR W. W. WATTS, Sc.D., LL.D., M.Sc., F.R.S., PRES. G.S.

DR. ARTHUR SMITH WOODWARD, LL.D. ST. ANDREWS,  
F.R.S., F.L.S., SEC. G. Soc.

AND

HORACE B. WOODWARD, F.R.S., F.G.S.

NEW SERIES. DECADE V. VOL. VIII.

JANUARY—DECEMBER, 1911.

LONDON:

DULAU & CO., LTD., 37 SOHO SQUARE, W.

1911.

HERTFORD :

PRINTED BY STEPHEN AUSTIN AND SONS, LTD.

LIST OF PLATES.

| PLATE   | FACING PAGE |
|---|-------------|
| I. Basic Dykes, Rhodesia . . . . .  | 10          |
| II. Basic Dykes, Rhodesia . . . . .   | 15          |
| III. Jaw-structures in <i>Conulus</i> . . . . .   | 74          |
| IV. Fossil Myriopods from the Middle Coal-measures near Rochdale  | 76          |
| V. Fossil Myriopods from the Middle Coal-measures near Rochdale   | 80          |
| VI. View near Port a' Chotain, showing preglacial platform of<br>marine erosion . . . . .                           | 97          |
| VII. New Species of <i>Thenops</i> . . . . .  | 120         |
| VIII. Upper Devonian Arthropods from Ohio, U.S.A. . . . .   | 128         |
| IX. New Chalk Polyzoa . . . . .   | 153         |
| X. New Chalk Polyzoa . . . . .  | 154         |
| XI. Nepheline-syenite and Radial Apatite . . . . .  | 196         |
| XII. Graphic Intergrowth: Mica and Calcite, also Calcite with<br>Olivine and Magnetite . . . . .                    | 200         |
| XIII. Arrangement of Plates in Phylloides of some Fossil Echinoidea .   | 265         |
| XIV. <i>Stormbergia Gardneri</i> , gen. et sp. nov.; Cyphergat, Cape Colony   | 298         |
| XV. <i>Helminthochiton thraivensis</i> , sp. nov. . . . .   | 339         |
| XVI. Granite with Quartz Veins, Foxdale, Isle of Man . . . . .  | 347         |
| XVII. Synclinal Fold, north of Bude, Hartland District . . . . .  | 366         |
| XVIII. Map of the Bermuda Islands . . . . .   | 385         |
| XIX. Sand-dunes anchored by Sea-lavender and by Indigo-berry,<br>Bermuda . . . . .                                  | 388         |
| XX. Recent Landslip, Kempe's Bay, Bermuda. Serpentine Atolls,<br>South Shore, Bermuda . . . . .                     | 394         |
| XXI. Deep Cut. Pinnacles, Æolian Rock. Pinnacle, Æolian Rock.<br>(Bermuda.) . . . . .                               | 439         |
| XXII. Pot-holes in process of formation. Pseudo-palmetto Stump.<br>Reticulated Hard Limestone. (Bermuda.) . . . . . | 440         |
| XXIII. Grey Rock, and Phosphorite with Staffelite, Bermuda . . . . .  | 442         |
| XXIV. Cretaceous Terebelloid Worm-Tubes . . . . .   | 487         |
| XXV. Jaws of British Fossil Shrews . . . . .  | 539         |

LIST OF ILLUSTRATIONS IN THE TEXT.

|  | PAGE |
|--|------|
| Sections of watershed range, Eastern Desert of Egypt, and of Gulfs of Suez and Akaba . . . . . | 3    |
| Sketch-map of the Gulf of Suez . . . . .   | 5    |
| Sketch of landslip, Isle of Wight . . . . .  | 19   |
| Diagram of landslip, Isle of Wight . . . . .   | 20   |
| Restorations of <i>Scalpellum fossula</i> and <i>S. magnum</i> , Darwin . . . . .              | 21   |
| <i>Scalpellum Darwinianum</i> , J. Bosquet . . . . .   | 23   |
| <i>S. longissimum</i> , Withers, sp. nov. . . . .  | 25   |
| <i>Pollicipes filosus</i> , Withers, sp. nov. . . . .  | 26   |
| <i>Loricula Darwini</i> , H. Woodward; <i>L. expansa</i> , Withers, sp. nov. . . . .           | 28   |
| Powder from pulverizing wood . . . . .   | 57   |
| Sketch-map of Geology of Coast of Kincardineshire . . . . .                                    | 65   |
| <i>Xylobius Platti</i> , H. Woodw. . . . .   | 79   |
| Diagram of beaches of British Isles . . . . .  | 99   |
| Preglacial raised beach, Kiloran Bay . . . . .   | 101  |
| Preglacial cliff, Colonsay . . . . .   | 102  |
| Sketch-map showing preglacial raised beach, Western Isles of Scotland . . . . .                | 108  |
| Axis, rib, dorsal and middle caudal vertebræ of <i>Stegosaurus priscus</i> . . . . .           | 110  |
| Diagram illustrating strain on diapophysis of Stegosaurian and Omosaurian types . . . . .      | 112  |
| Views of caudal vertebræ, <i>Stegosaurus priscus</i> . . . . .                                 | 114  |
| Mandible of <i>Titanichthys</i> sp. . . . .  | 124  |
| <i>Titanichthys rectus</i> , Claypole . . . . .  | 125  |
| Bones of <i>Stenognathus Gouldi</i> (Newb.) . . . . .  | 127  |
| Humerus of <i>Stegosaurus priscus</i> . . . . .  | 145  |
| Ulna of <i>St. priscus</i> . . . . .   | 146  |
| Femora of various animals . . . . .  | 147  |
| Anterior view of tibia and fibula of <i>Stegosaurus priscus</i> . . . . .                      | 149  |
| Ischium and pubis of <i>Omosaurus armatus</i> and <i>St. priscus</i> . . . . .                 | 150  |
| External view and sections of spine and dorsal dermal plate of <i>St. priscus</i> . . . . .    | 152  |
| Partial restoration of dorsal surface of <i>Pleurocaris annulatus</i> . . . . .                | 157  |
| Skull roof of <i>Peloneustes philarchus</i> . . . . .  | 161  |
| Mandibles of <i>Peloneustes philarchus</i> and <i>Murcenosaurus</i> . . . . .                  | 162  |
| Sketch-map of Colonsay and Oronsay . . . . .   | 168  |
| Sketch-map of sand-hills at Balnahard . . . . .  | 171  |
| Small core, Neolithic floor, Sand-hills, Balnahard . . . . .                                   | 172  |
| Flint 'knives', Neolithic floor, Sand-hills, Balnahard . . . . .                               | 173  |
| Flake from core and arrow-head, Neolithic floor, Sand-hills, Balnahard . . . . .               | 174  |
| Diagram of motion of a glacier . . . . .   | 190  |
| Sketch-map of Durham district . . . . .  | 300  |
| Section of Tynemouth Cliff . . . . .   | 303  |

|  | PAGE |
|--|------|
| Fissures in Magnesian Limestone containing Yellow Sand . . . . .                           | 304  |
| Section of lenticular hollow in Magnesian Limestone . . . . .                              | 305  |
| <i>Eryon propinquus</i> , Schlot., sp., Solenhofen . . . . .                               | 308  |
| <i>E. Richardsoni</i> , sp. nov., Lias, Gloucestershire . . . . .                          | 309  |
| Metamorphosed dolomite from Ceylon . . . . .   | 341  |
| Metamorphosed dolomite from Ontario . . . . .  | 343  |
| Diagrammatized section of Foxdale Silica Quarry and section in Eairy Quarry . . . . .      | 349  |
| Carapace of <i>Anthrapalemon Grossarti</i> , Coal-measures . . . . .                       | 365  |
| Ideal section of Bermuda Formations . . . . .  | 389  |
| Shell-conglomerate ( <i>Pæcilozonites Nelsoni</i> ), Bermuda . . . . .                     | 389  |
| Diagram sketch of cliff, Castle Harbour . . . . .  | 390  |
| <i>Pæcilozonites Bermudensis</i> from Castle Harbour . . . . .                             | 391  |
| <i>Maiocercus orbicularis</i> , sp. nov., Coal-measures near Bolton . . . . .              | 396  |
| <i>Desmoceras marlowense</i> , sp. nov., Chalk Rock, Buckinghamshire . . . . .             | 399  |
| <i>D. marlowense</i> , sp. nov., part of suture-line . . . . .                             | 400  |
| <i>Limnæa Harmeri</i> , n.sp. . . . .  | 401  |
| <i>Peneroplis pertusus</i> , grey rock, Bermuda . . . . .                                  | 439  |
| Diagram showing the comparative structure of the tubercles in Holoctypoida . . . . .       | 444  |
| Diagram showing the comparative arrangement of the tubercles in the Holoctypoida . . . . . | 450  |
| Diagram section of Raised Beach and Boulder-clay near Porth Clais, St. David's . . . . .   | 464  |
| <i>Palæocaris præcursor</i> (H. Woodw.) . . . . .  | 488  |
| Head-regions of <i>P. præcursor</i> and <i>Anaspides tasmanica</i> . . . . .               | 489  |
| Portion of thoracic region of <i>P. præcursor</i> . . . . .                                | 491  |
| <i>P. typus</i> , restoration . . . . .  | 493  |
| <i>Pleurocaris annulatus</i> , restoration of head-region . . . . .                        | 494  |
| <i>Loxia trigonioides</i> , sp. nov., Coal-measures, Derbyshire . . . . .                  | 498  |
| <i>Prestwichia</i> , glabellar region (?), Coal-measures, Shipley . . . . .                | 499  |
| Terminal segments of air-breathing Arthropod, Kilburn Coal, Notts. . . . .                 | 499  |
| Post-abdominal segment of Scorpion, Coal-measures, Shipley . . . . .                       | 500  |
| Abdominal segment of <i>Eurypterus</i> , Coal-measures, Notts. . . . .                     | 501  |
| Carapace of <i>Anthracosiro</i> , Coal-measures, Derbyshire . . . . .                      | 501  |
| <i>Anthracosiro fritschii</i> , Pocock, Coal-measures, Derbyshire . . . . .                | 503  |
| <i>A. fritschii</i> , Pocock, and <i>A. woodwardi</i> , Pocock, Derbyshire . . . . .       | 504  |
| Opisthosoma of <i>Anthracosiro</i> , Notts. . . . .  | 505  |
| Eleven views of condyles of fossil Shrews . . . . .  | 536  |
| Section, Cretaceous Series, north side of Lower Shag Valley, New Zealand . . . . .         | 542  |
| Relation of Lower Tertiaries to Cretaceous Series, Shag Point, New Zealand . . . . .       | 543  |
| Map of Shag Point, New Zealand . . . . .   | 544  |
| Section at Komiti Point, New Zealand . . . . .   | 546  |
| Sketch-map, Ramsey Island . . . . .  | 557  |