

July 1921

Vol. XXXVI., No. 7

# The Journal of Laryngology and Otology

EDITED BY  
A. LOGAN TURNER AND J. S. FRASER

## Contents

VESTIBULAR FACE REFLEXES . . . . .	S. MYGIND
STATISTICAL TABLES FOR THE YEARS 1919 AND 1920 . . . . .	T. PATTERSON C. BURNHAM G. E. MARTIN
CLINICAL RECORDS:—	
CHONDROMA OF THE CRICOID . . . . .	E. B. WAGGETT
ENCEPHALITIS LETHARGICA, COMPLICATED BY DOUBLE CHRONIC SUPPURATIVE OTITIS MEDIA . . . . .	JAMES DON H. R. SOUPER
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE — SECTIONS OF LARYNGOLOGY AND OTOLOGY.	
ABSTRACTS:—	
EAR. NASO-PHARYNX AND PHARYNX. LARYNX.	
REVIEW OF BOOK. LETTER TO EDITORS. GENERAL NOTES.	

Edinburgh: Oliver and Boyd  
London: 33 Paternoster Row

*Monthly, 4/- net*

*Annual Subscription, 40/- net*

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

**LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

**LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

**LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

**LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

**LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.

**LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

## LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."

7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

## UNIVERSITY OF LONDON

### SEMON LECTURE, 1920-1921

THE SEMON LECTURE, entitled "THE RELATIONSHIP OF THE LARYNX TO PULMONARY TUBERCULOSIS," will be given (with Lantern Illustrations) by Dr JOBSON HORNE, M.A., M.D. (President of the Laryngological Section of the Royal Society of Medicine), in the Lecture Hall of the Royal Society of Medicine, 1 WIMPOLE STREET, W.1, on Tuesday, 5th July, at Five p.m.

The Chair will be taken by Dr HERBERT TILLEY, M.D., B.S.

**ADMISSION FREE, WITHOUT TICKET**

EDWIN DELLER, *Academic Registrar.*

# PHENATE OF SODA SOLUTION

*Sol. Sodæ Phenatis (Woolley)*

Invaluable as a Mouth and Throat Wash and for  
allaying tenderness of the Gums after Teeth Extraction

**ANTISEPTIC and ASTRINGENT**

Price, Retail, of all Chemists—

$\frac{1}{4}$ -Pint Bottles, 1/6;  $\frac{1}{2}$ -Pint, 2/9; Pint, 4/6; Quart, 7/-;  $\frac{1}{2}$ -Gallon, 12/6

*Special Prices to the Medical and Dental Professions*

A DENTIST writes:—"I have found it invaluable in dental practice for syringing the sockets after removal of teeth which have been subject to an acute attack of *periostitis*; the strength used is one part of the solution to 15 parts of hot water, the relief from intense pain being instantaneous."

**JAMES WOOLLEY, SONS & CO., LTD.**

Manufacturing Chemists

**M A N C H E S T E R**

GOLD MEDAL.

INTERNATIONAL CONGRESS OF MEDICINE, LONDON, 1918.

The Original Cocaine-free Local Anæsthetic

# NOVOCAIN

*Recommended by all the great authorities, and used  
in all the chief Hospitals for the past 14 years.*

The Ideal Anæsthetic

**IN NOSE AND THROAT OPERATIONS**

by Infiltration or the "Block" methods.

Has the effects of Cocaine, but is

**Six to Seven Times less Toxic.**

*Literature on request.*


**THE SACCHARIN CORPORATION LTD.,**

*Pharmaceutical Department*

**72 OXFORD STREET, LONDON, W.1.**

## Electrical Aids for the Deaf

STAND No. 59, B.M.A. EXHIBITION, NEWCASTLE-ON-TYNE



TEST SET CAPABLE OF PRESCRIBING 90 DIFFERENT INSTRUMENTS  
AS USED BY

**W. H. PETTIFOR,** TELEPHONE ENGINEER,

11 VICTORIA STREET, WESTMINSTER, S.W. 1.

Telephone—VICTORIA 7058.

*Instruments accurately made up from Doctors' Diagnoses of Individual Cases.*

# BORALDEHYDE

(DUNCAN)

*A specialised preparation of*

**FORMALDEHYDE  
BORIC ACID**

**AROMATIC ANTISEPTICS  
GLYCERO MENSTRUUM**

Extensively employed by the leading Physicians  
and Surgeons as a Gargle, Mouth Wash,  
Throat Spray, Aural Douche, etc.

*Manufactured by*

**DUNCAN, FLOCKHART & CO.**

**EDINBURGH AND LONDON**

155 FARRINGDON ROAD

# HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

## HONORARY MEDICAL STAFF

SURGEONS.	OUT-PATIENTS.	OPERATIONS.
Mr JEFFERSON FAULDER ... ..	Wednesday, 2 P.M.	Thursday, 10 A.M.
Dr W. H. KELSON ... ..	Friday, 2 P.M.	Friday, 9.30 A.M.
Mr G. W. BADGEROW ... ..	Monday, 2 P.M.	Wednesday, 9 A.M.
Dr IRWIN MOORE ... ..	Friday, 6.30 P.M.	Tuesday, 2 P.M.
Mr LIONEL COLLEDGE ... ..	Tuesday, 2 P.M.	Thursday, 2 P.M.
Mr G. W. DAWSON ... ..	Thursday, 2 P.M.	Tuesday, 10 A.M.
Mr GILBERT CHUBB ... ..	Saturday, 10 A.M.	Friday, 2 P.M.
<b>ASSISTANT SURGEONS.</b>		
Mr F. J. CLEMINSON ... ..	{ Tuesday, 6 P.M. Saturday, 10 A.M.	{ Monday, 10 A.M.
Mr J. D. OLIVER ... ..	{ Wednesday, 2 P.M. Friday, 2 P.M.	{ Thursday, 10 A.M.
Mr T. H. JUST ... ..	{ Tuesday, 2 P.M. Thursday, 2 P.M.	{ Wednesday, 10 A.M.

## CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

**NEW EDITION. REVISED AND ENLARGED. LEWIS'S PRACTICAL SERIES.**

## DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London.

Fourth Edition. With numerous illustrations, including 74 Plates. Demy 8vo.  
28s. net. Postage 1s., abroad 1s. 3d.

*Extracts from Press Notices.*

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—*British Medical Journal*.

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—*Lancet*.

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—*Medical Press*.

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.

Telegrams: "Publicavit, Eusroad, London."

Telephone: Museum 1072.

## INSTRUMENTS AND EQUIPMENT FOR

# Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

*As supplied to and used in*

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH  
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh

Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

**GRANDS PRIX:**  
 Paris, 1900. Brussels, 1910. Buenos Aires, 1910.




Gold Medal, Allahabad, 1910.

## DOWN BROS.' SPECIALITIES

### A NEW NEEDLE AND SUTURE CARRIER

For Suturing the Pillars of the Fauces to  
 arrest hæmorrhage after Tonsillectomy

As made for Mr THOMAS GUTHRIE, M.A., F.R.C.S., of Liverpool  
 (Vide *Journal of Laryngology, Rhinology, and Otology*, April 1920).



Manufactured by

## DOWN BROS., LIMITED

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams

"DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone

HOP 4400 (4 lines).

# CONTENTS

	PAGE
VESTIBULAR FACE REFLEXES. S. Mygind, M.D. . . . .	321
STATISTICAL TABLES FOR THE YEARS 1919 AND 1920. Drs Tyrrell Patterson, Cecil Burnham, and G. Ewart Martin . . . . .	328
<b>CLINICAL RECORDS—</b>	
Chondroma of the Cricoid. E. B. Waggett, D.S.O., M.B., B.C. . . . .	338
Encephalitis Lethargica, complicated by Double Chronic Suppurative Otitis Media. James Don, M.D., and H. R. Souper, M.A., M.D. . . . .	343
<b>SOCIETIES' PROCEEDINGS—</b>	
Royal Society of Medicine—Sections of Laryngology and Otology . . . . .	346
<b>ABSTRACTS—</b>	
Ear . . . . .	357
Naso-Pharynx and Pharynx . . . . .	362
Larynx . . . . .	363
REVIEW OF BOOK . . . . .	364
LETTER TO EDITORS . . . . .	365
GENERAL NOTES . . . . .	366

## "POLLACCINE" TREATMENT OF HAY FEVER

(Pollen Vaccine).

The method of treating Hay Fever by inoculation with "Pollaccine" (pollen vaccine), introduced by Noon and elaborated by Freeman,<sup>1</sup> has been employed with excellent results by very many practitioners, some of whom have recorded their cases in medical journals.<sup>2</sup>

"POLLACCINE" is prepared in the Department for Therapeutic Inoculation, St. Mary's Hospital, London, W., and is supplied to the profession through the agency of Parke, Davis & Co.

As individuals differ widely in their susceptibility to pollen toxin, the dose of "Pollaccine" appropriate to a given case should be ascertained by the ophthalmic reaction, the requisites for which are supplied in a convenient HAY FEVER REACTION OUTFIT.

<sup>1</sup> Vide *Lancet*, 1911, i, 1572; ii, 814; also 1914, i, 1178.

<sup>2</sup> Vide *Lancet*, 1912, ii, 1716; *Practitioner*, Feb. 1914; *Liverpool Med.-Chir. Journ.*, July 1914, p. 260.

A leaflet describing the mode of conducting the ophthalmic test, and of determining the required dose of "Pollaccine," will be forwarded on request by

**PARKE, DAVIS & CO.,** 50-54 Beak Street, **LONDON, W.1**  
Regent Street,

Telegraphic and Cable Address: "Cascara, London."      Telephones: Regent 3260 (six lines).