

CAMBRIDGE

JOURNALS

International Psychogeriatrics

Published for the International Psychogeriatric Association

Editor-in-Chief

Nicola Lautenschlager, University of Melbourne, Australia

A highly respected, multidisciplinary journal, *International Psychogeriatrics* publishes high quality original research papers in the field of psychogeriatrics. The journal aims to be the leading peer reviewed journal dealing with all aspects of the mental health of older people throughout the world. Circulated to over 1,000 members of the International Psychogeriatric Association, *International Psychogeriatrics* also features important editorials, provocative debates, literature reviews, book reviews and letters to the editor.


Price information

is available at: <http://journals.cambridge.org/ipg>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/ipg-alerts>

For free online content visit:
<http://journals.cambridge.org/ipg>



International Psychogeriatrics is available online at:
<http://journals.cambridge.org/ipg>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLE

Depression in Gulf War veterans: a systematic review and meta-analysis

Blore JD, Sim MR, Forbes AB, Creamer MC & Kelsall HL

1565

ORIGINAL ARTICLES

Population-based, multi-generational family clustering study of social anxiety disorder and avoidant personality disorder

Isomura K, Boman M, Rück C, Serlachius E, Larsson H, Lichtenstein P & Mataix-Cols D

1581

Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders

Saunders KEA, Goodwin GM & Rogers RD

1591

Association between phthalates and externalizing behaviors and cortical thickness in children with attention deficit hyperactivity disorder

Park S, Lee J-M, Kim J-W, Cheong JH, Yun HJ, Hong Y-C, Kim Y, Han DH, Yoo HJ, Shin M-S, Cho S-C & Kim B-N

1601

Do negative symptoms of schizophrenia change over time? A meta-analysis of longitudinal data

Savill M, Banks C, Khanom H & Priebe S

1613

Neurocognitive and familial moderators of psychiatric risk in velocardiofacial (22q11.2 deletion) syndrome: a longitudinal study

Kates WR, Russo N, Wood WM, Antshel KM, Faraone SV & Fremont WP

1629

Effects of depression co-morbidity and treatment on quality of life in patients with acute coronary syndrome: the Korean depression in ACS (K-DEPACS) and the escitalopram for depression in ACS (EsDEPACS) study

Kim J-M, Stewart R, Bae K-Y, Kang H-J, Kim S-W, Shin I-S, Hong YJ, Ahn Y, Jeong MH & Yoon J-S

1641

Risk factors for major depression during midlife among a community sample of women with and without prior major depression: are they the same or different?

Bromberger JT, Schott L, Kravitz HM & Joffe H

1653

Psychotic reactions to daily life stress and dopamine function in people with severe hearing impairment

Gevonden MJ, Myin-Germeys I, van den Brink W, van Os J, Seltén JP & Booij J

1665

Dimensional structure of bodily panic attack symptoms and their specific connections to panic cognitions, anxiety sensitivity and claustrophobic fears

Drenckhan I, Glöckner-Rist A, Rist F, Richter J, Gloster AT, Fehm L, Lang T, Alpers GW, Hamm AO, Fydrich T, Kircher T, Arolt V, Deckert J, Ströhle A, Wittchen H-U & Gerlach AL

1675

The structure and short-term stability of the emotional disorders: a dimensional approach

Kotov R, Perlman G, Gámez W & Watson D

1687

Age-specific suicide mortality following non-fatal self-harm: national cohort study in Sweden

Tidemalm D, Beckman K, Dahlin M, Vaez M, Lichtenstein P, Långström N & Runeson B

1699

Polygenic risk, stressful life events and depressive symptoms in older adults: a polygenic score analysis

Musliner KL, Seifuddin F, Judy JA, Pirooznia M, Goes FS & Zandi PP

1709

Childhood somatic complaints predict generalized anxiety and depressive disorders during young adulthood in a community sample

Shanahan L, Zucker N, Copeland WE, Bondy CL, Egger HL & Costello EJ

1721

Prefrontal hypoactivation during working memory in bipolar II depression

Brooks III JO, Vizueta N, Penfold C, Townsend JD, Bookheimer SY & Altshuler LL

1731

Cognitive performance and the course of depressive symptoms over 7 years of follow-up: the SMART-MR study

Kooistra M, Zuithoff NPA, Grool AM, Zinsmeester M, Biessels GJ, van der Graaf Y, Geerlings MI on behalf of the SMART-MR Study Group

1741

Hypersomnia subtypes, sleep and relapse in bipolar disorder

Kaplan KA, McGlinchey EL, Soehner A, Gershon A, Talbot LS, Eidelman P, Gruber J & Harvey AG

1751

Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback

Mucci A, Dima D, Soricelli A, Volpe U, Bucci P, Frangou S, Prinster A, Salvatore M, Galderisi S & Maj M

1765

Prenatal marijuana exposure, age of marijuana initiation, and the development of psychotic symptoms in young adults

Day NL, Goldschmidt L, Day R, Larkby C & Richardson GA

1779