

Index

- Aharonov–Bohm effect, 31, 85, 95–7
anomaly, 47, 79
 Adler–Bell–Jackiw, *see* chiral
 axial, *see* chiral
 chiral, 47, 51, 55
 four-dimensional, 55–7
 lattice, 143, 145, 148, 152, 154
 non-Abelian, 59
 two-dimensional, 57–8
 scale, 47, 59, 61–3
 non-Abelian, 63
area derivative, 259–63, 268
area law, 117–8, 170, 243, 274, 277
asymptotic freedom, 121, 172, 190,
 196, 208, 210, 217, 236, 390–1
asymptotic scaling, 119–20, 157
auxiliary field, 188, 191
- background field, 204
backtracking condition, 92, 259–60,
 262
barrier at $d = 1$, 312–4
Bianchi identity, 87, 260–1
 lattice, 353
 loop-space, 262–3
Boltzmann distribution, 33, 137–9,
 159–60, 162
boundary condition
 antiperiodic, 159, 166–7
 periodic, 31, 100–1, 159–60, 162,
 165–8, 325, 333, 357, 366
 twisted, 351, 366–7, 377, 400–4
- Brownian motion, 20, 79
bubble graph, 191
- Chern class
 first, 367
 second, 78
classical action, 21–2, 29, 35, 41, 47,
 50, 69
classical limit, 21
collective coordinate, 70, 72
color, 88, 185
commutator
 canonical, 4, 41, 45, 51
 Heisenberg, 351, 368, 373, 396
 Weyl–’t Hooft, 352, 368, 402
commutator term, 41
 regularized, 46, 54
completeness condition
 $SU(N)$, 214
 $U(N)$, 217
 basis functions, 52
 Fourier basis, 360
 Hilbert space, 5
 large- N , 275
 Weyl basis, 356
confinement criterion, 117, 159
 finite temperature, 159, 168–70
confinement of quarks, 83, 99, 117–8,
 123, 128, 169–70, 175
conformal group, 197–8
connected correlator, 44
correlation length, 121, 127, 170

- Coulomb law, 111–2, 117–8, 254–5
- covariant derivative, 29
 - non-Abelian, 86
- current
 - axial, 47, 49, 59
 - lattice, 149
 - conformal, 197–8
 - dilatation, 47, 59–60, 198
 - scale, *see* dilatation
 - vector
 - lattice, 148
- dimension
 - anomalous, 59, 194, 196
 - canonical, 59
 - scale, 59–60, 194, 305, 310
- dimensional transmutation, 120–1, 210
- double scaling limit
 - Hermitian matrix model, 304
 - twisted reduced model, 382
- double-line representation, 215–9, 226
 - gluon operator, 238
 - Hermitian matrix model, 289
 - noncommutative theory, 387
 - quark operator, 239–40
 - reduced model, 328–9, 332, 347
 - Veneziano limit, 234–5
- double-well potential, 65–6
- dynamical discretization
 - random paths, 27
 - random surfaces, 287, 292–3
- effective action, 204
- effective potential, 205–6
- Eguchi–Kawai model, 325
 - naive, 333
 - continuum, 337
 - lattice, 333
 - quenched, 342
 - continuum, 342
 - lattice, 348–9
 - twisted, 362
 - continuum, 372
 - lattice, 363–4
 - with fundamental matter, 374
- Elitzur theorem, 131–3, 335
- entropy, 171–2, 208–9, 244, 279, 303
- equilibrium ensemble, 137
- Euclidean formulation, 6–9
- Euler characteristic, 232, 242, 292
- evolution operator, 3, 22, 24, 160
- expansion in $1/N$, 185
 - matrix model, 287, 300, 302
 - QCD, 213–4, 265
 - twisted reduced model, 359
 - vector model, 187
 - Yang–Mills theory, *see* QCD
- factorization at large N
 - Hermitian matrix model, 295, 298
 - reduced model, 332, 394
 - vector model, 211
 - Yang–Mills theory, 237–9, 241–3, 245–6, 248, 264–5, 274, 315
 - quark operator, 240–1
- Faddeev–Popov method, 70, 109, 290
- fatgraph, *see* ribbon graph
- fermion doubling, 145–9
- Feynman diagram, 39
- Feynman disentangling, 3, 13, 14, 16, 22–3, 29, 79, 161, 252
 - γ -matrices, 251
 - color matrices, 90
- Feynman–Kac formula, 33, 160
- field strength
 - Abelian, 48
 - dual, 56
 - non-Abelian, 59, 87
 - noncommutative, 383
- fixed point, 121, 134, 196–7, 199
- flavor, 156, 172, 213, 233–6, 239–40, 374–5, 390, 404
- flux tube, 175–6, 243
 - breaking of, 176
- four-Fermi theory, 188
 - fixed point, 192, 194
 - Gell-Mann–Low function, 189
 - renormalizability, 188, 192–3
- functional integral, *see* path integral
- gap equation, 205–6
- gauge group, 85

- gauge theory
 - finite temperature, 160
 - lattice, 83, 99–100
 - Abelian, 99
 - averages in, 109
 - continuum limit, 99, 105–6
 - finite temperature, 167
 - Hamiltonian formulation, 100
 - non-Abelian, 99
 - partition function, 107
 - noncommutative, 377, 383–6
 - lattice, 398
- gauge-fixing, 51, 61, 63, 109, 257–8, 387
- Gell-Mann–Low function, 60, 120–1, 197–8
- generating functional, 44, 200
 - connected graphs, 45, 202
 - planar graphs, 227–9
- generators
 - $SU(N)$, 86
 - $U(N)$, 217
 - Weyl basis on $gl(N; \mathbb{C})$, 355
- genus expansion, *see* topological expansion
- gluodynamics, 117
- Grassmann variable, 37, 49, 79
 - one-dimensional, 90, 166
- Gross–Neveu model, 188, 190
- group measure, 108
 - Weyl form, 289, 291, 342
- Haar measure, 107–9, 113, 144, 283, 290, 313, 333–4, 342, 363, 398
- hadron matter, 159, 171, 174–5, 177, 179
- hopping parameter, 154
- index line, 215–6, 226, 230
- induced action, 156
- instanton, 65, 69–70, 77–8, 80
 - symmetry restoration, 75
 - zero mode, 70–2
- invariance, *see* symmetry
- Kazakov–Migdal model, 313–4
- KdV hierarchy, 309
- kink, 69
- Kontsevich model, 310
- large-mass expansion, 154–5
- lattice, 100
 - hypercubic, 100, 102
- lattice action, 104
 - adjoint, 107, 126
 - continuum limit, 105–6, 134
 - mixed, 107
 - universality of, 107
 - Wilsonian, 104
- lattice artifacts, 126
- lattice fermions, 143
 - chiral, 145, 152
 - Kogut–Susskind, 151–2, 157
 - staggered, 151
 - Wilson, 152–4
- lattice spacing, 100, 102
- link, 100–1
- loop equation, 247, 249, 263–72, 274
 - Abelian, 279, 281
 - Eguchi–Kawai model
 - naive, 336, 338
 - quenched, 344
 - twisted, 365, 373
 - Kazakov–Migdal model, 313
 - lattice, 265–6, 275
 - one-matrix model
 - Hermitian, 297, 299, 301–2, 306, 309
 - unitary, 283, 285
 - QCD₂, 281
 - two-matrix model, 311
- loop insertion operator, 298, 305
- loop space, 249, 258–9, 261–3, 265, 269–73, 315
- loop-space Laplacian, 271–3
- M-theory, 323
- Mandelstam relation, 246
- Markov process, 138
- master field, 243, 245–8
- matrices
 - γ , 9, 239, 251
 - clock and shift, 353
 - Pauli, 10

- matrix field, 215, 233
- matrix model, 287
 - Hermitian, 288, 291, 311–2
 - unitary, 283
- Maxwell equation
 - non-Abelian, 87
 - lattice, 105
- mean field, 123, 128–30, 133, 179
 - variational, 131–2
- minimal surface, 116–7, 242, 260
- Monte Carlo algorithm, 138
 - heat bath, 139
 - Metropolis, 140
- Monte Carlo method, 83, 123, 136–8
- Morita equivalence, 399, 401, 403
 - with fundamental matter, 403
- Moyal bracket, 382
- Moyal product, *see* star product
- multicolor QCD, 185
- multicritical point, 304
- multiparticle production, 208

- Nielsen–Ninomiya theorem, 150
- Noether theorem, 47, 49, 60, 148
- noncommutative $U_\theta(1)$ theory, 383, 387, 390
 - one-loop renormalization, 388
- noncommutative $U_\theta(n)$ theory, 386
- noncommutative coordinates, 379
- noncommutative random variable, 246
- noncommutative source, 228–9
- nonlinear sigma model, 208
 - Gell-Mann–Low function, 210
 - infrared problem, 210
 - symmetry restoration, 210
- nonplanar diagram, 218
 - noncommutative theory, 387
 - reduced model, 332
 - twisted reduced model, 358–9, 371

- operator calculus, 3
 - in loop space, 259
- operator formalism, 1, 3–4
- ordering
 - normal, 11, 188
 - path, 11–2, 14, 88
 - symmetric, 11, 369–70
 - time, 3
- oscillator
 - anharmonic, 65
 - harmonic, 5, 164
 - finite temperature, 163

- parallel transport, 31–2, 85
 - non-Abelian, 93–5
 - noncommutative, 391–2, 399
- partition function, 33, 35
 - thermal, 160
- path derivative, 259, 261, 263, 268
- path integral, 1, 14
 - discretized, 19
 - Gaussian, 18–9, 36, 39, 162, 164
- Penner model, 300
- perimeter law, 118, 243
- perturbation theory, 38
- phase factor, 31, 85
 - Abelian, 30–1
 - for closed loop, 32
 - lattice, 103, 110
 - non-Abelian, 88–90, 93, 97, 227, 246, 252
 - for closed loop, 246
 - noncommutative, 391, 394
- phase transition, 303
 - chiral, 159, 175–7
 - compact QED, 127
 - deconfining, 128, 159, 171, 173–4, 176–7, 179
 - in early universe, 175, 179
 - first-order, 123–4, 126, 130, 133
 - Gross–Witten, 285–6, 296, 303, 316
 - second-order, 121, 123, 126–8, 133, 136
 - third-order, 285, 296, 303
- planar diagram, 218–9
 - noncommutative theory, 380, 387–8, 390
 - number of, 219
 - reduced model, 327–9, 331, 345–6
 - twisted reduced model, 358–9
- plaquette, 101

- Poisson bracket, 362, 382
- Polyakov loop, 168–9, 400
 - lattice, 168
- propagator, 36
 - bare, 42–3
 - Euclidean, 9, 19
 - fermion, 191
 - exact, 43
 - Feynman, 4, 9
 - free, 3–4, 40, 42
 - gluon, 214
 - in external field, 13, 29, 32
 - lattice, 154–5
 - non-Abelian, 91
 - Minkowskian, 37
 - momentum-space, 4–5
 - regularized, 46
- proper time, 19–21
- quantum chromodynamics, 87, 233
 - Euclidean action, 87
 - finite temperature, 166, 170, 179
 - Gell-Mann–Low function, 172, 236
 - lattice, 144
- quantum electrodynamics, 47
 - Euclidean action, 48
 - noncommutative, 389–90
 - triviality of, 391
- quark condensate, 157
- quark loop at large N , 230–5
- quark operator, 239–41
- quark–gluon plasma, 171, 173–5
- quenched approximation, 157–8, 234, 250
- quenched momenta, 327
 - regularized, 330
- quenched reduced model
 - gauge field, 342
 - continuum, 342–3
 - lattice, 348
 - high genera, 332
 - scalar field
 - continuum, 330
 - lattice, 326–7
- quenched variable, 327
- quenching prescription, 323, 325
- quotient condition, 396
 - discrete, 396
- recursion relation, 123, 135–6
- reduced action
 - gauge field
 - continuum, 337, 372
 - lattice, 333
 - scalar field
 - continuum, 330, 371
 - lattice, 327
- reduction at large N , 323, 326
 - gauge field, 332
- regularized measure, 52–4
- renormalizability, 60
- renormalization group, 61, 99, 133, 196–7
 - lattice, 133–5
 - Monte Carlo, 136
- reparametrization, 26, 259
- resolvent, 5
 - diagonal, 24
 - Gel'fand–Dikii, 25, 74, 207, 307
- ribbon graph, 217
- Riemann surface, 217, 219, 226, 232, 292, 310, 315
- Riemann–Hilbert method, 294
- saddle point, 21, 41, 68, 125
 - large- N , 187, 200, 211
 - Hermitian matrix model, 291–2
 - nonlinear sigma model, 208–9, 211
 - scalar theory, 200–4, 207
 - unitary matrix model, 286
 - Yang–Mills theory, 233, 243–5
 - perturbation theory, 125, 187
- scalar theory, 38
 - $O(N)$ -symmetric, 200
 - Gell-Mann–Low function, 200
 - matrix-valued
 - continuum, 330
 - lattice, 325–6
 - noncommutative, 380
 - triviality of, 200, 206

- Schwinger–Dyson equation, 40
- Hermitian matrix model, 288, 295, 297
 - QED, 50
 - regularized, 54
 - scalar theory, 41, 43
 - semiclassical expansion of, 247
 - Yang–Mills theory, 255, 257, 261
 - second-order, 270
- self-averaging, 327, 331
- semicircle law, 295
- site, 100
- spectral density, 285, 291
- matrix model
 - Hermitian, 295–6, 303
 - unitary, 286, 295
- star exponential, 384
- star product, 379–81, 385
- star unitarity, 384
- Stokes functional, 259–62, 264, 268
- Stokes theorem, 31
- non-Abelian, 95
- string equation, 307
- string representation
- QCD, 185, 213, 236, 274–5
 - two-dimensional, 282, 315
 - reduced model, 362
- string tension, 117–21, 124, 128, 140–1, 172, 243
- strong-coupling expansion, 83, 113, 179
- Eguchi–Kawai model, 325, 335
 - lattice gauge theory, 116–7, 124
 - factorization in, 241–3
 - finite temperature, 170
 - string tension, 118
 - lattice QCD₂, 284
- symmetry
- R^d , 338–43, 373–4
 - $U(1)^d$, 334–6, 338, 348, 364
 - $Z(3)$, 169–70
 - chiral, 143, 151, 156, 159, 175–6
 - spontaneously broken, 156–7, 175
 - conformal, 197–9
 - cubic, 141, 143
 - gauge, 85, 87, 95
 - parametric, 26, 30, 259, 273
 - scale, 60, 196–7, 199
 - broken, 60, 199
 - spontaneous breaking, 156
- symplectic diffeomorphism, 361–2
- thermal density matrix, 161
- harmonic oscillator, 164
- thermodynamic equilibrium, 159–61
- theta-term, 78
- Thirring model, 190
- 't Hooft coupling, 257, 383
- 't Hooft flux, 366–7, 377, 402–3
- 't Hooft limit, 213, 233–5, 241, 382, 388
- topological charge, 65, 77
- topological expansion, 213
- Hermitian matrix model, 300–2
 - continuum limit, 305
 - twisted reduced model, 359
 - Yang–Mills theory, 219
 - with quarks, 230
- topological theory, 310
- trajectory, 3, 14, 20
- Brownian, 19
 - classical, 21
 - discretized, 15, 17
 - parametrization of, 20
 - saddle-point, 25
 - smooth, 19
- transformation
- chiral, 48–9
 - lattice, 149–50
 - gauge, 30
 - Eguchi–Kawai model, 333
 - lattice, 103, 143
 - matter field, 30, 85
 - non-Abelian, 86, 93
 - reparametrization, 20
 - scale, 59–60
 - special conformal, 198
 - star gauge, 383–6
 - lattice, 398, 403
 - matter field, 389
- transition matrices, 366, 396

- tunneling, 65, 67, 77
- twist eaters, 352–5, 405
- twisted torus, 366–7, 403
- twisting prescription, 323, 351, 368
- two-dimensional quantum gravity, 292, 304–5, 309–13
- ultraviolet regularization, 45
 - dimensional, 46, 51, 253, 267
 - lattice, 83, 99
 - Pauli–Villars, 46
 - point-splitting, 46, 54
 - proper-time, 46
- UV/IR mixing, 388–9
- valence quark, 158, 231, 234, 236
- vector
 - bra and ket, 5, 160
 - Hilbert space, 6, 24, 369
- Veneziano limit, 213, 233–6, 241, 374, 390
- vertex, 42
 - four-gluon, 216
 - three-gluon, 215, 226
- Virasoro constraint, 299, 309
- virtual quark, 158–9, 175–6, 213, 231–2, 235
- Ward identity, 50
 - chiral, 48, 50
 - dilatation, 61
 - gauge, 61, 63, 257
- weak-coupling expansion, 124–5
 - QCD₂, 284
- Weyl transform, 370–1, 379–82, 405
- Wick pairing, 39, 44, 91
- Wick rotation, 8, 41
- Wiener measure, 20
- Wilson line, 159, 168
- Wilson loop, 110
 - average of, 110
 - Eguchi–Kawai model, 335, 337
 - quenched, 344, 347
 - twisted, 364–5, 373
 - Hermitian matrix model, 297, 305
 - noncommutative, 393
 - closed, 393–5
 - lattice, 399–400
 - open, 393–5
 - QCD₂, 275–6, 278–9
 - lattice, 279, 285
 - renormalization of, 252–3
 - two-dimensional gravity, 309
- Yang–Mills theory, 87, 95, 244, 249, 255, 257, 261, 323, 337
 - noncommutative, 383
- Yossarian, 1

