



ficient level to carry out the work. “To do this kind of research correctly, you need a full effort on all the pieces,” said Pochan. “There are three labs involved in our project, so you need three times the funding.”

Some DMREF-funded researchers, particularly those looking at very fundamental science, emphasize the unique opportunity these large collaborative grants provide. “There would be nothing else to

fund this project if not for DMREF,” said El Kadiri. Keten agreed, and said MGI should be a top funding priority, but he also highlighted that single-PI grants “can provide crucial advances in areas where overlap between experiment and theory is virtually non-existent.”

DMREF has yet to become a top funding priority. NSF’s FY 2014 budget request slated a modest USD\$42 million for

DMREF across the Foundation, with the Directorates for Engineering; Mathematical and Physical Sciences; and Computer and Information Science and Engineering expected to participate. Furthermore, in the current fiscal climate, the program’s enacted budget may be considerably less, and thus a materials evolution may be more likely than a revolution.

Ashley A. White

National Academies recommend single-agency oversight of nanomaterials safety

<http://national-academies.org>

While some progress has been made in advancing the US research agenda on environmental, health, and safety aspects of engineered nanomaterials, little work has been done in implementing an integrated research strategy throughout the federal government, according to a report from the US National Research Council. The report, *Research Progress on Environmental, Health, and*

Safety Aspects of Engineered Nanomaterials, suggests that progress could be accelerated if a single agency with sufficient management and budgetary authority was designated to direct environmental, health, and safety research efforts and ensure implementation of a coordinated plan among the federal agencies that make up the National Nanotechnology Initiative (NNI).

The global market for nanotechnology is expected to exceed USD\$3 trillion by 2015, including products ranging from cosmetics to medical therapies to electronics. The unique characteristics and behaviors of nanomaterials and uncertainties regarding how they interact with biologic systems have spurred research on their potential risks to human health and the environment. However, despite an increase in funding and peer-reviewed publication of research over the past decade, environmental, health, and safety



Make the **SMART** move to...
THE POWDER DIFFRACTION FILE

Standardized data
More coverage
All data sets are evaluated for quality
Reviewed, edited and corrected prior to publication
Targeted for material identification and characterization

Visit us at
MRS
Booth #402

PDF-2 Release 2013	265,127 entries
PDF-4+ 2013	340,653 entries
WebPDF-4+2013	340,653 entries
PDF-4/Minerals 2013	40,424 entries
PDF-4/Organics 2014	479,278 entries

www.icdd.com | marketing@icdd.com
610.325.9814 | toll-free 866.378.9331
(U.S. & Canada)



research efforts are not keeping pace with the increasing and evolving applications of nanotechnology, and the potential effects of these materials on humans and ecosystems are still not fully understood.

A 2012 Research Council report, *A Research Strategy for Environmental, Health, and Safety Aspects of Engineered Nanomaterials*, identified four high-priority research areas and developed a set of indicators in each category to serve as criteria for measuring progress. The new report, prepared by the same committee, uses these indicators to evaluate the progress of recent research efforts in the United States and the European Union. Given that the interval between the two reports was too short for substantial new research programs to be put into place and produce results, the committee instead examined trajectories of research and progress in developing the mechanisms needed to ensure effective implementation. Each indicator was classified as “green” for new activities or expected sustained progress, “yellow” for moderate


or mixed progress, or “red” for minimal activity and few anticipated changes.

The report classifies just one indicator as green—development of methods for detecting, characterizing, tracking, and monitoring nanomaterial transformations in simple, well-characterized media, which falls under the objective for an adaptive research and knowledge infrastructure. All other indicators for both research and implementation progress ranged from yellow to red.

In order to improve the level of progress and move the indicators toward green, the report offers specific actions and objectives for each research category. But the committee reiterates a conclusion from the first report: Accountability for implementation of a research strategy is hampered by the absence of an entity with sufficient management and budgetary authority to direct research efforts government-wide. In addition, the committee maintains that NNI would benefit from a clearer separation of authority and accountability for its environmental,

health, and safety research enterprise in relation to its mandate to promote nanotechnology development and commercialization. Progress toward both of these indicators was classified as red.

The report concludes that more engaged and broadly reaching governance is needed for nanotechnology health and safety research. An important function for the organization that oversees the research will be to secure and maintain a sustained funding commitment over at least the next decade. The lead agency should also ensure that all stakeholders have access to a “knowledge commons”—a collaborative environment for the development of methods, models, and materials and for the capture and dissemination of data. An integrated and well-coordinated program on national and global scales would help ensure that research findings provide the evidence needed to inform decisions so that potential health and environmental risks can be effectively managed and prevented. □



JAIST
JAPAN
ADVANCED INSTITUTE OF
SCIENCE AND TECHNOLOGY
1990

SCHOOL OF MATERIALS SCIENCE

JAIST is the nation's first independent graduate school specializing in science, technology education and research.

With a unique international atmosphere, excellence in education and cutting edge facilities, our school has emerged as a world class knowledge center.

The institute distinguishes itself from contemporary peers by offering flexible admission, English language curriculum and hands on research education with advanced instrumentation.

JAIST actively promotes international collaborative research and maintains close ties with many universities and industry abroad.

MRS Booth 223

[Faculty Profiles at JAIST] : http://www.jaist.ac.jp/profiles/index_e.html
[Collaboration Opportunities] : <http://www.jaist.ac.jp/ricenter/en/sangaku/renkei.html>
[Currently Available Faculty Positions] : <http://www.jaist.ac.jp/english/information/faculty.html>

Advancing Materials Characterization



Cryogenic and Cryogen-free Probe Stations

Flexible and Expandable Probing

- Up to 6 micro-manipulated probe arms
- Thermal anchoring minimizes sample heating
- DC/RF probing to 1 GHz
- Microwave probing to 67 GHz
- Fiber optic arm modifications available

Lake Shore's cryogenic probe stations provide precisely controlled environments for non-destructive measurement of the electrical properties of materials and early-stage electronic devices.

Typical applications include sampling IV and CV curves over a wide range of temperatures, measuring microwave and electro-optical responses, characterizing magneto-transport properties in variable magnetic fields, Hall effect measurements to understand carrier mobility, and a variety of other material studies.

Look to Lake Shore for the expertise and technology to support your work.

MRS Booth 800

General Probing



Versatile and flexible research platforms

- Tabletop and stand designs
- 1.6 K to 675 K temperature range
- Up to 4 inch wafer probing available

Magnetic Field Probing



Horizontal and vertical field magnet station designs

- Vertical fields to 2.5 T
- Horizontal fields to 1 T
- As low as 1.9 K base temperature

Cryogen-free Probing



Helium-saving closed cycle refrigerator designs

- Available with magnetic field
- Low vibration
- As low as 4.5 K base temperature

Lake Shore
ADVANCING SCIENCE™

614.891.2243 | www.lakeshore.com