

- Accipiter gentilis*, 10  
*Aceros cassidix*, 150  
*Achatinella* spp., 19  
*Acinonyx jubatus*, 13, 95, 244  
aconites, 225  
*Acrocephalus paludicola*, 9, 10  
Adams, W.M. Conservation and sustainable resource use in the Hadejia–Jama'are Valley, Nigeria, 131–142  
*Adelecosa anops*, 174  
*Aegyptius monachus*, 237  
Africa, 169–170  
African Wildlife Policy Conservation, 162–163  
Agoramoorthy, G. Conservation status of primates in Trinidad, West Indies, 285–291  
*Alle alle*, 9  
Aleutian Islands, 98  
*Alopex lagopus semenovi*, 251–258  
*Alouatta seniculus insulanus*, 285–291  
*Alytes dickhilleni*, 237  
*Amazona vittata*, 246  
amphibians, in former Soviet Union, 24–30  
amphipod, Kaua'i, 174  
*Anas bernieri*, 89  
Andes, 45–58  
Angola, 239  
angonoka, 113–120, 240  
animal welfare, 85  
anoa, 150–155  
*Anodorhynchus: hyacinthus*, 99, 173; *leari*, 100, 247  
Ansell, W.F.H. Obituary: F. I. Parnell, 90  
*Anser erythropus*, 169  
Antarctica, 21, 101  
*Aonyx cinerea*, 242  
apple, tropical soda, 18  
*Aptenodytes forsteri*, 21  
*Aquila heliaca*, 168, 237  
*Arctocephalus: gazella*, 101; *pusillus pusillus*, 13  
*Ardea cocoi*, 175  
Argeloo, M. Exploitation of megapode eggs in Indonesia: the role of traditional methods in the conservation of megapodes, 59–64  
Argentina, 248  
*Ariocarpus agavoides*, 19  
*Arisaema candidissimum*, 242  
*Aristea* spp., 239–240  
ass, Asiatic, 170  
*Asterias amurensis*, 248  
Attenborough, Sir David, 157  
auk, little, 9  
Australia, 21, 100–101, 175, 236, 248–249  
azobé, 236  
Bahama Islands, 174  
*Balaena glacialis*, 21  
*Balaenoptera acutorostrata*, 231  
bass, striped, 244  
bears, 10  
beavers, 237  
beetle, north-eastern tiger, 99  
Belarus, 10, 238  
Belize, 99, 174  
Bermuda, 246  
Biodiversity: measuring, 187–194; in New Caledonia, 104–112  
Biosphere Reserves, 131  
bison, 17  
Bleisch, W.V. Preliminary assessment of large mammals in the Namcha Barwa region of south-eastern Tibet, 37–44  
Blichfeldt, G. In the name of conservation, 84–87  
Boitani, L. Nubian ibex in south-western Jordan (Dana Nature Reserve), 222–224  
Bolivia, 99, 247  
Bophuthatswana, 95  
Borneo, 31–36  
Botswana, 12  
BP Conservation Awards, 100, 157  
*Brachionichtus hirsutus*, 248  
*Brachyteles arachnoides*, 246  
*Branta canadensis leucopareia*, 98  
Brazaitis, P. Threats to Brazilian crocodilian populations, 275–284  
Brazil, 19, 20, 100, 246–247, 275–284  
bridges for primates, 99–100  
*Bubalus depressicornis*, 150  
*Budorcas taxicolor*, 38, 39  
buffalo, 12  
*Bufo: calamita*, 25, 26, 28; *verrucosissimus*, 25, 26, 28  
Bulloh, P. The impact of selective logging on sympatric civet species in Borneo, 31–36  
*Buteo swainsonii*, 248  
butterfly, chequered skipper, 168  
Butynski, T.M. Marine turtles on Bioko Island, Equatorial Guinea, 143–149  
cacti, trade in, 19  
*Caiman: crocodilus*, 275, 276, 283; *yacare*, 275, 276; *latirostris*, 275  
caiman: black, 275, 276, 283; broad-snouted, 275, 276; common, 275; dwarf, 276; smooth-fronted, 276; *Yacare*, 275  
*Cairina scutulata*, 170  
*Calandrinia galapagosa*, 248  
*Callaeas cinerea*, 250  
*Callithrix saleri*, 246  
*Calyptrorhynchus (funereus) latirostris*, 249  
Cambodia, 97, 170  
Cameroon, 11, 236  
CAMP (Conservation Assessment Management Plan), 128–129  
*Campephilus imperialis*, 173  
CAMPFIRE scheme, 160, 161, 162  
Canada, 16, 17, 98, 171, 243  
*Canis: lupus*, 17, 92, 93, 98, 238; *simensis*, 94  
capercaillie, black-billed, 242  
*Capra: nubiana*, 4–5, 222; *pyrenaica pyrenaica*, 10  
*Caprimulgus candicans*, 100  
captive breeding: 91; angonoka, 240; black-footed ferret, 17; black stilt, 175; cheetah, 95, 244; crocodiles, 96; Florida panther, 173; invertebrates, 234; paddlefish, 9; *Partula* snail, 81; puaiohi, 245; pygmy hog, 233; sand lizard, 168; sturgeon, 9; western lowland gorilla, 245; whooping crane, 244; wolf, 238; tuatara, 101  
*Carcharodon carcharius*, 175  
*Caretta caretta*, 10, 92  
*Carterocephalus palaemon*, 168  
*Caring for the Earth*, 132  
Caspian Sea, 93  
*Castor fiber*, 237  
Cat Conservation Information Centre, 102  
cattle, and protected areas, 12  
Catullo, G. Nubian ibex in south-western Jordan (Dana Nature Reserve), 222–224  
Cave: fish, 218–221; invertebrates, 173, 246  
*Cebus albifrons trinitatis*, 285–291  
centipede, new species of, 14  
*Ceratotherium simum*, 13  
*Cercocebus atys lunulatus*, 11  
*Cercopithecus: diana roloway*, 11; *solutus*, 11

- Cervus elaphus*, 172, 269–274  
chamois, 10  
*Charadrius melodus*, 172, 244  
cheetah, 13, 95, 244  
*Chelonia mydas*, 51  
Child, G. Realistic ‘game laws’, 228–229  
Chile, 174, 248  
chimpanzee, 74, 77, 78  
China, 37–44, 98, 171, 242  
*Cicindela dorsalis dorsalis*, 99  
CITES, 9, 10, 15, 19, 87, 88, 163, 170, 173, 236, 240, 247, 275  
Ciucci, P. Nubian ibex in south-western Jordan (Dana Nature Reserve), 222–224  
civets, in Borneo, 31–36  
cladograms, 187–194  
cockatoo, Carnaby’s black, 249  
Collar, N.J. The reasons for Red Data Books, 121–130  
colobus: Miss Waldron’s red, 11; Temminck’s red, 74, 76, 77  
Colombia, 246  
Commander Islands, 251–258  
Comoros, 234  
confiscation, of ivory, 97  
conservation: ethic, 1; science, 226–228  
Convention on Biological Diversity, 21, 91, 241  
Convention on International Trade in Endangered Species of Wild Fauna and Flora – see CITES  
*Copsychus sechellarum*, 14, 170  
coral, pollution of, 19  
cormorants: 237; pygmy, 238; Socotra, 94  
*Cortadena turbana*, 176  
Cowie, Mervyn (obituary), 235  
crabs, horseshoe, 243  
crane: common, 10; sandhill, 244; Siberian, 169, 170; whooping, 18, 172, 244  
*Crateromys heaneyi*, 242  
Crisci, J.V. On temperate areas, basal clades and biodiversity conservation, 187–194  
Croatia, 93  
*Crociodura thomensis*, 195–201  
crocodiles: Brazilian, 275–284; marsh, 96; saltwater, 175  
*Crocodylus palustris*, 96; *porosus*, 175  
culling: cape fur seals, 13; elephants, 170, 240; seals, 17 (see also hunting; killing)  
curlew, slender-billed, 167  
cuscus, bear, 150, 152, 153, 154  
cycads, 6, 14  
*Cyclodina whitakeri*, 175  
*Cygnus: buccinator*, 16; *cygnus*, 92; *melanocoryphus*, 175  
*Cynogale bennettii*, 31, 32, 33, 34  
*Cystophora cristata*, 171  
Czech Republic, 237  
dams: 249; in Ethiopia, 238; Hoover, 245; Nagara, 98; threat to protected areas, 15  
*Damaliscus hunteri*, 11  
darter, fountain, 158  
deaths: birds, 246, 248; manatees, 245 (see also illness, disease)  
deer: brocket, a new, 247; Tibet red, 269–274  
dehorning of rhinos, 94–95  
Dekker, R.W.R.J. Exploitation of megapode eggs in Indonesia: the role of traditional methods in the conservation of megapodes, 59–64  
Dell’Omo, G. Primates of the Cantanhez Forest and the Cacine Basin, Guinea-Bissau, 74–80  
*Delphinapterus leucas*, 169  
Denmark, 92  
*Diceros bicornis*, 12, 13  
*Dicksonia sellowiana*, 19  
discoveries: see new species  
disease: in Arctic foxes, 251–258; botulism, 93; canine distemper, 94, 169; in frogs, 249; in manatees, 173; in rabbits, 21, 100–101; rabies, 169 (see also deaths; illness)  
Disi, A.M. Nubian ibex in south-western Jordan (Dana Nature Reserve), 222–224  
(dis)information age, The, a reply, 159–160  
dog, African wild, 13  
dolphins and fishing, 245  
Downer, C.C. The mountain tapir, endangered ‘flagship’ species of the high Andes, 45–58  
dragonfly, banded bog skimmer, 172  
*Dreissena polymorpha*, 18  
Duck: white-headed, 238; white-winged, 170  
*Ducula goliath*, 106  
Durbín, J. Local people and Project Angonoka – conservation of the ploughshare tortoise in north-western Madagascar, 113–120  
*Dusicyon fulvipes*, 248  
Dutton, J. Distribution, ecology and status of an endemic shrew, *Crociodura thomensis*, from São Tomé, 195–201  
eagle, imperial, 168, 237  
Earth Day, 158–159  
ecosystem management, 82–84  
ecotourism, 65–73  
Ecuador, 20, 45–58  
*Eichhornia crassipes*, 169  
eider, spectacled, 16  
elephants: 95, 170, 240; African, 87–88, 94; deterrent for, 12; in India, 97; in Malawi, 88–90; sanctuary for, 12; in Selous Game Reserve, 12  
elk, 171  
*Encephalartos: altensteinii*, 6, 14; *cerinus*, 6; *latifrons*, 6  
*Eolophus roseicapillus*, 249  
Equatorial Guinea (Bioko Island), 143–149  
*Equus kiang polyodon*, 170  
*Eranthis hyemalis*, 225  
*Eretmochelys imbricata*, 14  
*Eschrichtius robustus*, 232  
Estonia, 92  
*Etheostoma fonticola*, 158  
Ethiopia, 94, 238  
*Eucalyptus diversicolor*, 236  
*Eudypetes: crestatus*, 249; *sclateri*, 249  
*Eulipoa wallacei*, 59  
European: Commission, 237; Union, set-aside scheme, 10, 92  
*Eutrichomyias rowleyi*, 97  
exploitation: of megapode eggs, 59–64 (see also culling; hunting; killing; sustainable use; wildlife, use of)  
extinctions: 173; handfish, 248; *Partula turgida*, 81; in New Caledonia, 108–109  
*Falco: femoralis septentrionalis*, 17; *peregrinus*, 10, 92  
falcon: northern aplomado, 17; peregrine, 10, 92  
farming: sponges, 20–21; tokay geckos, 15  
Fauna & Flora International, 100, 121, 157, 162, 225  
*Fauna & Flora News*, 157  
*Felis concolor coryi*, 173  
fern, tree, 19  
ferret, black-footed, 17  
*Ficedula bonthaina*, 97  
Finland, 92, 167–168  
fish: collaboration for ocean, 243;

- in Lake Nabugabo, 239; and  
Nagara Dam, 98; new blind,  
218–221; world's smallest,  
97–98
- fishing: 169; ban on tuna, 245;  
and birds, 101, 236; and crabs,  
243; drift-netting, 167; and fur  
seals, 101; and sea lions, 176,  
250; and seals, 171; and sharks,  
175; shrimps and turtles, 239,  
245; sustainable, 167, 241;
- Fitter, Alice Mary Stewart  
(Maisie), 1912–1996, 166
- Fitter, R. Mervyn Cowie:  
1909–1996, 235
- flamingo: greater, 239; lesser, 239
- flounder, winter, 244
- flycatcher: caerulean paradise, 97;  
Lompobattang, 97; Rarotonga,  
176
- flufftail, white-winged, 238
- flying fox, new, 242
- forest: in Amazon, 247; boreal,  
243; in Czech Republic, 237; in  
China, 242; in Europe, 9, 236;  
exploitation, 170; in Guinea-  
Bissau, 78; in Russia, 238; in  
USA, 243
- Forest Stewardship Council, 237
- fox: Darwin's, 248; Mednyi  
Arctic, 251–258
- France, 93, 237
- Fratercula arctica*, 9
- Frogs: 96, 249; agile, 29;  
Caucasian parsley, 28; lemon-  
yellow tree, 29; red-legged, 243;  
Terentjev's, 29
- Gabon, 11
- galah, 249
- Galanthus elwesii*, 225
- Galápagos Islands, 247–248
- Gallirallus australis greyi*, 175
- Gallus gallus*, 150
- Gecko gecko, 15
- geckos: 106, 107; tokay, 15
- Gerlach, J. Conservation of  
Indian Ocean invertebrates,  
233–235
- Geochelone elephantopus*, 247–248;  
*gigantea*, 240; *yniphora*, 113, 240
- Georgia, 238
- Geronticus eremita*, 239
- Ghana, 11
- gharial, false, 171
- Gippoliti, S. Primates of the  
Cantanez Forest and the  
Cacine Basin, Guinea-Bissau,  
74–80
- Giraffa camelopardalis*, 13
- giraffe, 13
- Global Strategy for the  
Conservation of Marine  
Turtles, A, 22
- Glossogobius ankaranensis*, 218–221
- goat, Pyrenean, 10
- Goltsman, M. The Mednyi Arctic  
foxes: treating a population  
imperilled by disease, 251–258
- Goodman, S.M. A high mountain  
population of the ring-tailed  
lemur *Lemur catta* on the  
Andringitra Massif,  
Madagascar, 259–268
- goosanders, 237
- goose: Aleutian Canada, 98;  
lesser white-fronted, 169
- goral, red, 38, 39, 40, 41, 42
- gorilla: lowland, 245; mountain,  
94
- Gorilla gorilla: beringei*, 94; *graueri*,  
94
- goshawk, northern, 10
- grassland, 10, 246
- Greece, 10, 169
- green radio, 96
- Greenpeace, 236
- greenshank, 168
- grouse, red, 168
- Grus: americana*, 18, 172, 244;  
*canadensis*, 244; *grus*, 10;  
*leucogeranus*, 169, 170
- guenon, sun-tailed, 11
- guillemots, 9, 244
- Guinea-Bissau, 74–80
- gull: Audouin's, 10; Heerman's,  
19
- Guyana, 20
- Gyps africanus*, 13
- Habroptila wallacii*, 15
- Haft, J. Distribution, ecology and  
status of an endemic shrew,  
*Crocidura thomensis*, from São  
Tomé, 195–201
- handfish, spotted, 248
- hare, Hainan, 171
- hartebeest: 12; Hunter's, 11;  
Lichtenstein's, 169
- Hasbun, C., 250
- hawk, Swainson's, 248
- Hemigalus derbyanus*, 31, 32, 34
- heron, white-necked, 175
- Heteromirafra archeri*, 238
- Heydon, M.J. The impact of  
selective logging on sympatric  
civet species in Borneo, 31–36
- Hidrovia Project, 174
- Himantopus novaeseelandiae*, 175
- Hippocampus spp.*, 7
- hirola, 11
- hog, pygmy, 232–233
- Holt, S. Responses to Hutton,  
161–162
- Hong Kong, 15, 171
- hornbill: red-knobbed, 150, 152,  
153, 154, 155; Sulawesi tarictic,  
150, 152, 153, 154
- hotspots, 104
- Hsu, M.J. Conservation status of  
primates in Trinidad, West  
Indies, 285–291
- human-wildlife conflict, 5–6
- hunting: crocodiles, 282–283;  
elephants, 89; in France, 93; in  
Georgia, 238; in Ghana, 11;  
hartebeest, 170; in Kenya, 8;  
and lead shot, 16; lynx, 167,  
236; monkeys in Trinidad,  
289–290; puffins, 9; seals, 171;  
in Sulawesi, 150, 154, 155; in  
Tibet, 37, 40, 41, 42; whales,  
230–232 (see also culling;  
killing, poaching)
- Hutton, J.M. The (dis)information  
age – a reply, 159–160
- hyacinth, water, 169
- Hyla savignyi*, 25, 26, 29
- Hylobates hoolock*, 39, 40
- ibex: 4–5; Nubian, 222–224
- ibis: Japanese crested, 242;  
northern bald, 239
- illness, in bald ibis, 239 (see also  
deaths; disease)
- India, 14, 96, 163, 164, 165, 170,  
232–233, 241
- Indonesia, 15, 59–64, 65–73, 97,  
157, 207–217, 241–242
- Institute of Tropical Forest  
Conservation, Uganda, 177
- International Fund for Animal  
Welfare, 240
- International Union for  
Conservation of Nature–The  
World Conservation Union, see  
IUCN
- International Whaling  
Commission, see IWC
- introduced species: 195, 199, 246,  
248; Asian gypsy moth, 91;  
brown rat, 170; *Cortadena spp.*,  
176; *Euglandina rosea*, 81;  
ferrets, 175; house mouse, 19;  
rabbits and virus, 21; rats, 19;  
starfish, 248; tropical soda  
apple, 18; water hyacinth, 169;  
weevils, 169; zebra mussel, 18,  
173
- invertebrates: cave, 173, 246;

- Indian Ocean, 233–235  
Iran, 169  
Italy, 10, 237  
IUCN, 128, 132, 162, 163;  
IUCN/SSC, 6, 21, 22, 88, 102,  
121  
IWC, 231–232  
ivory, 242
- jackal, Simien, 94  
Japan, 15, 98, 242  
Jordan, 222–224  
Juma, Calestous, 21  
junglefowl, red, 150, 152, 153, 154  
jungle-flycatcher, streaky-  
breasted, 241–242
- kagu, 106, 107  
karri, 236  
Katinas, L. On temperate areas,  
basal clades and biodiversity  
conservation, 187–194  
Kenya, 8, 11, 12, 94, 169, 239  
Key Areas for Threatened Birds  
in the Neotropics, 22  
kiang, southern, 170  
killing: birds, 168, 237; koalas,  
248; manatees, 99 (see also  
culling; hunting, poaching)  
Kinmen, Taiwan, 202–206  
Kinnaird, M.F. Birds and  
mammals of the Bukit Barisan  
Selatan National Park,  
Sumatra, Indonesia, 207–217;  
Changing populations of birds  
and mammals in North  
Sulawesi, 150–156; Ecotourism  
in the Tangkoko Dua Sudara  
Nature Reserve: opening  
Pandora's box? 65–73  
kite, red, 10, 236  
koala, 248  
kokako, 250  
Kruchenkova, E.P. The Mednyi  
Arctic foxes: treating a  
population imperilled by  
disease, 251–258  
Kuzmin, S.L. Threatened  
amphipians in the former  
Soviet Union: the current  
situation and the main threats,  
24–30
- Lacerta agilis*, 168  
*Lagopus lagopus*, 168  
Lake Naivasha, 11  
Lamprey, Hugh (obituary), 176  
Langrand, O. A high mountain  
population of the ring-tailed  
lemur *Lemur catta* on the  
Andringitra Massif,  
Madagascar, 259–268  
langur, Phayre's, 241  
Laos, 241  
lark, Archer's, 238  
*Larus: audouinii*, 10; *heermanni*, 19  
*Lates niloticus*, 239  
legislation: in Australia, 100; in  
Belarus, 238; Belize, 99; in  
Brazil, 100, 247; in Croatia, 93;  
in Czech Republic, 237; and  
fishing, 167; for game, 178–186,  
228–230; in India, 241; in Japan,  
15; in Lebanon, 93; in  
Mongolia, 15–16; in Romania,  
168; in UK, 168, 237; in USA,  
160, 173, 243, 244, 275  
lead shot, ban on, 16  
Leader-Williams, N. African  
elephant numbers – a new  
approach, 87–88  
Lebanon, 93  
Lee, L.-L. Status and distribution  
of river otters in Kinmen,  
Taiwan, 202–206  
Lees, A. New Caledonia – a  
conservation imperative for an  
ancient land, 104–112  
*Lemur catta*, 259–268  
lemur, ring-tailed, 259–268  
leopard, 38, 39, 40, 42; Arabian,  
93–94; clouded, 38, 39, 40;  
snow, 38, 39, 40  
*Lepidochelys: kempii*, 245; *olivacea*,  
241, 245  
*Lepus hainanus*, 171  
Libya, 10  
lions: Asiatic, 96; and canine  
distemper, 94  
Liu, W. Status of Tibet red deer,  
269–274  
lizard, sand, 168  
logging: in Belize, 174; in  
Cambodia, 97; in Cameroon,  
11; and civets, 31–36; of dead  
wood, 243; in protected areas,  
96; in Russia, 238; in Solomon  
Islands, 100, 248; in Trinidad,  
288–289  
*Loxodonta africana*, 94, 170  
Lucas, G., Alice Mary Stewart  
(Maisie) Fitter: 1912–1996, 166  
*Lutra: lutra*, 202–206, 242;  
*perspicillata*, 242; *sumatrana*, 242  
*Lycan pictus*, 13  
lynx, 167, 236
- Macaca: assamensis*, 39, 40; *mulata*,  
39, 40; *nigra*, 65, 66, 150  
macaque: crested black, 150, 152,  
153, 154, 155; Sulawesi black,  
65–71  
macaw: hyacinth, 99, 173; Lear's,  
100, 247  
Macdonald, D.W. The Mednyi  
Arctic foxes: treating a  
population imperilled by  
disease, 251–258  
Macfarlane's four-o'clock, 244  
*Macrocephalon maleo*, 59, 150  
Madagascar, 96, 218–221, 240,  
259–268  
*Madanga ruficollis*, 241  
magpie-robin, Seychelles, 14, 170  
Malaysia, 170  
maleo, 59–64, 150, 151, 152, 153,  
154, 155  
manatees: 99, 173; Caribbean, 245,  
246  
mangabey, white-naped, 11  
mangroves, 170  
Marine Mammal Council, 169  
marmoset, new, 246  
Martin, E. Numbers of greater  
one-horned rhinos continue to  
rise, 163–165  
Mauritius, 234  
*Mazama bororo*, 247  
medicine: tiger and rhino  
products in, 15; wildlife use, 91;  
traditional Chinese, 7, 27, 171,  
172  
Mediterranean Plan of Action,  
237–238  
Meffe, G.K. Conservation science  
– a creative tension, 226–228;  
Fundamentals, 158–159;  
Responses to Hutton, 160–161;  
The big picture, 82–84; Young  
Wisdom, 2–3  
megapodes: 59–64; Moluccan,  
59–64  
*Megapodius cumingii*, 150  
*Melanitta fusca*, 238  
*Melanosuchus niger*, 275, 283  
merganser: Chinese, 242; red-  
breasted, 237  
*Mergus: merganser*, 237; *serrator*,  
237; *squamatus*, 242  
*Mertensiella caucasica*, 25, 27  
*Mesostomata xiphosura limulus*, 243  
Mexico, 19, 173, 245–246  
migratory birds: sites network for  
167; tracking, 167  
*Mitvus mitvus*, 10, 236  
mineral staking, and park, 16  
mining: gold and crocodiles,  
275–284; and wildlife, 240–241  
*Mirabilis macfarlanei*, 244  
*Mistichthys luzonensis*, 97

- Mittermeier, R.A. New Caledonia – a conservation imperative for an ancient land, 104–112
- Mongolia, 15–16
- monkey: red howler, 285–291; roloway, 11; white-fronted capuchin, 285–291; woolly spider, 246–247
- Morocco, 239
- Morrone, J.J. On temperate areas basal clades and biodiversity conservation, 187–194
- moth, Asian gypsy, 91
- mouse, house, 19
- Muntiacus gongshanensis*, 39, 41; *muntjak*, 242
- muntjac: Gongshang, 39, 41; Indian, 242
- muriqui, 246
- murre, common, 244
- Mus musculus*, 19
- mussel: common, 101; conserving stocks, 18; freshwater, 173; zebra, 18, 173
- Mustela nigripes*, 17
- Myadestes palmeri*, 245
- Mytilus edulis*, 101
- Namcha Barwa, Tibet, 37–44
- Namibia, 13, 95, 239
- national parks, nature reserves (see protected areas)
- Nemorhaedus baileyi*, 38, 39
- Neochetina: bruchi*, 169; *eichhorniae*, 169
- Neofelis nebulosa*, 38, 39
- Nepal, 163, 164, 165, 170
- Netherlands, the: 236; Antilles, 19
- new species: of *Aristea*, 239–240; of bird, 247; of bushy-tailed cloud rat, 242; of centipede, 14; of deer, 247; of fish, 218–221; of flying fox, 242; of marmoset, 246; of midwife toad, 237; of shearwater, 13; of spider, 14; of tusked weta, 175; of tyrannulet, 20
- New Caledonia, 104–112
- New Zealand, 21, 101, 175, 176, 249–250
- newt: alpine, 28; banded, 28; Carpathian, 28; Danube crested, 28; Lantz's smooth, 27–28; southern crested, 28
- Nigeria, 131–142
- nightjar, white-winged, 100
- Nipponia nippon*, 242
- Noah's Ark Centre for the Recovery of Endangered Species, 238
- North Sea, 236
- Norway, 9, 167, 231–232, 236
- notou, 106
- Numenius tenuirostris*, 167
- O'Brien, T.G. Birds and mammals of the Bukit Barisan Selatan National Park, Sumatra, Indonesia, 207–217; Changing populations of birds and mammals in North Sulawesi, 150–156; Ecotourism in the Tangkoko Dua Sudara Nature Reserve: opening Pandora's box? 65–73
- Odierna, E.A. Threats to Brazilian crocodilian populations, 275–284
- oil development in Canada, 243 (see also pollution)
- Oliver, W. Recovery programme for hog, 232–233
- Onychodactylus fischeri*, 25, 26, 27
- Oryctolagus cuniculus*, 21
- oryx, Arabian, 94
- Oryx leucoryx*, 94
- otters: river, 202–206; in Indonesia, 242
- Overseas Development Administration, 162, 163
- owl, northern spotted, 98
- Oxyura leucocephala*, 238
- paddletfish, 9
- Paleosuchus: palpebrosus*, 276; *trigonatus*, 276
- Pan troglodytes verus*, 74, 77, 78
- Panatanal, 174
- panther, Florida, 173
- Panthera: leo persica*, 96; *pardus*, 38, 39, 40, 42; *pardus nimr*, 94; *tigris*, 5, 38, 39, 170, 171
- Paradoxurus hermaphroditus*, 31, 32, 34
- Paraguay, 100
- Parnell, F.I. (obituary), 90
- parrots: maroon-fronted, 245; Puerto Rico, 246
- Partridges, Quails, Francolins, Snowcocks and Guineafowl: *Status Survey and Conservation Action Plan*, 1995–1999, 102
- partula snails, 20
- Partula turgida*, 81
- pegasids, 7–8
- Pelecanus: crispus*, 169, 238; *occidentalis*, 99; *onocrotalus*, 238
- pelicans: brown, 99; Dalmatian, 169, 238; white, 238
- Pelobates syriacus*, 25, 26, 28
- Pelodytes caucasicus*, 25, 26, 28
- Penelopides exarhatus*, 150
- penguins: emperor, 21; erect-crested, 249, rockhopper, 249
- perch, Nile, 239
- Petroica australis longipes*, 21
- Phalacrocorax: carbo*, 237; *nigrogularis*, 94; *pygmeus*, 238
- Phalanger ursinus*, 150
- Phascolarctos cinereus*, 248
- Philippines, 98, 242
- Phoca groenlandicus*, 171
- Phocarcctos hookeri*, 176, 250
- Phoenicopterus: minor*, 239; *ruber*, 239
- Phylloscarter beckeri*, 20
- pig: Sulawesi, 150, 152, 153, 154, 155; Vietnamese warty, 15
- plants, threatened, 237
- Platalea minor*, 241
- plover: golden, 168; piping, 172, 244
- Pluvialis apricaria*, 168
- poaching: of falcons, 98; of rhinos, 94–95, 96–97, 163, 164 (see also hunting; killing)
- poisoning: birds, 10, 13; lead, 16
- Poland, 9–10
- pollution: 246; cyanide, 20; DDT, 98–99; mercury and lead, 275–284; nuclear waste, 169; oil, 168, 244, 290; pesticides, 248; by rice, 19; TBT, 101; of wetlands, 169
- Pomarea dimidiata*, 176
- prairie, 172, 243
- Presbytis phayrei*, 241
- primates: in Guinea-Bissau, 74–80; in Trinidad, 285–291
- Procolobus badius: temminckii*, 74, 75, 77, 78; *waldronii*, 11
- propagation, of bulbs, 225
- Propithecus diadema*, 96
- protected areas: Angola, 239; Belarus, 238; Belize, 99, 174; Bolivia, 99, 247; Cambodia, 170; Canada, 16, 98; Chile, 174; China, 37–44; Ecuador, 20; Finland, 92, 167–168; France, 237; Ghana, 11; India, 96–97, 170, 241; Indonesia, 65–73, 150–156, 207–217; Italy, 237; Jordan, 222–224; Kenya, 11, 12; Madagascar, 218–221, 240; Malaysia, 170–171; Mexico, 245; Nepal, 170; New Zealand, 176, 249–250; Nigeria, 131–142; Peru, 247; Poland, 9–10; Puerto Rico, 246; São Tomé, 199; South Africa, 95, 240; South America,

- 46; Spain, 10, 237; Sweden, 9; Tanzania, 12; Thailand, 15; Trinidad, 285–291; Turkey, 238; Uganda, 12; UK, 168, 236; in USA, 172, 243, 244
- Psephurus gladius*, 9
- Pseudopleuronectes americanus*, 244
- Pseudoryx nghetinhensis*, 241
- Pseudoscaphirhynchus kaufmanni*, 9
- Pteropus* sp., a new, 242
- puaiohi, 245
- Puerto Rico, 246
- puffin, 9
- Puffinus atrodorsalis*, 14
- Qui, M.J. Preliminary assessment of large mammals in the Namcha Barwa region of south-eastern Tibet, 37–44
- rabbit, European, 21
- rail, invisible, 15
- Rajafetra, V. Local people and Project Angonoka – conservation of the ploughshare tortoise in north-western Madagascar, 113–120
- Ramsar Convention, 11, 167, 169, 170–171, 174
- Rana: aurora draytonni*, 243; *dalmatina*, 25, 26, 29; *terentievi*, 25, 26, 29
- ranching, of elk, 172
- Ranodon sibiricus*, 25, 26, 27
- rats: 19; brown, 170; bushy-tailed cloud, 242
- Rattus norvegicus*, 19, 170
- Razandrianakanirina, D. Local people and Project Angonoka – conservation of the ploughshare tortoise in north-western Madagascar, 113–120
- Rebêlo, G.H. Threats to Brazilian crocodilian populations, 275–284
- recoveries: Bahaman swallow, 174; black stilt, 175; Chatham Island toetoe, 176; Indian rhino, 170; Kemp's ridley turtle, 245; least Bell's vireo, 18; *Mirabilis macfarlanei*, 244; olive ridley turtle, 245; Rarotonga flycatcher, 176; piping plover, 172; Seychelles magpie robin, 14 see also restoration)
- recreation, and wildlife, 172, 173
- Red Data Books: 121–130; Seychelles, 234; USSR, 24, 25, 27, 29
- rediscoveries: *Arisaema candidissimum*, 242; caerulean paradise-flycatcher, 97; invisible rail, 15; *Madanga ruficollis*, 241; *Rhinomyias addita*, 242
- Reef, Year of the, 167
- Reid, D. Local people and Project Angonoka – conservation of the ploughshare tortoise in north-western Madagascar, 113–120
- reintroductions: beavers, 237; *Calandrinia galapagosa*, 248; cheetah, 95; chequered skipper, 168; grey wolf, 17; North Island robin, 21; red kite, 236; sand lizard, 168; tiger beetle, 99; trumpeter swan, 16; wildlife in Angola, 239
- releases: *Achatinella* snails, 19; Arabian oryx, 94; black-footed ferret, 17; crocodiles, 96; *Partula* snails, 20, 81; northern aplomado falcon, 17–18; *Partulina redfieldi*, 19; white rhino, 13; Siberian crane, 169; skink, 175; tuatara, 101; wolf, 238
- rescue, of manatees, 240
- restoration: of common murre, 244; of fynbos, 240; of Grand Canyon, 245; of habitat in Kenya, 11; of indigenous plants, 176; of island, 250; of redwood forests, 172; of kokako, 250; of parks in Angola, 239; of wetland, 244 (see also recoveries)
- Rhacodactylus* spp., 106, 107
- rhino: black, 12, 13; greater one-horned, 163–165; horn in medicine, 15; Indian, 96–97, 170; white, 13
- Rhinoceros unicornis*, 96, 163, 170
- Rhinomyias addita*, 242
- Rhynchopsitta terrisi*, 245
- Rhynchoceros jubatus*, 106, 107
- road: in national park, 20; threat to island, 9
- robin, North island, 21
- Romania, 168
- Round Island, 14
- Royal Botanic Gardens, Kew, 168
- Rupicapra pyrenaica pyrenaica*, 10
- Russia, 169, 238, 251–258
- salamander: Caucasian, 27; long-tailed clawed, 27; Semirechensk, 27; spotted, 27
- Salamandra salamandra*, 25, 26, 27
- sandpiper, wood, 168
- Sangay National Park, 45–58
- São Tomé, 195–201
- saola, 241
- Sarothrura ayresi*, 238
- Saudi Arabia, 4–5, 236
- Schaller, G.B. Status of Tibet red deer, 269–274
- scrubfowl, Tabon, 150, 152, 153, 154, 155
- Scolopendra abnormis*, 14
- scoter, velvet, 238
- sea lions: California, 98–99; Hooker's, 176, 250
- seahorses, 7–8
- Sea Turtle Protection Society of Greece, 102
- seal: Antarctic fur, 101; Cape fur, 13; in Canada, 17; harp, 171; hooded, 171
- seed bank, 168
- Serengeti National Park, 12
- Seychelles, 14, 170, 234–235; 240
- shark, white, 175
- Sharp, R. African Wildlife Policy Consultation, 162–163
- shearwater, Mascarene, 14
- shrew, São Tomé white-toothed, 195–201
- sifaka, diademed, 96
- Sigmoceros lichtensteinii*, 169
- Simmonds, M. Commercial whaling sanctioned, 230–232
- sinarapan, 97–98
- skink, Whitaker's, 175
- Slovakia, 168
- smuggling: 14, 15; birds, 99; insects, 173; ivory, 95, 170; parrots, 92, 173; plants, 18; rhino horn, 95 see also trade)
- snails: in Hawaii, 19; *Partula*, 81
- snowdrops, 225
- Solanum viarum*, 18
- Solomon Islands, 100, 248
- Somateria fischeri*, 16
- South Africa, 14, 95, 96, 240
- South Pacific, 20
- Soviet Union, former, 24–30
- Spain, 10, 237
- Species Survival Commission: see IUCN/SSC
- Spelaorchestia koloana*, 174
- Sphenodon guntheri*, 101
- spider: Kaua'i cave wolf, 173; new species, 14
- Spinage, C. The rule of law and African game – a review of some recent trends and concerns, 178–186; Realistic 'game laws' – a reply, 230

- sponges, culture of, 20–21  
 spoonbill, black-faced, 241  
 Sri Lanka, 14–15  
 starfish, Northern Pacific, 248  
*Sterna elegans*, 19; *trudeaui*, 175  
 stilt, black, 175  
*Strix occidentalis caurina*, 98  
 sturgeon, 9, 93  
*Stymphalornis acitirostris*, 247  
*Sus bucculentus*, 15; *celebensis*, 150; *salvanus*, 232  
 sustainable: fisheries, 241; forestry, 236; use, 84, 131–142, 162, 225, 228–229, 230  
 Svalbard, 9  
 swallow, Bahama, 174  
 swan: black-necked, 174; trumpeter, 16; whooper, 92  
 Swaziland, 12  
 Sweden, 9  
 Switzerland, 237
- Tachycineta cyaneoviridis*, 174  
 Taiwan, 202–206  
 takin, 38, 39, 40, 41, 42  
 Tanzania, 12, 169  
 tapir, mountain, 20, 45–58  
*Tapirus pinchaque*, 20, 45–58  
 tarsier, spectral, 65–68, 70, 72  
*Tarsius spectrum*, 65, 66, 71  
 tern: elegant, 19; snowy-crowned, 175  
*Tetrao parvirostris*, 242  
 Thailand, 15  
 Thomas, D.H.L. Conservation and sustainable resource use in the Hadejia–Jama'are Valley, Nigeria, 131–142  
 Tibet, 5–6, 37–44, 170, 269–274  
 tigers: 37, 38, 39, 40, 42, 170, 171, 241; Bengal, 5–6; bone in medicine, 15; conflict with humans, 5–6  
 Tiger Link, 97  
 toad: Caucasian, 28; eastern spadefoot, 28; midwife, 237; natterjack, 28–29  
 toetoe, Chatham Island, 176  
*Tomistoma schlegelii*, 171  
*Torgos tracheliotus*, 13  
 tortoise: Aldabra, 14; giant, 240, 247–248; ploughshare, 113–120, 240  
 tourism, 239, 246  
 trade: amphibian, 29–30; aquarium fish, 249; bulb, 225; cacti, 19; caviar, 93; crocodile, 275, 282–283; cycad, 6, 14; elk antler, 172; fish, 241; giant tortoise, 240; horseshoe crab, 243; insect, 173; ivory, 15, 170, 239; manatee, 99; medicinal plant, 240, megapode, 59–64; newt, 28; parrot, 10, 173; plant, 18; rhino horn, 164; seahorse and sea moth, 7–8; shrimp, 172–173, 245; timber, 11, 97, 236, 237; tortoise and freshwater turtle, 97; traditional Chinese medicine, 7, 27, 171, 172; tree fern, 19; turtle, 14–15; vicuña, 247; wildlife, 92–93, 171  
 TRAFFIC, 97, 171  
 translocations: Aleutian Canada goose, 98; elephants, 94, 240; muriqui, 247; Seychelles magpie-robin, 14  
 treaty, fishing, 91  
*Trichechus manatus*, 99, 173, 245, 246  
*Tringa glareola*, 168; *nebularia*, 168  
 Trinidad, 285–291  
*Triturus alpestris*, 25, 26, 28; *dobrogicus*, 25, 26, 28; *karelinii*, 25, 26, 28; *montandoni*, 25, 26, 28; *vittatus*, 25, 26, 28; *vulgaris lantzi*, 25, 26, 27  
*Turbinicarpus ysabelae*, 19  
 Turkey, 10, 238  
 Turtle Excluder Devices, 18–19, 172, 239, 245  
 Turtle, Year of the Sea, 20  
 turtles: 22, 143–149; Kemp's ridley, 245; loggerhead, 10, 92; olive ridley, 241, 245; and fishing, 239; and shrimping, 172–173, 245; workshop for, 240  
 tuatara, 101  
 tyrannulet, Bahia, 20
- Uganda, 12, 94, 169, 239  
 UK, 10, 92, 168, 236  
*Uncia uncia*, 38, 39  
*Uria aalge*, 244; *lomvia*, 9  
*Ursus arctos*, 10  
 USA, 16–19, 82–84, 98–99, 158–159, 172–174, 226, 243–245
- Vicugna vicugna*, 247  
 vicuña, 247  
 Vietnam, 15  
 Vigne, L. Numbers of greater one-horned rhinos continue to rise, 163–165  
*Vireo bellii pusillus*, 18  
 vireo, least Bell's, 18  
*Viverra zangalunga*, 31, 32, 34  
 vulture: black, 237; lappet-faced, 13–14; white-backed, 13
- Wang, X. Status of Tibet red deer, 269–274  
 war, and wildlife, 238  
 warbler, aquatic, 9, 10  
 Watanabe, M.E. Threats to Brazilian crocodylian populations, 275–284  
 weevils, South American, 169  
 weka, 175  
 Werner, T.B. New Caledonia – a conservation imperative for an ancient land, 104–112  
 weta: Cook Strait giant, 250; Wellington tree, 250; tusked, a new, 175  
 wetlands: 92, 131–142, 170–171, 174, 238, 239, 244  
 Wetlands International, 177  
 whale: grey, 232; minke, 231; southern right, 21; white, 169  
 whaling, 230–232  
 white-eye, rufous-throated, 241  
 Wild Bird Food Conservation Programme, 17  
*Wild Cats: Status Survey and Conservation Action Plan*, 102  
 wildebeest, 12  
 wildlife–human conflicts, 8, 92  
 Wildlife Information Network, 101  
 wildlife, use of: 84–87, 160–162, 171, 228–232  
 Wilkinson, Sir William (obituary), 176–177  
*Williamsonia lintneri*, 172  
 Wilson, J.M. Conservation and ecology of a new blind fish *Glossogobius ankaranaensis* from the Ankarana Caves, Madagascar, 218–221  
 Wise Use Movement, 84, 87  
 wolf: 238; grey, 17, 92, 93, 98  
 woodpecker, imperial, 173  
 World Bank, 168, 241  
 World Conservation Strategy, 131, 132  
 World Heritage Sites, 91
- Yamashita, C. Threats to Brazilian crocodylian populations, 275–284
- Zalophus californianus*, 99  
 Zimbabwe, 12, 95, 169, 239