


THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF
G. W. T. H. FLEMING

WITH THE ASSISTANCE OF
Alexander Walk (Co-Editor)

L. C. Cook

P. K. McCowan

M. Partridge

F. L. Golla

A. Meyer

W. Linford Rees

W. Warren

T. F. Main

R. M. Norman

B. W. Richards

(The above constitute the Journal Committee)

AND

Lord Adrian

W. Ross Ashby

Sir F. C. Bartlett

Sir W. E. le Gros Clark

J. N. P. Moore

A. A. W. Petrie

Derek Richter

E. T. O. Slater

LONDON
J. & A. CHURCHILL, LTD

Published Four times Yearly Fifteen Shillings net.

to relieve anxiety and tension . . .
to calm the psychoneurotic . . .
to control the acute psychotic . . .

Fentazin

PERPHENAZINE

the broad-span phenothiazine

and unsurpassed anti-emetic



FENTAZIN (perphenazine) is remarkably effective in a wide range of psychiatric disorders. Virtually free from side-effects, it is eminently suitable for the routine management of minor anxiety and tension states.

FENTAZIN is several times more active than older phenothiazines, and offers rapid control of even acute psychoses.

In addition, FENTAZIN is unsurpassed as an anti-emetic.

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg. perphenazine. Supplied in bottles of 50 and 500 tablets of each strength.


FENTAZIN INJECTION contains 5mg. perphenazine in each 1 c.c. Supplied in ampoules of 1 c.c. in boxes of 5 ampoules.

FENTAZIN is a trade mark



ALLEN & HANBURYS LTD LONDON E2

AH85



in anticonvulsive therapy

'SPANSULE' PHENOBARBITONE

**ensures constancy of the blood-barbiturate level
'the drug of choice' in the most effective and
convenient dosage form**

*FORMULA: Each phenobarbitone 'Spansule' sustained release capsule
contains gr. 1 or gr. 1½ phenobarbitone, according to strength.*



SMITH KLINE & FRENCH LABORATORIES LTD

Welwyn Garden City, Herts


'Spansule' is a trade mark *Brit. Pat. No. 742007*

SP:PA40

NEW 'LIBRIUM'

TRADE MARK

BRAND



The successor to the tranquillizers

ROCHE

Literature & samples available from
ROCHE PRODUCTS LIMITED,
15 MANCHESTER SQUARE, LONDON, W.1

Niamid[†]

brand of nialamide

the
safe
monoamine
oxidase
inhibitor
which
offers

Niamid modifies and regulates levels of essential monoamines, widely distributed throughout body tissue. This action may explain its well-accepted clinical application in apparently unrelated conditions.

Depressive states of all types have responded to the smooth gentle action of Niamid. Attacks of angina pectoris have been reduced in frequency and severity, and in certain types of mental defect there has been an improvement in social behaviour. Generally there is an uplift in mood and well-being, often accompanied by an increase in appetite.

Intensive studies and clinical trials have proved Niamid to be non-toxic. Niamid can be used with confidence in both ambulant and hospitalized patients.

Niamid is supplied in 25 and 100 mg. tablets.

- specific therapy for depressive states
- control of angina pectoris
- socialisation of certain types of mental defect
- relief in conditions associated with chronic intractable pain




*Niamid is marketed
in the United Kingdom by*

HARVEY PHARMACEUTICALS

*a department of
Pfizer Ltd., Folkestone.*

HM26/3846

[†]Trade Mark



From 'Bedlam'
by Hogarth

a new advance in the treatment of **depression**

- Nardil is a new kind of anti-depressant which acts selectively on the brain.
- Nardil acts rapidly, improvement is seen within the first week and often in the first few days
- Nardil is safe—toxic effects on blood or liver are extremely rare.
- Nardil has a simple and convenient dosage schedule (one tablet three times a day) which helps patient co-operation.
- Nardil is economical in use. Basic N.H.S. cost only 4/11 (excl. p.t.) for 25 tablets.

Nardil is available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.

NARDIL

BRAND OF PHENELZINE


TRADE MARK




Full technical information may be obtained from

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE

NAR 445





Clinical experience has shown that in the treatment of many psychoneuroses, and particularly in anxiety and tension states, a carefully selected combination of chlorpromazine and amylobarbitone is of greater therapeutic efficacy than either drug alone.

'Amargyl', an association of chlorpromazine and amylobarbitone, has been formulated to meet the demands of many clinicians who are using these two important centrally-acting drugs together.


'Amargyl' is presented as lime-coloured, sugar-coated tablets each containing chlorpromazine hydrochloride 25 mg. and amylobarbitone 50 mg.

Detailed information is available on request

An M&B brand Medical Product

**MANUFACTURED BY
MAY & BAKER LTD**

**DISTRIBUTORS
PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM**



stelazine*

in acute schizophrenia

'In those who had lost it, insight returned at a very early stage'.

Brit. med. J., (1959) *i*, 550

FORMULA: 2-trifluoromethyl-10-(3'[1"-methyl piperazinyl-4"]-propyl) phenothiazine dihydrochloride

Smith Kline & French Laboratories Ltd, Welwyn Garden City, Herts

*'Stelazine' (trade mark) brand of trifluoperazine

SZ:PA20

ids
eul

Tofranil[®]

N-(γ -Dimethylaminopropyl)-
iminodibenzyl hydrochloride

Geigy

Thymoleptic

Specific


therapeutic

measure for the

treatment of the

depressive state

of established
value in
psychiatry...



In Psychoses—

for rapid reduction of psychomotor over-activity without clouding of consciousness or dulling of intellect.

In Psychoneuroses—

for relief of tension, leaving the patient active but composed.

In Prolonged-Sleep Treatments—

for enhancing and prolonging the action of sedatives and hypnotics, allowing safer and easier treatment without confusion.

In the Management and Rehabilitation of Drug Addicts—

for suppressing withdrawal symptoms in those addicted to alcohol or narcotics.

Detailed information is available on request

PRESENTATIONS

Tablets of 10, 25, 50 and 100 mg.
Syrup containing 25 mg. Chlorpromazine Hydrochloride BP. in each 3.6 ml. (approx. one teaspoonful).
1 per cent solution in ampoules of 5 ml.
2.5 per cent solution in ampoules of 1 ml. and 2 ml.
Suppositories containing 100 mg. base.

MANUFACTURED BY

MAY & BAKER LTD



An M&B brand Medical Product

MA6841/85

Distributors: PHARMACEUTICAL SPECIALITIES · (MAY & BAKER) LTD · DAGENHAM


 **ROCHE** TWO NEW

mood regulators

nitoman^{*}

reduces anxiety and thought disorders

advantages over reserpine
shorter acting
little hypotensive activity
Parkinson-like syndromes rare
can be used with E.C.T



marplan^{*}

elevates moods in depressive states

advantages over 'Marsilid'
effective in lower doses
fewer and milder side-effects
no jaundice reported

Nitoman is available as 25 mg tablets,
Marplan is available as 10 mg tablets.

 **ROCHE**

*'Marplan' and 'Nitoman' are Regd. Trade Marks of
Roche Products Limited, 15 Manchester Square, London, W.1.

'ECTONUSTIM'

E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'

—E.C.T. apparatus

'ECTRON'

—E.C.T. apparatus

'ECTRON'

—Rubber Mouth Gag

'ECTRONOLYTE'

—Electrolyte Powder

Write for full details to: **ECTRON LTD**

REELEK WORKS · BALDOCK · HERTS · ENGLAND

Telegrams: "Reelek" Baldock

Telephone: Baldock 3276



BARBEVITE ELIXIR

FOR NEURASTHENIA AND ANXIETY STATES

This pleasantly flavoured elixir contains Phenobarbitone together with Vitamins B1, B2, B6 and Nicotinamide. Ideally suited for the treatment of various conditions associated with the B complex deficiencies such as general fatigue, anorexia, gastro-intestinal disturbances, tachycardia, irritability and depression. **FORMULA:** Phenobarbitone B.P. $\frac{1}{2}$ grain, Aneurin Hydrochloride B.P. 1.5 mgm., Riboflavine B.P. 1.0 mgm., Pyridoxine Hydrochloride B.P.C. 0.17 mgm., Nicotinamide B.P. 10 mgm., Glycerin B.P. 42 minims, Alcohol B.P. 9 minims, Colour and flavour a sufficiency, Base to 1 fluid drachm.

POISON

S1

S4

Available in bottles containing 5, 20, 80 fl. ozs. Basic N.H.S. prices 3/9, 14/4, 51/4.

Also available in tablet form to the above formula. Bottles containing 250 tablets. Basic N.H.S. price 7/9.

Manufactured in the laboratories of

JAMES WOOLLEY, SONS & CO. LTD., VICTORIA BRIDGE-MANCHESTER 3.



'Mysoline' opens prison doors

TO THE EPILEPTIC CHILD, 'Mysoline' can bring new-found confidence and alertness. It enables the child to enjoy normal activity in a safe and healthy environment. 'Mysoline' can often be used with advantage in cases already controlled with other drugs but where freedom from

hypnotic effect would be desirable.

The place of 'Mysoline' in juvenile epilepsy is now well documented in the literature.

Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. costs: 4/4d. for 30 tablets dispensed from packs of 1,000, and 5/8d. for 100 ml. of suspension.

Mysoline TRADE MARK *greatly valued in the treatment of epilepsy*
Primidone B.P.

IMPERIAL CHEMICAL INDUSTRIES LIMITED
PHARMACEUTICALS DIVISION

WILMSLOW CHESHIRE



BARNWOOD HOUSE

GLOUCESTER

A REGISTERED HOSPITAL (outside the National Health Service), for the **CARE and TREATMENT** of **LADIES and GENTLEMEN** suffering from **NERVOUS and MENTAL DISORDERS**. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Voluntary Patients of both sexes are also received for treatment. Special accommodation is also provided at two villa residences, both of which stand in their own grounds and are entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

WYKE HOUSE, ISLEWORTH

MIDDLESEX Tel. ISLeworth 7000

A Private Home for the individual treatment and care of all forms of Nervous and Mental Illness, including Addiction. Voluntary, temporary, or certified admission. The number of patients is limited to twenty-five and all modern treatments are given, including deep insulin. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

Further particulars from the Resident Physicians:

H. Pullar-Strecker, M.D.

G. W. Smith, O.B.E., M.B.



La Métairie NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: *Apply to Dr. W. SEMADENI, Chief Doctor*
Telephone 9.65.91

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Hospital two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 11 Guineas per week.

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. *Telephone: Burnham 624*

CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism. All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west London. Easily accessible by Metropolitan train from Baker Street to Pinner — 22 minutes. Ten minutes walk Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.

Enquiries regarding advertising in

JOURNAL OF MENTAL SCIENCE

should be addressed to:—

Advertisement Manager

ALDRIDGE PRESS LTD

27 Chancery Lane London WC2

Telephone: HOLborn 8655

Telegrams: Presreps, Holb. London

R. D. Laing

THE DIVIDED SELF

An Existential Study in Sanity and Madness

A study of the phenomenon of madness and of the process of going mad, deriving from the existentialist as well as the psycho-analytic tradition.

This volume is the first of a series of *Studies in Existential Analysis and Phenomenology* under the general editorship of R. D. Laing.

"... Dr Laing is saying something very important indeed. He is defining sanity and madness by means of a relationship between persons... What is needed now is that Dr Laing should follow his deeply interesting work by a bold and sustained flight into theory and philosophy. He seems to be well equipped to undertake it."—PHILIP TOYNBEE in the *Observer*.

25s.

Boris Semeonoff and Eric Trist

DIAGNOSTIC PERFORMANCE TESTS

A Manual for Use with Adults

With a Foreword by Professor P. E. Vernon

Five performance tests are here presented. They comprise two tests of conceptual thinking, one entirely original and the other an adaptation of the Vigotsky Test; a radically new adaptation of Kohs Block Designs Test, specially designed for diagnostic use; fresh treatments of two tests of the form-board type—Alexander's Passalong Test and the Carl Hollow Square Test. Details are given of a Services standardization of a shortened form of the Wechsler-Bellevue Intelligence Scale.

"The whole book is based on a vast amount of accumulated experience and represents an important advance in the technique of psychological assessment. It forms a most valuable addition to the psychologist's equipment for exploring adult personality and assessing adult intelligence; and can be warmly recommended to psychologists, and all who are interested in the problems of individual diagnosis."—CYRIL BURT in the *British Journal of Psychology*.

32s.

The test material associated with this book may be obtained from the National Foundation for Educational Research in England and Wales, 79 Wimpole Street, London W.1.

E. M. Goldberg

FAMILY INFLUENCES AND PSYCHOSOMATIC ILLNESS

An Inquiry into the Social and Psychological Background of Duodenal Ulcer

With a Foreword by Eric D. Wittkower

The main concern of this enquiry was with the family background of a group of young male ulcer patients and with the psychological and social factors that contribute to the aetiology of a disorder that has increased to almost "epidemic" proportions over the past fifty years.

38s.



TAVISTOCK PUBLICATIONS

Grune & Stratton Publications

- PROGRESS IN NEUROLOGY AND PSYCHIATRY**
Volume XIV edited by E. A. Spiegel, M.D. 84s.
- AN INTRODUCTION TO CHILD PSYCHIATRY**
by Stella Chess, M.D. 39s.
- REBEL WITHOUT A CAUSE**
by R. M. Lindner, Ph.D. 42s.
- CURRENT APPROACHES TO PSYCHOANALYSIS**
edited by P. H. Hoch, M.D., and J. Zubin, Ph.D. 46s.
- THE PRACTICE OF CHILD PSYCHOLOGY**
by Alan O. Ross, Ph.D. 41s.
- CLINICAL PSYCHOPATHOLOGY**
by K. Schneider 32s.
- COUNTERTRANSFERENCE**
by B. Wolstein 39s.
- PSYCHOANALYSIS OF TO-DAY**
by S. Nacht 41s.
- SCIENCE AND PSYCHOANALYSIS**
Volume II. Individual and Familial Dynamics, edited by
J. H. Masserman, M.D. 48s.
- BEHAVIORAL CHANGE IN THE CLINIC**
A Systematic Approach, by G. H. Pascal, Ph.D. 34s.
- PSYCHOPATHY**
A Comparative Analysis of Clinical Pictures, by Carl
Frankenstein, Ph.D. 48s.

*A complete catalogue of Grune & Stratton
publications is available on request.*

15/16 *Queen St., Mayfair, London, W.1*



HEINEMANN MEDICAL BOOKS

THE MENTALLY SUBNORMAL: The Social Casework Approach

edited by **M. Adams**

Contributors: M. Adams, B.A., R. M. Blake, N.F.U., Dip.N.A.M.H., O. Bowtell, A. D. B. Clarke, Ph.D., A. M. Clarke, Ph.D., M. F. Craib, A.M.I.A., M. E. Cripps, K. McDougall, K. Soddy, M.D., D.P.M., J. Tizard, M.A., Ph.D.

Contents: Introduction—Historical Background—The Clinical Picture: (i) *Diagnosis*, (ii) *Prognosis*, (iii) *Counselling*—General Principles of Casework—Social Work in the Community: (i) *Subnormal Adolescents and Adults*, (ii) *Severely Subnormal Adults*, (iii) *Severely Subnormal Children*, (iv) *Guardianship*—Training Centres for Children and Home-Teaching—Social Work in the Hospital Setting: (i) *Subnormal and Psychopathic Patients*, (ii) *Severely Subnormal Children*—Problems of Employment and Occupation of the Mentally Subnormal—Research into Social Problems—Training for Social Work—References—Index.

25s. net

*

THE INTEGRITY OF THE PERSONALITY

by **Anthony Storr, M.B., M.R.C.P., D.P.M.**

In seeking to define the basic beliefs about human nature upon which his practice rests, the author (an analyst trained in the school of C. G. Jung) has made an important contribution to the understanding of the therapeutic relationship.

Contents: Self-Realization—The Relativity of Personality—The Mature Relationship—The Development of Personality—The Emergent Personality—Identification and Introjection—Projection and Dissociation—Identification and Projection—Heterosexual Love and Relationship—The Psychotherapeutic Process—Transference and Counter-transference—Psychotherapy and Indoctrination—The Integrity of the Personality—Index.


15s. net

15-16 Queen St., Mayfair, London W.1

INDEX TO ADVERTISERS

	PAGE
Allen & Hanbury Ltd.	Cover 2
Ectron Ltd.	x
Geigy Ltd.	vii
Grune & Stratton	xvi
Harvey Pharmaceuticals	iii
Heinemann Medical Books	xvii
Imperial Chemical Industries Ltd. (Pharmaceutical Division)	xi
Lederle Laboratories Ltd.	xx
Eli Lilly & Co. Ltd.	Cover 3
Pharmaceutical Specialities (May & Baker) Ltd.	v and viii
Roche Products Ltd.	ii and ix
G. D. Searle & Co. Ltd.	xviii
Smith, Kline & French Laboratories Ltd.	i and vi
Tavistock Publications	xv
Vitamins Ltd.	xxii
William R. Warner & Co. Ltd.	iv
James Woolley, Sons & Co. Ltd.	x
Nursing Homes:	
Barnwood House, Gloucester	xii
Chiswick House, Pinner	xiv
Hitcham Place, Burnham, Bucks.	xiv
Hume Towers, Bournemouth	xii
La Métairie, Nyon, Switzerland	xiii
Northumberland House, Finchley, N.3	xiv
Springfield House, Bedford	xiv
Wyke House, Isleworth	xiii

When signs of anxiety-tension
are obvious . . .



Dartalan

Brand of Thiopropazate dihydrochloride

safe and effective in

PSYCHOSES Particularly Schizophrenia

NEUROSES Tension states and patients with
obsessional traits

GERIATRICS Agitated states in the elderly

GENERAL MEDICINE Pain in inoperable carcinoma
and control of nausea and vomiting

SEARLE

THE JOURNAL OF MENTAL SCIENCE

Communications on general editorial matters, including MSS. for publication, printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the **Editor-in-Chief, Dr. G. W. T. H. Fleming, Barnwood House, Gloucester.**

Books for review should be sent to **Dr. A. Walk, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From **MESSRS. ADLARD & SON, LTD.,**
Bartholomew Press, Dorking, Surrey.

Enquiry (History) Form, for use in Mental Hospitals. In three sizes. Prices and specimen forms on application.

From **Messrs. H. K. LEWIS & Co. Ltd.,**
136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 15/-. Postage extra.

From **Messrs. J. & A. CHURCHILL, Ltd.,**
104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From **MESSRS. BAILLIÈRE, TINDALL & COX,**
8 Henrietta Street, W.C.2.

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From **THE SECRETARY, 11 Chandos Street, W.1.**

The Charter and By-Laws of the Association. Price 2/-. Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }



for
the patient
who

'sees no way out'

... the patient who is caught up in the intricate web of her own worries and problems ... **Miltown** brings the composure that leads to a new outlook on life.

Miltown*

MEPROBAMATE

*REGD. TRADEMARK OF CIBA PRODUCTS INC.

the safe sedative that relaxes both body and mind

- TABLETS 400 mg. *Bottle of 50*
- Bottle of 250*
- CAPSULES 200 mg. *Bottle of 50*
- Bottle of 250*
- CAPSULES 400 mg. *Bottle of 50*
- Bottle of 250*



LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2



INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent **direct** to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must **not** be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



When high-potency Vitamin **B** is indicated . . .

PARENTROVITE and OROVITE



Standard Reference Cards

Factual information on all our products is available. Produced in accordance with A.B.P.I. Specifications, cards can be obtained from our representatives or from Vitamins Ltd.

Parentrovite—massive dose of injectable B complex with C for restoring consciousness and rational behaviour in toxic states due to drugs and infective agents . . .
and Orovite—high dosage vitamin B complex for oral use— for rapid restoration of glucose metabolism.

VITAMINS LIMITED

Upper Mall, London, W.6.