

VOL. XI.—1896.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,

JOHN MACINTYRE, M.B. Glasgow, F.R.S.E.,

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), R. LAKE, F.R.C.S. (*London*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), BETTMAN (*Rome*), BOTEY (*Barcelona*),
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*), DODD (*Chicago*),
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),
HICQUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*), HUTCHISON (*Glasgow*),
VALERIUS IDELSON (*Berne*), JOAL (*Paris*), KARWOWSKI (*Warsaw*),
A. B. KELLY (*Glasgow*), LACOCARRET (*Toulouse*),
LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),
MICHAEL (*Hamburg*), HOLGER MYGIND (*Copenhagen*),
PORTER (*St. Louis*), STGEORGE REID (*London*), SAJOUS (*Paris*),
SENDZIAK (*Warsaw*), SOLA (*Seville*), STCLAIR THOMSON (*London*),
WAGGETT (*London*), AND ZIEM (*Dantzic*).

CONTENTS.

Original Articles—

- The Relation of Acute Diseases of the Nose and Throat to Disorders of Digestion. By M. R. BROWN. Pages 123 to 127
- Anæsthetics as Employed for Operations on the Throat and Nose. By W. G. HOLLOWAY. Pages 128 to 131

Societies' Meetings—

- NEW YORK ACADEMY OF MEDICINE.—*Harris*, Tumour of Septum, Laryngeal Growth, Tubercular Laryngitis.—*Phillips*, Ulceration of Larynx.—*Munger*, New Remedies.—*Chappell*, Pharyngeal Tuberculosis.—*Quinton*, Aural Forceps.—*Chappell*, Base for Drugs.—*Myles*, Frontal Sinus Case.—*Wright*, Foreign Body in Larynx.—*Nichols*, Epulis, Lupus (?)—*Chappell*, Carcinoma of Larynx.—*Newcomb*, Sinusitis.—*Wright*, Larynx.—*Doyle*, Carcinoma of Nose.—*Curtis*, Rose Influenza.—*Wright*, Nasal Sinusitis.—*Wright*, Nasal Haemorrhage; its Causation, etc. Pages 131 to 141

- SOCIÉTÉ FRANÇAISE D'OTOLOGIE ET DE LARYNGOLOGIE.—*Gellé*, Labyrinthine Vertigo.—*Bar*, Acute (Edematous) Laryngitis in Children.—*Raoult*, Foreign Body in Tympanum.—*Lacher*, Mastoiditis cured without Operation.—*Egger*, Acute (Edema of the Larynx)—*Bouain*, Intubation Tubes.—*Gellé*, Hydrogen Peroxide.—*Jouchery*, Suppurating Nasal Cysts.—*Caster*, Trephining the Mastoid.—*Miot*, Artificial Perforation of Membrana Tympani.—*Brindel*, Histology of Adenoids.—*Wagnier*, Direct Relief of Acute "Relief"—*Pais*, Rhinolith.—*Labit*, Eunuchoid Voice.—*Mendel*, Mutism without Deafness.—*Furet*, Tonsillar Cough.—*Luc*, Frontal Sinusitis.—*Simonin*, Subglottic Edema.—*Mounier*, Hæmatoma of Septum.—*Jail*, Olfactory Aphonia. Pages 142 to 150

- VIENNA LARYNGOLOGICAL SOCIETY.—*Koschier*, Wound of Larynx.—*Ehstein*, Malignant Syphilis (Edematous Tumours of Processus Vocalis)—*Rethi*, Snare for Anterior End of Turbinate.—*Bienstock*, Statistics of Nasal Affections Pages 150 to 152

Abstracts—

- Diphtheria.**—*Armstrong*, *Atwood*, *Bernheim*, *Marsh*, *Russell*, Antitoxin.—*Beauchant*, Scarletina and Diphtheria.—*Kruckmann*, Poisoning by Antitoxin Pages 152 to 157

- Nose.**—*Baber*, Latent Maxillary Empyema.—*Furst*, Rhagades and Coryza.—*Franz*, Aërial Gutter.—*Gleitsmann*, Disease of Accessory Cavities.—*Hansell*, Loss of Vision and Sinusitis.—*Kenny*, Perforation of the Nose; Nasal Sarcoma.—*Kent-Hughes*, Empyema of Antrum.—*Lichtwitz*, Complications of Sinusitis.—*Makuen*, Stammering Cured by Operation.—*Milligan*, Foreign Bodies in Nose.—*Seiler*, Atrophic Rhinitis; Instructive Cases.—*Seiler*, Specific Gravity of Liquids for Topical Use. Pages 157 to 163

- Mouth.**—*Armstrong*, Carcinoma of Tonsil.—*Evans*, Chancre of Tonsil and Tongue.—*Karver*, Pharyngo-Therapy.—*Knox*, Actinomycosis.—*Richey*, Fads and Fashions.—*Tavio*, Bronchitis of Ethoid. Pages 163 to 167

- Larynx.**—*Billot*, Tracheotomy Tubes in Air Passages.—*Eyselberg*, Resection of Trachea.—*Hamon*, Foreign Body in Bronchus.—*Heryng*, Sulpho-Ricinate of Phenol.—*Krebs*, Chronic Pharyngo-Laryngitis.—*Manley*, Cancer of Larynx Pages 167 to 172

- Ear.**—*Beard*, Hearing Power in Bilateral Atresia.—*Bonnier*, Patellar Reflex in Labyrinthine Affections.—*Burnett*, Labyrinthine Vertigo.—*Courtade*, Mastoiditis.—*Coyne*, Organ of Corti.—*Egger*, Chronic Ear-Catarh.—*Dench*, Neoplasms of Ear.—*Denker*, Cancer of Ear.—*Mandelstam*, Mastoiditis.—*Planat*, Ménière's Symptoms in the Young.—*Raugé*, Mastoiditis.—*Scherer*, Cholesteatoma.—*Stern*, Bacteriology of Otitis Suppurativa.—*Verhovsky*, Duration of Hearing the Musical Scale. Pages 172 to 178

Reviews—

- ROWLAND—Archives of Skiagraphy Page 178
- HEYMANN—Handbuch der Laryngologie und Rhinologie Pages 178 and 179

New Instruments—

- Improved Mouth Gag Page 179
- Tensillotome " 183

Books Received

- " 180

GUIDE TO ADVERTISEMENTS.

	PAGE
Bullock & Co.	vii.
Burroughs, Wellcome & Co.	vi.
Central London Throat Hospital	xii.
Ingram & Royle	viii, x.
Lambert Pharmacal Co.	ii.
Mayer & Meltzer	xi.
Rehman Publishing Company	vii, viii, ix.
Slater Bros.	i.

Improved Methods of Atomisation

“PAROLEINE” ATOMISERS (B., W., & CO.).


THE use of the old-time inhalation of medicated steam has in many conditions be attended by some disadvantages, especially in cases where warmth and moisture were not essential parts of the treatment. The discovery of “Paroleine” has rendered easy and effective the direct application to the walls of the pharynx, larynx, at other mucous cavities of such valuable medicaments as Thymol, Menthol, Iodoform, Salol, Carbolic Acid, Camphor, etc. “Paroleine” is an odourless, colourless, and tasteless hydrocarbon obtained from petroleum. It is carefully prepared, and entirely free from those crude bye-products which give rise to irritation and aggravate the troubles in the treatment of which “Paroleine” has justly become popular with the medical profession. “Paroleine” solutions of any of the medicaments employed in irritable and inflamed conditions of the mucous surface may be atomised by means of these instruments. The B., W., & Co. “Paroleine” Atomisers are more easily used than the ordinary complicated instruments; are very portable, simply constructed, and easily freed from all traces of previously used medicament. They are beautifully made of thickly plated incorrodible metal, and provided with specially prepared rubber. They are strongly made, well finished, and with ordinary care cannot get out of order.



The **Naso-Pharyngeal “Paroleine” Atomiser** is used for spraying the mucous membrane of the nose and pharynx.

For the application of the spray the container is held firmly in the left hand and after placing the nozzle inside the nostril the bulb should be firmly compressed at the same time the patient takes an inspiration. By these means the spray is spread entirely over the surface of the anterior nares. When it is desired to apply the spray to the epiglottic surfaces and air passages, the nozzle is placed in the mouth and carried backwards almost to the pharynx, and the patient directed to inspire with each compression of the bulb. By this means the medicated spray is distributed over the entire mucous surfaces of the trachea and larynx. In cases of nasal catarrh, hay fever, ozæna, and pharyngitis, this atomiser will be found a most valuable method of applying remedies to the seat of the disease.

In the case of the **Laryngeal and Post-Nasal “Paroleine” Atomiser** an ingenious arrangement enables the fine spray to be directed at will to every part of the post-nasal region. No more satisfactory method of topical application to these mucous membranes has been devised than these “Paroleine” sprays. The direction of the spray coming from the conducting tube may be changed by loosening the joint at the node and turning the tube, which, by a simple arrangement, can be fixed at any angle.



“Paroleine” supplied to the Medical Profession in 4-oz. and 16-oz. bottles at 9d. and 2s. each; the Naso-Pharyngeal Atomisers, 3s. 5d. each; the Laryngeal Atomisers, 5s. 2d. each.

BURROUGHS, WELLCOME & CO.,

SNOW HILL BUILDINGS, LONDON.

Australian Address: SYDNEY, N.S.W.

Cable and Telegraphic Address: “BURCOME, LONDON.”