the customary English grouping of the cells is not employed, but there is no possibility of confusion in the description. It may, however, be permissible to remark here that, in addition to Killian's erste Hauptmuschel. there are only two primary ethmoidal conchæ, on which the others appear subsequently. Terminological recognition of this ontological fact would have obviated the differences seen in the labelling of Figs. 15, 16, and 22.

The anatomy of the sinuses is given shortly and clearly, the important points being well brought out; no mention is made of the observations

of Underwood and Gruber on the antrum.


An excellent and interesting little book, simply and lucidly written, which gives clear-cut mental pictures of its subject to the reader. The illustrations are admirable. J. Ernest Frazer.

NEW INSTRUMENTS.

The drawing illustrates an instrument that I have had made for me by Messrs. Mayer & Meltzer for the removal of tonsils after the method of Sluder, of St. Louis,

and that employed by Pybus and Whillis, of Newcastle-on-Tyne.

The following are the chief points to be noticed in the guillotine: (1) It is well balanced, light in weight, and the shaft is strong and unyielding. (2) Except for a shorter length, the bulk of the instrument differs little from that of the old Mackenzie guillotine. It can be introduced easily into the smallest mouth, and its length and size make it especially useful for rapid work under short anæsthesia. Its length is 53 in. with the blade closed, and 6 in. with the blade withdrawn. (3)



The handle provides a firm grip and is fixed at right angles to the shaft. This angle does not interfere with the technique of the operation; it allows of sufficient leverage, and the thumb can be more readily placed on the end of the blade shaft to push it home than in a guillotine where the handle forms an obtuse angle to the shaft. (4) The blade lies on the inner side of the shaft, thus throwing the cutting edge slightly more outwards when the tonsil is engaged than is the case when the ordinary Mackenzie guillotine is used in the same way. It is fixed to the top of the handle by means of a screw and rubber washer, and when the screw is taken out the blade with its shaft can be easily removed. (5) The cutting edge is rounded and dull, and the blade is bevelled on its inner side, thus assisting in the separation of the tonsil capsule from the subjacent tissues. (6) The ring may be made in three sizes; its distal rim is narrow and readily passes between the tonsil WM. SANDERSON, M.B., Ch.B. and posterior pillar. (Liverpool.)

BOOKS RECEIVED.

Transactions of the Thirty-sixth Annual Meeting the American Laryngological Association, May, 1914.

A Text-book of the Diseases of the Nose and Throat. By Jonathan Wright, M.D., and Harmon Smith, M.D. Illustrated with 313 Engravings and 14 Plates. London: Baillière, Tindall & Cox. 1915.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W.

HONORARY MEDICAL STAFF.

Consulting Surgeons { MR. MARK HOVELL. DR. LAMBERT LACK.

Surgeons.	OUT-PATIENTS.	OPERATIONS.
Dr. J. W. BOND	Wednesday, 2.0 р.м.	Friday, 10.15 A.M.
Mr. CHARLES PARKER		} Thursday, 2.0 P.M.
DR. FITZGERALD POWELL MR. FRANK ROSE	Monday, 2.0 P.M.	Thursday, 10.0 A.M.
MR. JEFFERSON FAULDER	Tuesday, 6.30 P.M.)
ž	" Saturday, 2.0 P.M.	{
Mr. GEORGE BADGEROW	{ Saturday, 2.0 P.M.	Wednesday, 9.0 A.M.
ASSISTANT SURGEONS.	ATTENDA	NCES.
Mr. NORMAN PATTERSON	Tuesday, 2.0 P.M., Friday,	2.0 P.M.
Mr. LIONEL COLLEDGE	Wednesday, 2.0 P.M., Thursday,	2.0 Р.м., Friday, б.0 р.м.
DENTAL SURGEON.		
Mr. PITTS	Thursday, 9.30 A.M.	

CLINICAL INSTRUCTION.

A Clinical Demonstration on the Diagnosis and Treatment of Selected Cases

(Larynx, Nose, Ear) will be given each Monday at 5 p.m.

A Course in Surgical Anatomy and Physiology will be given each Thursday at 5 p.m. These Courses are free to Students of the Hospital. Others a fee of 2 guineas for each Course.

Practical Instruction in the Diagnosis and Treatment is given daily in the Out-patient Department from 2 to 5 p.m., on Tuesdays and Fridays from 6.30 p.m. to 9 p.m., and Mondays at 9.30 a.m.

Major Operations are performed at 10 a.m. on Tuesday, Wednesday, Thursday, Friday, and Saturday, and Fridays at 2 p.m.

Minor Operations daily (Mondays excepted) at 9.30 a.m.

Operative Surgery Classes can be formed at any time on application. Practice in Direct Laryngoscopy, Tracheoscopy, Bronchoscopy, and Œsophagoscopy will be given to Students, to enable them to become familiar with the use and manipulation of the instruments.

Practitioners and Medical Students are admitted to the Practice of the Hospital at a fee of five guineas for three months, eight guineas for six months, or ten guineas for a Perpetual Studentship. Each course may commence at any date. Special terms to men in actual practice who can only attend the hospital once or

The Hospital contains 60 beds for In-patients. There is also an Out-patient

attendance of nearly 50,000 yearly.

Gentlemen may enter to the practice of The Throat Hospital at any time, and on certain conditions eligible for appointment as Clinical Assistants, whose duty it is to Assist the Member of the Staff to whom they are appointed.

GEORGE W. BADGEROW, F.R.C.S., Hon. Med. Sec.

WRICHT, PUBLISHERS, BRISTOL.

Demy 8vo, with 77 Illustrations, 44 of which are in Colours. 7,6 net.

Diseases of the

THROAT, IOSE, AND

For Practitioners and Students.

By W. G. PORTER, M.B., B.Sc., F.R.C.S.Ed.,

Surgeon to the Eye, Ear, and Throat Infirmary, Edinburgh; Surgeon, Ear and Throat Department, Royal Hospital for Sick Children, Edinburgh; Aurist to the Edinburgh Royal Institution for the Education of the Deaf and Dumb.

"The author's main object has been to provide the practitioner and serious student with a single volume of moderate size, embracing sufficient information on the diseases of the throat, nose, and ear, to be of value in practice. We may say at once that he has attained his object."—British Medical Trurnal.

"Eminently suited to the purpose for which it is designed."—Journal flavynghogy.

"The several diseases are concisely dealt with. . . . The book as a whole reflects sound teaching, and recent literature has evidently been laid under contribution. It is well printed and well illustrated."—Lancet.

"The work is eminently suited to the purpose for which it has been designed . . . a large amount of well-digested and accurate information has been packed into a surprisingly small compass. Special attention has been given to diagnosis, and to such treatment as can be carried out successfully by one who is not a specialist. . . . We congratulate Dr. Porter upon producing a very excellent small manual."—Practitioner.

Originally published in 1912, the first Large Edition was exhausted in Six Months. The Second Impression was quickly sold out, and the Third Issue is now ready.

1030 pages. With 16 Coloured Plates and over 200 Illustrations in the Text. Bevelled Boards, Burnished Top. 30/- net.

INDEX OF DIFFERENTIAL DIAGNOSIS OF MAIN SYMPTOMS

By Many Writers.

Edited by HERBERT FRENCH, M.A., M.D.Oxon., F.R.C.P.Lond.

"May be said to represent the last word as to limits of diagnostic power . . . illustrations are of a uniformly high merit, and aid materially . . . of Dr. French's work, both as editor and contributor, we cannot speak too highly . . . This remarkable index."—British Medical Journal.

highly . . . This remarkable index."—British Medical Journal.
"All that it is possible to learn of medicine in its various branches outside the wards of a hospital will be found in this book."—Practitioner.

6th Edition. 13th Thousand. Completely Revised, with additional Articles and Illustrations. Demy 8vo. 1056 pages. Bevelled Boards, Burnished Tops. 21 - net.

OF TREATMENT

By 83 Representative Contributors.

Edited by ROBERT HUTCHISON, M.D., F.R.C.P., Physician to the London Hospital.

A Complete Guide to Treatment in a Form Convenient for Reference.

"The editors and publishers may be congratulated on the production of a work of reference which we can cordially recommend to all busy practitioners."—British Medical Journal.

"The book is of special use to the general practitioner, who will find in it many valuable suggestions for the management of disease."—Lancet:

"Handy, accurate . . . easy of reference . . . we congratulate editors and contributors upon having

"Handy, accurate . . . easy of reference . . . we congratulate editors and contributors upon having added to medical literature a useful and comprehensive work."—Medical Press and Circular.

Now Ready. Fourth Edition. Fully Revised. Crown Svo. 9/6 net. With Diagrams of Surface Markings.

SYNOPS

For Students and Practitioners.

By ERNEST W. HEY GROVES, M.S., M.D., B.Sc.Lond., F.R.C.S.Eng.

"... appears to contain all that is necessary in a synopsis, and ... is not too condensed... may be legitimately employed for revising knowledge,"—Lancet.

"The additions necessary to keep it quite up to date have been freely made... Among the best of its kind, and the author is to be congratulated on its readableness, its lucidity, and its fulness—notable qualities."— British Medical Tournal.

Bristol: JOHN WRIGHT & SONS, Limited. London: SIMPKIN, MARSHALL, HAMILTON, KENT & Co., Ltd.

CENTRAL LONDON THROAT AND EAR HOSPITAL

GRAY'S INN ROAD (Near King's Cross Stations).

The work carried on at this Hospital comprises:

1. The Daily Out-Patient Clinic.

The Medical Officers attend as follows:

Surgeons. Mr. Chichele Nourse Dr. Abercrombie .		Out-Patient Clinic. Wednesday, at 2 p.m. Thursday, at 2 p.m.		In-Patient Friday, Wednesday,	at 2.15 p.m.
Mr. STUART-LOW Dr. ANDREW WYLIE Dr. ATKINSON Dr. DAN MCKENZIE	:	Saturday, at 2 p.m. Monday, at 2 p.m. Tuesday, at 5 p.m.	:	Monday, Tuesday,	at 2.15 p.m.
Assistant Surgeon. Mr. HAROLD KISCH .		Monday and at 2 p.m.			

The Minor Operations. 2.

These are performed at 9 a.m. on Monday, Tuesday, Wednesday, Thursday, Friday,

3. The In-Patient Department. Major Operations.

These take place at 2 o'clock on Monday, Tuesday, Wednesday, Thursday, Friday. The list of operations is to be seen on the notice board in the Out-patient Consulting Room.

4. Lectures and Demonstrations.

Courses of Practical Instruction are given throughout the year by Members of the

Staff, on Tuesdays and Fridays, at 3 p.m. punctually.

The Courses consist of two classes twice a week devoted to Anatomy, Pathology, Diagnosis and Treatment of the special diseases dealt with at the Hospital. They may be joined at any

A Surgical Anatomy and Operative Surgery Class is held when desired. The teaching is practical and demonstrative, and is illustrated by diagrams, models, specimens and instruments.

The Pathological Laboratory

Is at all times available to students. Dr. Wyatt Wingrave, Pathologist to the Hospital. is in attendance daily at 3 p.m.

Clinical Assistants

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the hospital.

Further particulars may be had on application to the Dean.

Fees.

Course of Practical Instruction		 dance at Clinics	1 guinea. 2 guineas.
Operative Surgery Class"	•••		5,,
For attendance on the practice of the Hosp	ital (Clinica	al Assistants)—	
Three months	`	5 guineás.	
Six "	•••	8,	
Perpetual ticket		10 "	
011 1 1 1 1 1	*** * * * **		-

Clinical Assistants are admitted to the Practical Course Free.

WYATT WINGRAYE, M.D., Dean.

RICHARD KERSHAW, Secretary Superintendent.

ADVERTISEMENTS.

the best, most instructive and useful Journal going.'

3d.

PUBLISHED

ON WEDNESDAYS.

3d.

THE

CLINICAL JOURNAL

— A WEEKLY RECORD OF — CLINICAL MEDICINE & SURGERY

With their Special Branches.

THE CLINICAL JOURNAL was founded in 1892 with the object of SPECIALLY REPORTING and publishing CLINICAL LECTURES given by the leading Physicians and Surgeons of the day—Lectures for the most part delivered at the Hospitals to a few score of Students and quite lost to the General Practitioner who, however much he may desire to keep himself in touch with the progress of the times, is usually unable to attend.

Appreciation of this enterprise is shown by the present position of the Journal, its increasing circulation throughout the world, and the numerous letters received from subscribers.

New subscribers are strongly recommended to secure the **BACK YOLUMES**. It may be confidently asserted that no collection of Lectures more reliable and interesting, nor material of greater practical value, is available to the General Practitioner.

Subscribers write:-

"I consider of all the Medical Journals the 'Clinical Journal' is of the greatest use to the busy general practitioner."

"The fact is the Journal contains the very sort of article the country practitioner wants."

". . . the Journal has been useful to me in deciding points, many of which are not in text-books."

Ordinary Subscription Terms, payable in advance

52 weeks -

ks - 15/6 - 8/-- 4/-

3d.

*A SPECIAL REDUCTION OF TWENTY PER CENT.


is allowed on the above ordinary subscription terms to those subscribers signifying their intention of taking the Journal for not less than two years. 3d.

The Medical Publishing Company, Ltd., 23, Bartholomew Close, E.C.

MAYER & MELTZER,

Surgical Instrument Makers.

ESTABLISHED OVER FIFTY YEARS.



Instruments as used by Dr. Watson-Williams for the Intra-Nasal Operation for Frontal Sinus Suppuration.

(See JOURNAL OF LARYNGOLOGY, May, 1914.

Full Particulars on application.

MAYER & MELTZER, 71, GREAT PORTLAND ST., LONDON.

Branches: MELBOURNE: CAPE TOWN: JOHANNESBURG.

MAYER & MELTZER

Wish to state that all the instruments listed in their Catalogues,
with very few exceptions, are and
always have been made in their own
London Workshops, so that they
can offer customers their usual
service without any rise in price for
such goods. In sundry lines, such
as glass and enamelled ware, the
manufacturers have advanced their
prices, so that these must necessarily be raised in proportion. It
is perhaps unnecessary to state
that partners, capital and staff are
entirely British.

MAYER & MELTZER,

Surgical Instrument Makers.

ESTABLISHED OVER FIFTY YEARS.

71, Great Portland Street, LONDON.

And at Melbourne, Cape Town, Johannesburg.