




*The Nutrition Society of Australia 46<sup>th</sup> Annual Scientific Meeting was held at the Parmelia Hilton in Perth, WA on 29 November–2 December 2022*

## Conference on ‘Sustainable nutrition for a healthy life’ Breakfast Symposium

### Three-dimensional food printing: its readiness for a food and nutrition insecure world

Liezhou Zhong<sup>1</sup> , Joshua R. Lewis<sup>1,2,3,4</sup>, Marc Sim<sup>1,2,3</sup>, Catherine P. Bondonno<sup>1,2,3</sup>, Mark L. Wahlqvist<sup>3,6</sup>, Amin Muger<sup>7</sup>, Sharon Purchase<sup>8</sup>, Kadambot H. M. Siddique<sup>7</sup>, Michael J. Considine<sup>7,9,10</sup>, Stuart K. Johnson<sup>11</sup>, Amanda Devine<sup>1</sup> and Jonathan M. Hodgson<sup>1,2\*</sup>

<sup>1</sup>Nutrition & Health Innovation Research Institute, School of Medical and Health Sciences, Edith Cowan University, Joondalup, WA, Australia

<sup>2</sup>Discipline of Internal Medicine, Medical School, The University of Western Australia, Perth, WA, Australia

<sup>3</sup>Royal Perth Hospital Research Foundation, Perth, WA, Australia

<sup>4</sup>Centre for Kidney Research, Children’s Hospital at Westmead, School of Public Health, Sydney Medical School, The University of Sydney, Sydney, NSW, Australia

<sup>5</sup>Monash Asia Institute, Monash University, Melbourne, VIC, Australia

<sup>6</sup>School of Public Health, National Defence Medical Centre, Taipei, Taiwan, Republic of China

<sup>7</sup>The UWA Institute of Agriculture, The University of Western Australia, Perth, WA 6001, Australia

<sup>8</sup>Business School, University of Western Australia, Crawley, WA, Australia

<sup>9</sup>School of Molecular Sciences, University of Western Australia, Perth, WA, Australia

<sup>10</sup>Department of Primary Industries and Regional Development, Perth, WA, Australia

<sup>11</sup>Ingredients by Design Pty Ltd., Lesmurdie, WA 6076, Australia

Three-dimensional (3D) food printing is a rapidly emerging technology offering unprecedented potential for customised food design and personalised nutrition. Here, we evaluate the technological advances in extrusion-based 3D food printing and its possibilities to promote healthy and sustainable eating. We consider the challenges in implementing the technology in real-world applications. We propose viable applications for 3D food printing in health care, health promotion and food waste upcycling. Finally, we outline future work on 3D food printing in food safety, acceptability and economics, ethics and regulations.

#### Three-dimensional food printing: Texture-modified food: Dysphagia: Personalised nutrition

Three-dimensional (3D) food printing technology can fabricate food objects layer by layer, from the bottom to the top. The technology can design geometries of food objects guided by computer-aided design models or scanned 3D models<sup>(1)</sup>. 3D food printing is recognised

as a new frontier in the food industry to enable rapid prototyping, customised food design and personalised nutrition<sup>(1)</sup>. Furthermore, as the world is becoming food and nutrition insecure due to unstable world food supply chains and climate variability, 3D food printers

**Abbreviations:** 3D, three-dimensional; TMF, texture-modified food.

**\*Corresponding author:** Jonathan M. Hodgson, email: [jonathan.hodgson@ecu.edu.au](mailto:jonathan.hodgson@ecu.edu.au)

as home appliances could serve as more inclusive and affordable tools to deliver personalised nutrition through localised food supplies and food waste upcycling<sup>(2)</sup>.

There has been an explosion of 3D food printing publications since 2008, as revealed by bibliometric analyses<sup>(3–5)</sup>. While the applications of such technology are far-reaching, its potential to benefit vulnerable communities with chewing and swallowing difficulties by reshaping texture-modified foods (TMF) is exceptionally appealing<sup>(5)</sup>. Nevertheless, the concepts of using 3D food printing for personalised nutrition and reshaping TMF are often impractical, with multiple inherent technological constraints, as discussed in this review. Furthermore, with 3D food printing in its infancy, there are unknown impacts on the food system and on human health<sup>(6,7)</sup>. This review focuses on extrusion-based 3D food printing, the most common 3D food printing technology<sup>(5)</sup>, and depicts its current readiness in real-world applications, particularly in human nutrition and health. We highlight the barriers to implementation and means to overcome these to enable the deployment of 3D food printing to improve food and nutrition security and sustainability. Finally, we discuss consumer acceptance, ethical and regulatory requirements and the cost-effectiveness of 3D food printing, which can ultimately determine its adoption and sustainability.

### State-of-the-art of extrusion-based three-dimensional food printing

There are three types of 3D food printing technology: extrusion-based printing (including melt extrusion deposition), powder bed-based printing (including selective laser sintering printing, selective heat sintering and binder jetting) and inkjet printing (Table 1)<sup>(1,5)</sup>. Among them, extrusion-based 3D food printers are the most common due to their relatively simple operation, easy material handling, and compatibility with a wide range of food materials<sup>(8)</sup>. Commercial desk-top 3D food printers are evolving rapidly and becoming faster, more affordable, precise, and user-friendly<sup>(1)</sup>. Moreover, many international food companies (e.g. Redefine Meat, Barry Callebaut, PHILIPS, Barilla, Nestle, Hershey, Mondelez and PepsiCo) have invested in 3D food printing<sup>(9,10)</sup>.

#### *Food materials and processing for extrusion-based three-dimensional food printing*

Many reviews have discussed food materials that can be used for extrusion-based 3D food printing<sup>(1,11)</sup>. In theory, extrusion-based 3D food printing is versatile enough to print a wide range of food materials, such as chocolate, fats, dough, pureed or mashed fruits and vegetables, edible gels (hydrocolloids, gums, starch and protein), hummus, creamy cheese, icing, spread, surimi and meat slurry<sup>(12,13)</sup>. Some novel food materials and ingredients, such as proteins from insects, algae and fungi, are also printable<sup>(14,15)</sup>. Typically, these materials should flow through a nozzle and are self-supporting after being deposited on a surface. However, not all

materials and formulations are directly printable. The substantial variations in the composition and physico-chemical properties of food materials within and across batches can result in low-printing repeatability and reproducibility<sup>(16)</sup>. Existing 3D food printing research generally adopts experimental food materials, such as hydrogel (food gums) and starch-based systems (e.g. mashed potato or rice), which typically are not ready for human consumption and are distinct from real food systems during 3D food printing<sup>(17)</sup>.

The material's rheological properties are fundamental to the successful processing and printing of food. In addition, the physico-chemical properties (e.g. water holding capacity, syneresis), rheological properties and compositional profiles of pre-cooked food inks will change during storage<sup>(18)</sup>. For example, pre-prepared dough is generally printable only within 1–2 h<sup>(19)</sup>. An alternative solution is to develop food material-specific printers, such as chocolate printers (Table 1). However, such an approach overlooks the versatility of the technology. Instead, users should be provided with multifunctional 'plug and print' printers with capacity to print a wide variety of common food materials.

#### *Three-dimensional geometric design and software*

The 3D geometric design is a critical but often overlooked component in 3D food printing. In many instances, building printable 3D models itself is extremely time-consuming, requiring multiple software, including 3D modelling software (e.g. SketchUp and blender) and slicing software (e.g. Ultimaker Cura and Slic3r), all of which require users to have extensive experience and skills in graphic design and editing mesh or stereolithography data. Many online 3D model repositories provide pre-built 3D models (e.g. Thingiverse, Cults, Thangs and Printables)<sup>(20)</sup>. However, most online 3D models require further modifications (e.g. removing small features in the models, closing mesh holes and gaps, and resolving non-manifold geometry), which is time-consuming and laborious also.

There is no 'one-size-fits-all' solution when matching printing parameters and 3D models. Instead, other 3D food printing components (i.e. food material, printing parameters and post-printing process) should be taken into consideration when building 3D models to maximise printing performance. For example, extrusion-based 3D food printing requires soft extrudable food material; therefore, the 3D shapes after printing should be self-supporting. Furthermore, nozzle size, slicing method (layer height) and the capacity of printers can dominate the fidelity of the printed construct, which should be reflected in the 3D model designing process<sup>(21,22)</sup>. In parallel, other printing parameters such as nozzle retraction, toolpath (i.e. motion trajectory of the nozzle), infill density and pattern (e.g. grid, spiral, concentric or zig-zag) and printing temperature should be tuned for each specific material and 3D shape<sup>(23)</sup>. Collectively, 3D geometric design for 3D food printing involves multiple software and deep knowledge of numerous factors in the printing process. Therefore, requiring general consumers

**Table 1.** Three-dimensional food printing technologies and commercial three-dimensional food printers

Three-dimensional food printing technology	Printing performance	Food examples	Three-dimensional food printers
Extrusion-based 3D printing	Extrudable semi-solid required Continuous filament Desirable fidelity	Mashed or pureed fruit and vegetables, hydrogels, dough, creamy cheese and butter, icing, meat and fish slurry	Foodini (Spain) Redefine Meat (Israel) BeeHex 3D dessert decorator (USA) BeeHex Chef 3D pizza printer (USA) PancakeBot (USA) Barilla pasta printer (Italy) The Netherlands Organisation for Applied Scientific Research extrusion printing set (Netherlands)
Melt extrusion deposition	Melting before printing Solidify right after printing	Chocolate, sugar, food-grade polymers	Choc Creator (UK) mycusini® (Germany) Procusini (Germany) ByFlow (Netherlands) WiiboxSweetin (China) Shiyin Technology (China) 3 Desserts Graphiques (France) Magic Candy Factory candy printer (USA) XOCO chocolate printer (Netherlands) Candyfab (USA)
Selective laser sintering/ hot air sintering	High-energy CO <sub>2</sub> laser/hot air required May create large amounts of powder waste	Sugar powder, chocolate powder	The Netherlands Organisation for Applied Scientific Research food jetting (Netherlands)
Binder jet printing	Food-grade liquid binding agent required	Dried food powders Binding agents normally contain alcohol	ChefJet Pro (USA)
Inkjet printing	Poor vertical printing capacity Low resolution	Sauces for pizza	Foodjet (Netherlands)

to build their own 3D models is currently impractical. In this context, existing smartphone photogrammetry and 3D scanning apps (e.g. RealityCapture) could be calibrated to generate 3D mesh models ready for 3D food printing. Generative artificial intelligence algorithms that can create 3D shapes using easy 2D images (e.g. NVIDIA 3D MoMa) or even descriptive texts (e.g. dreamfields3D, and ChatGPT-powered 3D modelling editors such as blender and Unity) could be further tuned for 3D food printing.

#### *Post-printing processing*

Post-processing can increase stability (stiffness), and improve food safety and shelf life, aesthetics and palatability. However, post-printing processing of 3D-printed food products is challenging due to the low mechanical strength of the food materials<sup>(24)</sup>. Conventional heat processing such as baking, toasting, frying, microwaving and steaming can decrease the fidelity of prints and lead to shrinkage, cooking loss, colour changes and texture shifting<sup>(25)</sup>. Extrusion-printed 3D foods, such as soft and pureed foods, are typically unsuitable for reheating and long-term storage because their shapes can collapse, and cause water leakages. 3D-printed foods are generally expected to be consumed immediately after printing. As a result, food additives (e.g. gums, methylcellulose, protein isolate and gelatin, starch and modified starch, calcium chloride and calcium

caseinate) are often used to improve the stability of the prints during post-processing<sup>(24,26)</sup>. Some of these components may adversely impact the nutritional quality of 3D-printed foods. By contrast, freeze-drying is a viable alternative for maintaining the structure of these printed products.

#### *Current key barriers to adopting three-dimensional food printing in real-world applications*

Low-printing speed is the key bottleneck in real-world applications of 3D food printing<sup>(1,27)</sup>. This is particularly evident in some settings (e.g. restaurants and residential aged care facilities) where many meals need to be prepared within a short timeframe. Some 3D food printers are optimised for specific food materials and use higher-quality components to improve print head motion, increasing the printing speed. For example, the Netherlands Organisation for Applied Scientific Research is developing multi-nozzle, high-force and high-speed extrusion printers. Another way to accelerate 3D food printing is to reduce printing size (portion size). However, food inks should be enriched to achieve the required nutrient provision. In addition, commercial 3D food printers require users to fill the food capsules (cartridges) manually, which is far from efficient. Therefore, users should be provided with standardised, ready-to-print, pre-filled food capsules (ink cartridges) that enable 'plug and print'.

Poor repeatability and reliability of printing are other challenges<sup>(1)</sup>. 3D food printers require intensive monitoring during printing. Improper control of the printing parameters and 3D design may lead to various defects, including nozzle blockage, inconsistent extrusion, layer shifting, material spreading, insufficient retractions and ‘elephant foot’ (i.e. the first few layers are larger than the others due to food weight), or the printed object collapsing. Having fully autonomous printers that can resolve common defects will reduce human supervision, making 3D printing more reliable and convenient. To this end, artificial intelligence-based in-situ detection and real-time printing correction can be critical to achieve high 3D printing performance<sup>(28–30)</sup>. In a recent study, Ma *et al.*<sup>(30)</sup> used computer vision to track the extrusion process and optimise the extrusion rate and nozzle motion.

Lastly, 3D food printing can be a ‘double-edged sword’. As shown in Table 1, many commercially available 3D food printers are designed for chocolate and sugar printing. Chocolate and sugar are hot-melt materials that melt into a liquid form upon heating and solidify quickly into a self-supporting object after cooling<sup>(31)</sup>. 3D-printed chocolate and sugar products can have ‘eye-catching’ shapes, which have been used to introduce and advertise 3D food printing in many news coverages and studies<sup>(32)</sup>. These eye-catching shapes could negatively affect consumers’ ‘first impressions’ of 3D-printed foods and encourage poor nutritional choices, particularly in the younger generation<sup>(33)</sup>. Moreover, it is worth noting that 3D-printed chocolate and sugar products and many other printed cereal-based foods could be considered as ultra-processed food products<sup>(34)</sup>. Numerous epidemiological and clinical studies have suggested an association between ultra-processed food consumption and various cancers and chronic diseases<sup>(34)</sup>. As discussed further later, the previously described challenges highlight the need for explicit guidelines to direct 3D food printing-related academic and industrial practices to minimise the negative effects of the technology<sup>(32)</sup>.

### Adoption of three-dimensional food printing to promote healthy and sustainable eating

The recent research boom in 3D food printing has been driven by the broad array of applications, in personalised nutrition particularly<sup>(5)</sup>. However, the personalised nutrition field is in its infancy, with many proposed applications still based on insufficient and inconclusive scientific evidence<sup>(35)</sup>. Instead, in this review we aim to identify feasible applications for 3D food printing that would be achievable and implementable in the near future to promote healthy and sustainable eating.

#### *Redesigning texture-modified foods for vulnerable communities*

Using 3D food printing technology to reshape TMF is an important emerging application. Speech and language

therapists prescribe TMF – soft, moist, minced, pureed or liquidised foods – for people with chewing and swallowing difficulties (dysphagia). The prevalence of swallowing difficulties is estimated to be about 8% globally<sup>(36)</sup>. The International Dysphagia Diet Standardisation Initiative framework defined a hierarchy of seven texture levels for TMF and fluids<sup>(37)</sup>, which is similar to the ‘Smile Care Food’ system in Japan (Table 2)<sup>(38)</sup>. In contrast, the USA<sup>(39)</sup>, Japan and Canada<sup>(36)</sup> use instrumental texture and rheological measurements (i.e. yield stress, hardness and viscosity) as indicators to classify TMF. However, despite their increasing use, the provision of TMF in many care settings (including aged care, hospital care and home care) has remained underdeveloped<sup>(40)</sup>. For example, TMF are commonly served as ‘ice cream balls’ because of the portion scoops. In addition, those on TMF diets face persistent and severely restrictive food varieties, representing a silent food insecurity issue for these vulnerable people<sup>(41–43)</sup>. The transition to TMF from standard diets leads to reduced appetite<sup>(44)</sup>; lower intakes of vitamins A and E<sup>(45)</sup>, protein and fluid<sup>(46)</sup> and higher weight loss<sup>(42)</sup>. Unsurprisingly, the habitual consumption of TMF is often linked with malnutrition (undernutrition)<sup>(47,48)</sup>.

The physical properties of many TMF are the same as the food materials required for extrusion-based 3D food printing. Therefore, TMF could be suited to 3D food printing<sup>(5,6,49)</sup>. In turn, 3D food printing could address the multiple interacting drawbacks about TMF<sup>(50,51)</sup>. Firstly, 3D food printing may improve food intake by aged care residents by developing aesthetically appealing food options (Fig. 1)<sup>(5)</sup>. However, studies indicated that shapes should be carefully selected based on consumer demographics and application scenarios. In a recent example, allied health professionals suggested that 3D-printed food products for aged care residents should be in the original food shape to help consumers ‘recognise the food item’ and match their fellow dinners (‘look like everybody else’s food’)<sup>(52–54)</sup>. Using non-food-like shapes such as geckos or flowers could be ‘childish’ and embarrass the person on TMF<sup>(52,53)</sup>. Therefore, population- and context-specific 3D geometries should be considered. Secondly, detection thresholds among older people for salt, sour, sweet, umami and bitter tastes may increase, therefore lowering their food enjoyment<sup>(55)</sup>. 3D food printing can enhance nutrition by personalising or medically tailoring the food inks to meet these demands, thus enhancing palatability. The same strategy can benefit various other vulnerable groups (e.g. people with motor neurone disease or multiple sclerosis; children with cerebral palsy, acute hospital care and rehabilitation patients such as stroke survivors).


Hospitals and aged care institutions commonly use cook–chill food service systems, which involve a series of food processing, including packaging, refrigerating, delivery, storage, transportation and reheating. The impacts of different food processing on the printability of food materials and the stability of printed products should be carefully examined<sup>(15,25)</sup>. Lastly, aged care facilities have extremely constrained food and nutrition budgets. The extra costs in equipment, staff and training



**Table 2.** International Dysphagia Diet Standardisation Initiative (IDDSI), the National Dysphagia Diet (NDD) USA and 'Smile Care Food' Japan terminologies for texture-modified foods and drinks

IDDSI classification <sup>(37)</sup>		NDD – USA <sup>(39)</sup>	'Smile Care Food' – Japan <sup>(38)</sup>		Three-dimensional food printing suitability
7 Regular		Regular	Blue – Regular with supplement		Post-printing processing allowed
Easy to chew			Yellow 5 – Easy to chew		Post-printing processing allowed
6 Soft and bite-size	1.5 cm for adults 8 mm for children	3 – Dysphagia advanced	Yellow 4 – Can be crushed with gums	Red 2 – Can be swallowed after some chewing	Directly printable; post-printing processing allowed
5 Minced and moist	4 mm for adults 2 mm for children	2 – Dysphagia mechanically altered (dysphagia ground)	Yellow 3 – Can be crushed with tongue	Red 1 – Can be swallowed after some crushing	Directly printable
4 Pureed foods/ extremely thick drinks		1 – Dysphagia pureed/ spoon or pudding thick (>1750 cP)	Yellow 2 – No chew	Red 1 – Swallow at once	Directly printable
3 Liquidised foods/ moderately thick		Honey thick (351–1750 cP)			Low printability
2 Mildly thick		Nectar thick (51–350 cP)			Not printable
1 Slightly thick		–			Not printable
0 Thin		Thin (1–50 cP)			Not printable

cP, centipoise; measured at shear rate of 50/s and 25°C.



**Fig. 1.** Conventional texture-modified food presented as unattractive 'dollops' (a) and three-dimensional-printed meals (b).

for 3D food printing could further increase health disparities among communities on TMF<sup>(56)</sup>. Overall, while providing 3D-printed foods with high nutritional value to vulnerable individuals could enhance health outcomes, there is little original research to support the nutritional benefits of 3D food printing<sup>(57)</sup>. The European Union funded the PERFORMANCE (*Development of Personalised Food using Rapid Manufacturing for the Nutrition of Elderly Consumers*) project in 2012. It was the first 3D food printing project to develop 3D-printed foods specifically for aged care residents, however, no published results related to 3D food printing was found<sup>(58,59)</sup>.

### *Three-dimensional food printing to enhance nutrition literacy*

3D printing technology is built on the multi-discipline of science, technology, engineering and mathematics, therefore, can be a novel tool in teaching and education<sup>(60)</sup>. Notably, 3D printing has been used for special education, for example, groups with cognitive, motor and visual impairments<sup>(61)</sup>. Similarly, in addition to health-related applications, 3D food printing technology can offer a unique opportunity for education purposes, as a captivating education tool for food and



nutrition literacy, for example, with its visualisation, excitement and creativity to promote healthy eating<sup>(62)</sup>. However, little has been published on applying 3D food printing in food and nutrition education. Gosine *et al.*<sup>(62)</sup> performed focus groups with dietitians, teachers and nutrition students to explore their insights on applying 3D food printing in nutrition education. The study stated that ‘the participants did not feel that a 3D food printer would enhance their teaching and instead felt it could confuse or frighten people’<sup>(62)</sup>. Nevertheless, the nutrition students expected that 3D food printing could trigger ‘higher engagement in the food science courses’<sup>(54)</sup>.

#### *Food upcycling*

Due to its unique flexibility in reshaping food materials, 3D food printing has been explored for its potential to use multiple by-product wastes and novel food materials (e.g. insects)<sup>(14,15)</sup>. For example, by-product waste from potato processing<sup>(63,64)</sup>, grape pomace waste from wine and juice production, broken wheat from the milling industry<sup>(65)</sup>, low-value minced meat offcuts<sup>(66)</sup> and seafood (e.g. salmon, cod and crab)<sup>(67–69)</sup> have been value-added into high-value food products using laboratory 3D food printing. 3D food printing provides the avenue to transform aesthetically imperfect or unsold fruits and vegetables that otherwise often end in landfill into high-value human foods<sup>(5)</sup>. To this end, 3D food printing can be a powerful tool to fight against food waste, while aesthetically imperfect but perfectly edible fresh produce can result from climate change due to climate variability and food supply chain disruption<sup>(70)</sup>.

#### *Sensory manipulations using three-dimensional food printing to promote healthy eating*

Beyond formation of shapes, 3D food printing can also mask or enhance food colour<sup>(71)</sup>, aroma, taste<sup>(72)</sup> and mouthfeel<sup>(73)</sup>. For example, increasing the surface-to-volume ratio of a 3D-printed dough object by adjusting infilling density and pattern can accelerate the baking process and alter the texture properties (such as hardness) and mouthfeel (e.g. crispy, sticky, crunchy and smooth) of final products<sup>(74)</sup>. Similarly, Zhu *et al.*<sup>(75)</sup> found that the spatial chocolate distribution in 3D-printed protein bars affected their perceived hardness. Sensory manipulations profoundly affect the dining experience, food intake and satiety<sup>(76,77)</sup>. Lin *et al.*<sup>(77)</sup> used 3D-printed cookies with the same energy content to obtain different chewing times and satiety by modifying the infill pattern and density of the cookies. The ‘between-bites heterogeneity’ in sensory intensity (e.g. sweetness, saltiness, sourness, umami and bitterness) and their synergistic or antagonistic interactions of 3D-printed food products is particularly interesting. For example, 3D food printing can be used to reduce sugar content in many food products, with the potential to reducing the overall sugar intake across the population. Kistler *et al.*<sup>(78)</sup> found that a heterogeneous sucrose distribution across the outer shell and inner core of 3D-printed food products could increase their sweetness perception by >30%.

Similarly, 3D-printed chocolate layered with different sugar concentrations could reduce sugar usage by 19% without changing the perceived sweetness or overall liking<sup>(79)</sup>.

#### *Controlled nutrient release and gut microbiome modulations using three-dimensional food printing*

3D printing is suitable to produce personalised medications with diverse controlled release profiles to achieve optimum therapeutic results<sup>(80,81)</sup>. Controlled nutrient release from 3D-printed food products can be achieved by (i) varying spatial nutrient distribution<sup>(72,82)</sup>; (ii) product matrix design (e.g. polypills by constructing multi-ingredient layers with distinct digestion locations and digestibility)<sup>(83)</sup> and (iii) modifying geometric designs (e.g. infill density and patterns, shape, surface area)<sup>(80,81)</sup>. Together with manipulated sensory perception, the controlled digestibility of 3D-printed food products can impact satiety and food intake<sup>(77)</sup>. The same controlled nutrient release strategy could be used for probiotic delivery, faecal microbiota transplantation, faecal filtrate transplantation and phage therapy<sup>(84)</sup>. It has been reported for example that optimising the printing structures of several 3D-printed food products containing probiotics results in improved probiotic survival after processing<sup>(74,85–87)</sup>.

#### **Beyond nutrition: consumer acceptance, cost-effectiveness, food safety, ethics and regulations determine three-dimensional food printing adoption**

Similar to many other innovations, the real-world adoption of 3D food printing technology depends on consumer acceptance. Only a few empirical studies have investigated consumer attitudes (including allied health professionals) towards 3D food printing in different settings<sup>(32,66,88–94)</sup>, with some recently summarised by Baiano<sup>(5)</sup>. In general, the studies find that consumers have low awareness and knowledge about 3D food printing, suggesting that consumer acceptance of 3D food printing may be challenging due to unfamiliarity with the technology, while some consumers believe 3D-printed food is ‘unnatural’ and are concerned of its health benefits<sup>(5)</sup>.

Another aspect relevant to the commercial success of 3D food printing is its economic viability and sustainability that can be provided by cost–benefit analysis<sup>(27,95)</sup>. Dabbene *et al.*<sup>(96)</sup> discussed and introduced an economic model to adopt 3D food printing in the food sector. Rogers and Srivastava<sup>(97)</sup> proposed three potential supply chain models for 3D food printing and discussed their key enablers. However, techno-economics and life-cycle assessments for 3D food printing in different settings (e.g. homes, institutions and industry) are primarily uncharted. In addition, the competitive advantage of 3D food printing to other reshaping approaches (e.g. moulding and piping) has not been thoroughly investigated<sup>(52)</sup>.

Lastly, authorities around the world have not set regulations on 3D food printing. There are currently no

specific regulations on food safety (e.g. allergy, temperature and hygiene conditions) for food materials used in 3D food printing and printed food products, nor are there established shelf-life guidelines or labelling regulations<sup>(1,5,49)</sup>. Tran<sup>(98)</sup> comprehensively discussed short-term food safety issues (food poisoning, allergy), long-term health risks (potential eating behaviour changes and resulting changes in health) and labelling issues (adulteration and the unknown long-term effects) surrounding 3D food printing. Moreover, 3D food printing could lead to copyright and intellectual property breaches because digital 3D mesh models can be printed directly, distributed and copied<sup>(27,99)</sup>. In addition, there could be privacy infringements and the illegal use of digital personal information (e.g. 3D scanning, human face images and other personal data)<sup>(100)</sup>.

### Future perspective

In recent years 3D food printing has received exponential interest from both the public and academics due to its potential for personalised nutrition and novel food product development. Currently, 3D food printing can play an indispensable role in redesigning TMF for people with chewing and swallowing difficulties, nutrition literacy, food upcycling and sensory manipulations. However, further evaluation of its benefits, risks and costs is needed before it becomes a trusted food technology in the marketplace, let alone a household kitchen appliance such as microwave ovens<sup>(101)</sup>. In particular, the prospect of reduced nutritional quality of 3D-printed foods, and limited substrates and vehicles for 3D food printing technology will be challenging<sup>(102)</sup>. Nevertheless, the success of 3D food printing will depend on the extent to which it supplants the existing food processing technologies and meets the needs and expectations of various users (e.g. households, institutions and the food industry). Those assigned the role of nutrition counselling in the health care system will need convincing of the utility, safety, acceptability, affordability and short- to long-term health benefits of 3D-printed foods<sup>(103)</sup>. In turn, its place in a world of increasing food and nutrition insecurity, on account of climate change, population displacement, and inequity, is likely to become more evident<sup>(2)</sup>.

### Financial Support

This work is supported by the Western Australian Future Health Research and Innovation Fund, an initiative of the Western Australian State Government. The salary of J. R. L. is supported by a National Heart Foundation of Australia Future Leader Fellowship (ID: 102817).

### Conflicts of Interest

None.

### Authorship

L. Z., J. R. L. and J. M. H. conceived the research. L. Z. conducted the literature search and analysed data working together with J. R. L. and J. M. H. L. Z. wrote paper with specific input from M. L. W., M. S., C. P. B. and A. D. (nutrition), A. M. and S. P. (marketing and consumer acceptance), K. H. M. S. and M. J. C. (agriculture and food upcycling) and S. K. J. (food science). All authors provided critical feedback on data interpretation and presentation, read and approved the final manuscript.

### References

1. Sun J, Zhou WB, Huang DJ *et al.* (2015) An overview of 3D printing technologies for food fabrication. *Food Bioproc Tech* **8**, 1605–1615.
2. FAO, IFAD, UNICEF *et al.* (2022) *The State of Food Security and Nutrition in the World 2022. Repurposing Food and Agricultural Policies to Make Healthy Diets More Affordable*. Rome: FAO.
3. Fasogbon BM & Adebo OA (2022) A bibliometric analysis of 3D food printing research: a global and African perspective. *Future Foods* **6**, 100175.
4. Derossi A, Caporizzi R, Paolillo M *et al.* (2021) Drawing the scientific landscape of 3D food printing. Maps and interpretation of the global information in the first 13 years of detailed experiments, from 2007 to 2020. *Innov Food Sci Emerg Technol* **70**, 102689.
5. Baiano A (2022) 3D Printed foods: a comprehensive review on technologies, nutritional value, safety, consumer attitude, regulatory framework, and economic and sustainability issues. *Food Rev Int* **38**, 986–1016.
6. Sun J, Zhou W, Yan L *et al.* (2018) Extrusion-based food printing for digitalized food design and nutrition control. *J Food Eng* **220**, 1–11.
7. Derossi A, Bhandari B, van Bommel K *et al.* (2021) Could 3D food printing help to improve the food supply chain resilience against disruptions such as caused by pandemic crises? *Int J Food Sci* **56**, 4338–4355.
8. Saadi MASR, Maguire A, Pottackal NT *et al.* (2022) Direct ink writing: a 3D printing technology for diverse materials. *Adv Mater* **34**, 2108855.
9. Rubio E & Hurtado S (2019) 3D Food printing technology at home, domestic application. In *Fundamentals of 3D Food Printing and Applications*, pp. 289–329 [FC Godoi, BR Bhandari, S Prakash and M Zhang, editors]. London: Academic Press.
10. Linden DVD (2015) 3D food printing – Creating shapes and textures. [https://www.tno.nl/media/5517/3d\\_food\\_printing\\_march\\_2015.pdf](https://www.tno.nl/media/5517/3d_food_printing_march_2015.pdf) (accessed May 2022).
11. Voon SL, An J, Wong G *et al.* (2019) 3D Food printing: a categorised review of inks and their development. *Virtual Phys Prototyp* **14**, 203–218.
12. Liu Z, Zhang M, Bhandari B *et al.* (2017) 3D Printing: printing precision and application in food sector. *Trends Food Sci Technol* **69**, 83–94.
13. Kim HW, Bae H & Park HJ (2017) Classification of the printability of selected food for 3D printing: development of an assessment method using hydrocolloids as reference material. *J Food Eng* **215**, 23–32.
14. Bedoya MG, Montoya DR, Tabilo-Munizaga G *et al.* (2022) Promising perspectives on novel protein food sources combining artificial intelligence and 3D food

- printing for food industry. *Trends Food Sci Technol* **128**, 38–52.
15. Zhao L, Zhang M, Chitrakar B *et al.* (2021) Recent advances in functional 3D printing of foods: a review of functions of ingredients and internal structures. *Crit Rev Food Sci Nutr* **61**, 3489–3503.
  16. Severini C, Derossi A, Ricci I *et al.* (2018) Printing a blend of fruit and vegetables. New advances on critical variables and shelf life of 3D edible objects. *J Food Eng* **220**, 89–100.
  17. Pereira T, Barroso S & Gil MM (2021) Food texture design by 3D printing: a review. *Foods* **10**, 320.
  18. Diamante L & Umemoto M (2015) Rheological properties of fruits and vegetables: a review. *Int J Food Prop* **18**, 1191–1210.
  19. Lipton JI, Cutler M, Nigl F *et al.* (2015) Additive manufacturing for the food industry. *Trends Food Sci Technol* **43**, 114–123.
  20. Guo C, Zhang M & Bhandari B (2019) Model building and slicing in food 3D printing processes: a review. *Compr Rev Food Sci Food Saf* **18**, 1052–1069.
  21. Nijdam JJ, Agarwal D & Schon BS (2022) An experimental assessment of filament-extrusion models used in slicer software for 3D food-printing applications. *J Food Eng* **317**, 110711.
  22. Hao L, Mellor S, Seaman O *et al.* (2010) Material characterisation and process development for chocolate additive layer manufacturing. *Virtual Phys Prototyp* **5**, 57–64.
  23. Chen XH, Zhang M, Teng XX *et al.* (2022) Internal structure design for improved shape fidelity and crispness of 3D printed pumpkin-based snacks after freeze-drying. *Food Res Int* **157**, 111220.
  24. Phuhongsung P, Zhang M, Devahastin S *et al.* (2022) Defects in 3D/4D food printing and their possible solutions: a comprehensive review. *Compr Rev Food Sci Food Saf* **21**, 3455–3479.
  25. Dick A, Bhandari B & Prakash S (2021) Effect of reheating method on the post-processing characterisation of 3D printed meat products for dysphagia patients. *LWT* **150**, 111915.
  26. Hussain S, Malakar S & Arora VK (2022) Extrusion-based 3D food printing: technological approaches, material characteristics, printing stability, and post-processing. *Food Eng Rev* **14**, 100–119.
  27. Verma VK, Kamble SS, Ganapathy L *et al.* (2022) 3D Printing for sustainable food supply chains: modelling the implementation barriers. *Int J Logist Res Appl*, 1–27.
  28. Goh GD, Sing SL & Yeong WY (2021) A review on machine learning in 3D printing: applications, potential, and challenges. *Artif Intell Rev* **54**, 63–94.
  29. Zhu Z, Ng DWH, Park HS *et al.* (2021) 3D-printed Multifunctional materials enabled by artificial-intelligence-assisted fabrication technologies. *Nat Rev Mater* **6**, 27–47.
  30. Ma Y, Potappel J, Chauhan A *et al.* (2023) Improving 3D food printing performance using computer vision and feedforward nozzle motion control. *J Food Eng* **339**, 111277.
  31. Periard D, Schaal N, Schaal M *et al.* (2007) Printing food. *The 18th Solid Freeform Fabrication Symposium*, pp. 564–574.
  32. Lupton D (2017) ‘Download to delicious’: promissory themes and sociotechnical imaginaries in coverage of 3D printed food in online news sources. *Futures* **93**, 44–53.
  33. Kearney J, Fitzgerald R, Burnside G *et al.* (2021) Television advertisements for high-sugar foods and beverages: effect on children’s snack food intake. *Br J Nutr* **125**, 591–597.
  34. Srour B, Kordahi MC, Bonazzi E *et al.* (2022) Ultra-processed foods and human health: from epidemiological evidence to mechanistic insights. *Lancet Gastroenterol Hepatol* **7**, 1128–1140.
  35. Ordovas JM, Ferguson LR, Tai ES *et al.* (2018) Personalised nutrition and health. *Br Med J* **361**, bmj.k2173.
  36. Cichero JAY, Steele C, Duivesteyn J *et al.* (2013) The need for international terminology and definitions for texture-modified foods and thickened liquids used in dysphagia management: foundations of a global initiative. *Curr Phys Med Rehabil Rep* **1**, 280–291.
  37. The International Dysphagia Diet Standardisation Initiative (IDDSI) (2019) Complete IDDSI framework detailed definitions. <https://iddsi.org/framework> (accessed February 2023).
  38. Maksimenko A, Lyude A & Nishiumi T (2020) Texture-modified foods for the elderly and people with dysphagia: insights from Japan on the current status of regulations and opportunities of the high pressure technology. *IOP Conf Ser: Earth Environ Sci* **548**, 022106.
  39. Nishinari K, Turcanu M, Nakamura M *et al.* (2019) Role of fluid cohesiveness in safe swallowing. *NPJ Sci Food* **3**, 5.
  40. Miles A, Liang V, Sekula J *et al.* (2020) Texture-modified diets in aged care facilities: nutrition, swallow safety and mealtime experience. *Australas J Ageing* **39**, 31–39.
  41. Burger C, Kiesswetter E, Alber R *et al.* (2019) Texture modified diet in German nursing homes: availability, best practices and association with nursing home characteristics. *BMC Geriatr* **19**, 284.
  42. Painter V, Le Couteur DG & Waite LM (2017) Texture-modified food and fluids in dementia and residential aged care facilities. *Clin Interv Aging* **12**, 1193–1203.
  43. Abbey KL, Wright OR & Capra S (2015) Menu planning in residential aged care – the level of choice and quality of planning of meals available to residents. *Nutrients* **7**, 7580–7592.
  44. Shimizu A, Fujishima I, Maeda K *et al.* (2021) Texture-modified diets are associated with poor appetite in older adults who are admitted to a post-acute rehabilitation hospital. *J Am Med Dir Assoc* **22**, 1960–1965.
  45. Mann T, Heuberger R & Wong H (2013) The association between chewing and swallowing difficulties and nutritional status in older adults. *Aust Dent J* **58**, 200–206.
  46. Bannerman E & McDermott K (2011) Dietary and fluid intakes of older adults in care homes requiring a texture modified diet: the role of snacks. *J Am Med Dir Assoc* **12**, 234–239.
  47. Vuca V, Keller HH, Morrison JM *et al.* (2018) Modified texture food use is associated with malnutrition in long term care: an analysis of making the most of mealtimes (M3) project. *J Nutr Health Aging* **22**, 916–922.
  48. Wu XS, Miles A & Braakhuis AJ (2021) Texture-modified diets, nutritional status and mealtime satisfaction: a systematic review. *Healthcare (Basel)* **9**, 624.
  49. Zhang JY, Pandya JK, McClements DJ *et al.* (2021) Advancements in 3D food printing: a comprehensive overview of properties and opportunities. *Crit Rev Food Sci Nutr* **62**, 4752–4768.
  50. Steele CM, Alsanei WA, Ayanikalath S *et al.* (2015) The influence of food texture and liquid consistency modification on swallowing physiology and function: a systematic review. *Dysphagia* **30**, 2–26.



51. Lorenz T, Iskandar MM, Baeghbali V *et al.* (2022) 3D Food printing applications related to dysphagia: a narrative review. *Foods* **11**, 11121789.
52. Smith R, Bryant L & Hemsley B (2022) Allied health professionals' views on the use of 3D food printing to improve the mealtime quality of life for people with dysphagia: impact, cost, practicality, and potential. *Am J Speech Lang Pathol* **31**, 1868–1877.
53. Keller HH & Duizer LM (2014) What do consumers think of pureed food? Making the most of the indistinguishable food. *J Nutr Gerontol Geriatr* **33**, 139–159.
54. Zhong L, Adu MD, Devine A *et al.* (2021) Invited article – 3D food printing: a novel tool for nutrition and sustainability education at schools. *J Sci Teach Assoc West Aust* **63**, 19–23.
55. Doets EL & Kremer S (2016) The silver sensory experience – a review of senior consumers' food perception, liking and intake. *Food Qual Prefer* **48**, 316–332.
56. Timmermans S & Kaufman R (2020) Technologies and health inequities. *Annu Rev Sociol* **46**, 583–602.
57. Hemsley B, Palmer S, Kouzani A *et al.* (2019) Review informing the design of 3D food printing for people with swallowing disorders: constructive, conceptual, and empirical problems. HICSS 52: Proceedings of the 52<sup>nd</sup> Annual Hawaii International Conference on System Sciences, pp. 5735–5744.
58. CORDIS (2016) Development of Personalised Food using Rapid Manufacturing for the Nutrition of elderly Consumers (grant agreement ID: 312092). <https://cordis.europa.eu/project/id/312092> (accessed October 2022).
59. Rusu A, Randriambelonoro M, Perrin C *et al.* (2020) Aspects influencing food intake and approaches towards personalising nutrition in the elderly. *J Popul Ageing* **13**, 239–256.
60. Ford S & Minshall T (2019) Invited review article: where and how 3D printing is used in teaching and education. *Addit Manuf* **25**, 131–150.
61. Buehler E, Comrie N, Hofmann M *et al.* (2016) Investigating the implications of 3D printing in special education. *ACM Trans Access Comput* **8**, 1–44.
62. Gosine L, Kean B, Parsons C *et al.* (2021) Using a 3D food printer as a teaching tool: focus groups with dietitians, teachers, and nutrition students. *J Food Sci Educ* **20**, 18–25.
63. Muthurajan M, Veeramani A, Rahul T *et al.* (2021) Valorization of food industry waste streams using 3D food printing: a study on noodles prepared from potato peel waste. *Food Bioproc Technol* **14**, 1817–1834.
64. Feng C, Zhang M, Bhandari B *et al.* (2020) Use of potato processing by-product: effects on the 3D printing characteristics of the yam and the texture of air-fried yam snacks. *LWT* **125**, 109265.
65. Jagadiswaran B, Alagarasan V, Palanivelu P *et al.* (2021) Valorization of food industry waste and by-products using 3D printing: a study on the development of value-added functional cookies. *Future Foods* **4**, 100036.
66. Rubinsky D & RS3Dprint Inc. (2019) *Upscaling 3D Printed Meat*. no. V.RMH.0087 Sydney: Meat and Livestock Australia Limited.
67. Carvajal-Mena N, Tabilo-Munizaga G, Pérez-Won M *et al.* (2022) Valorization of salmon industry by-products: evaluation of salmon skin gelatin as a biomaterial suitable for 3D food printing. *LWT* **155**, 112931.
68. Gudjónsdóttir M, Napitupulu RJ & Petty Kristinsson HT (2019) Low field NMR for quality monitoring of 3D printed surimi from cod by-products: effects of the pH-shift method compared with conventional washing. *Magn Reson Chem* **57**, 638–648.
69. Kim SM, Kim HW & Park HJ (2021) Preparation and characterization of surimi-based imitation crab meat using coaxial extrusion three-dimensional food printing. *Innov Food Sci Emerg Technol* **71**, 102711.
70. FAO (2011) *Global Food Losses and Food Waste – Extent, Causes and Prevention*. Rome: FAO.
71. Kewuyemi YO, Kesa H, Meijboom R *et al.* (2022) 3D Food printing improves color profile and structural properties of the derived novel whole-grain sourdough and malt biscuits. *Sci Rep* **12**, 12347.
72. Fahmy AR, Amann LS, Dunkel A *et al.* (2021) Sensory design in food 3D printing – structuring, texture modulation, taste localization, and thermal stabilization. *Innov Food Sci Emerg Technol* **72**, 102743.
73. Tabriz AG, Fullbrook DHG, Vilain L *et al.* (2021) Personalised tasted masked chewable 3D printed fruit-chews for paediatric patients. *Pharmaceutics* **13**, 1301.
74. Zhang L, Lou Y & Schutyser MAI (2018) 3D Printing of cereal-based food structures containing probiotics. *Food Struct* **18**, 14–22.
75. Zhu S, Ruiz De Azua IV, Feijen S *et al.* (2021) How macroscopic structure of 3D printed protein bars filled with chocolate influences instrumental and sensory texture. *LWT* **151**, 112155.
76. Stribițaia E, Evans CEL, Gibbons C *et al.* (2020) Food texture influences on satiety: systematic review and meta-analysis. *Sci Rep* **10**, 12929.
77. Lin Y, Punpongson P, Wen X *et al.* (2020) FoodFab: creating food perception illusions using food 3D printing. *CHI '20: CHI Conference on Human Factors in Computing Systems*.
78. Kistler T, Pridal A, Bourcet C *et al.* (2021) Modulation of sweetness perception in confectionary applications. *Food Qual Prefer* **88**, 104087.
79. Khemacheevakul K, Wolodko J, Nguyen H *et al.* (2021) Temporal sensory perceptions of sugar-reduced 3D printed chocolates. *Foods* **10**, 2082.
80. Trenfield SJ, Madla CM, Basit AW *et al.* (2018) Binder jet printing in pharmaceutical manufacturing. In *3D Printing of Pharmaceuticals*, pp. 41–54 [AW Basit and S Gaisford, editors]. Cham: Springer International Publishing.
81. Lim SH, Kathuria H, Tan JJY *et al.* (2018) 3D Printed drug delivery and testing systems – a passing fad or the future? *Adv Drug Deliv Rev* **132**, 139–168.
82. Zhu S, Ribberink M, De Wit M *et al.* (2020) Modifying sensory perception of chocolate coated rice waffles through bite-to-bite contrast: an application case study using 3D inkjet printing. *Food Funct* **11**, 10580–10587.
83. Chi C, Li X, Huang S *et al.* (2021) Basic principles in starch multi-scale structuration to mitigate digestibility: a review. *Trends Food Sci Technol* **109**, 154–168.
84. Zmora N, Suez J & Elinav E (2019) You are what you eat: diet, health and the gut microbiota. *Nat Rev Gastroenterol Hepatol* **16**, 35–56.
85. Yoha KS, Anukiruthika T, Anila W *et al.* (2021) 3D Printing of encapsulated probiotics: effect of different post-processing methods on the stability of *Lactiplantibacillus plantarum* (NCIM 2083) under static in vitro digestion conditions and during storage. *LWT* **146**, 111461.
86. Liu Z, Bhandari B & Zhang M (2020) Incorporation of probiotics (*Bifidobacterium animalis* subsp. *Lactis*) into 3D printed mashed potatoes: effects of variables on the viability. *Food Res Int* **128**, 108795.
87. Kuo C-C, Clark S, Qin H *et al.* (2022) Development of a shelf-stable, gel-based delivery system for probiotics by



- encapsulation, 3D printing, and freeze-drying. *LWT* **157**, 113075.
88. Manstan T & McSweeney MB (2020) Consumers' attitudes towards and acceptance of 3D printed foods in comparison with conventional food products. *Int J Food Sci* **55**, 323–331.
  89. Manstan T, Chandler SL & McSweeney MB (2021) Consumers' attitudes towards 3D printed foods after a positive experience: an exploratory study. *J Sens Stud* **36**, e12619.
  90. Lupton D & Turner B (2018) 'I can't get past the fact that it is printed': consumer attitudes to 3D printed food. *Food, Cult Soc* **21**, 402–418.
  91. Talens C, Rios Y & Santa Cruz E (2022) Leveraging innovative technologies for designing a healthy and personalized breakfast: consumer perception of three smart cooking devices in the EU. *Open Res Europe* **1**, 1–27.
  92. Caulier S, Doets E & Noort M (2020) An exploratory consumer study of 3D printed food perception in a real-life military setting. *Food Qual Prefer* **86**, 104001.
  93. Kocaman Y, Ermiş-Mert A & Özcan O (2022) Exploring users interested in 3D food printing and their attitudes: case of the employees of a kitchen appliance company. *Int J Hum-Comput Int*, 1–17.
  94. Tesikova K, Jurkova L, Dordevic S *et al.* (2022) Acceptability analysis of 3D-printed food in the area of the Czech Republic based on survey. *Foods* **11**, 3154.
  95. Jayaprakash S, Paasi J, Pennanen K *et al.* (2020) Techno-economic prospects and desirability of 3D food printing: perspectives of industrial experts, researchers and consumers. *Foods* **9**, 1725.
  96. Dabbene L, Ramundo L & Terzi S (2018) Economic model for the evaluation of 3D food printing. *2018 IEEE International Conference on Engineering, Technology and Innovation (ICE/ITMC)*.
  97. Rogers H & Srivastava M (2021) Emerging sustainable supply chain models for 3D food printing. *Sustainability* **13**, 12085.
  98. Tran JL (2016) 3D-printed food. *Minn J Law, Sci Technol* **17**, 855–880.
  99. Hou J-U, Kim D, Ahn W-H *et al.* (2018) Copyright protections of digital content in the age of 3D printer: emerging issues and survey. *IEEE Access* **6**, 44082–44093.
  100. Grin J & Jones A (2020) 3D Printing and the right to privacy: proposals for a regulatory framework. *Eur J Law Econ* **11**, 743–783.
  101. Wahlqvist ML (2016) Future food. *Asia Pac J Clin Nutr* **25**, 706–715.
  102. Cannon G & Leitzmann C (2022) Food and nutrition science: the new paradigm. *Asia Pac J Clin Nutr* **31**, 1–15.
  103. Wahlqvist ML (2014) Ecosystem health disorders – changing perspectives in clinical medicine and nutrition. *Asia Pac J Clin Nutr* **23**, 1–15.