- 59 Orth U, Wieland E. Anger, hostility, and posttraumatic stress disorder in trauma-exposed adults: a meta-analysis. J Consult Clin Psychol 2006; 74: 698–706.
- **60** Woodberry KA, Giuliano AJ, Seidman LJ. Premorbid IQ in schizophrenia: a meta-analytic review. *Am J Psychiatry* 2008; **165**: 579–87.
- 61 Porter M, Haslam N. Predisplacement and postdisplacement factors associated with mental health of refugees and internally displaced persons: a meta-analysis. JAMA 2005; 294: 602–12.
- 62 Folsom D, Jeste DV. Schizophrenia in homeless persons: a systematic review of the literature. Acta Psychiatr Scand 2002; 105: 404–13.
- 63 Kleintjes S, Flisher AJ, Fick M, Railoun A, Lund C, Molteno C, et al. The prevalence of mental disorders among children, adolescents and adults in the Western Cape, South Africa. S Afr Psychiatry Rev 2006; 9: 157–60.
- 64 Friedl MC, Draijer N, de Jonge P. Prevalence of dissociative disorders in psychiatric in-patients: the impact of study characteristics. *Acta Psychiatr Scand* 2000: 102: 423–8.
- 65 Myers JE, Thompson ML. Meta-analysis and occupational epidemiology. Occup Med (Lond) 1998; 48: 99–101.
- 66 Fryers T, Brugha T, Morgan Z, Smith J, Hill T, Carta M, et al. Prevalence of psychiatric disorder in Europe: the potential and reality of meta-analysis. Soc Psychiatry Psychiatr Epidemiol 2004; 39: 899–905 (erratum Soc Psychiatry Psychiatr Epidemiol 2005; 40: 85).

- 67 Sutton AJ, Abrams KR, Jones DR, Sheldon TA, Song F. Systematic reviews of trials and other studies. Health Technol Assess 1998; 2: 1–276.
- 68 Egger M, Smith GD, Altman DG. Systematic Reviews in Health Care: Meta-analysis in Context. BMJ Books, 2001.
- 69 Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatr Scand Suppl 2004; 420: 8–20.
- 70 Demyttenaere K, Bruffaerts R, Posada-Villa J, Gasquet I, Kovess V, Lepine JP, et al. Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. JAMA 2004; 291: 2581–90.
- 71 Centre for Reviews and Dissemination. Strategies for Searching for Observational Studies. University of York CRD, 2006.
- 72 Cochrane Collaboration. *The Cochrane Policy Manual*, issue 1, 2007 (http://cochrane.org/admin/manual.htm).
- 73 Moher CD, Eastwood S, Olkin I, Rennie D, Stroup DF. Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. Quality of Reporting of Meta-analyses. *Lancet* 1999; 354: 1896–900.
- 74 Boaz A, Ashby D, Denyer D, Egan M, Harden A, Jones DR, et al. A multitude of syntheses: a comparison of five approaches from diverse policy fields. Evid Policy 2006; 2: 479–52.

## psychiatry in music

## **Psychiatry rocks**

## James McDonald

Modern popular music abounds with references to madness, insanity and mania, most commonly as an analogy for a romantically or chemically altered state of mind. The genres of heavy metal and punk, however, have taken particular glee in juxtaposing lyrics inspired by the more shocking psychiatric associations such as asylums, padded cells, electroconvulsive therapy and psychosurgery with loud, fast aggressive music. Songs such as Black Sabbath's 'Paranoid' and Black Flag's 'Depression' are landmarks of their respective genres. No band is as rich in references to psychopathology, however, as original 1970s New York punks The Ramones. Songs such as 'Psychotherapy', 'Gimme Gimme Shock Treatment', 'I Wanna Be Sedated' and 'Teenage Lobotomy', although playing fast and loose with DSM criteria, are punk rock classics, mini case-vignettes with a savage, knuckle-headed wit lying behind the buzz saw guitar attack. This lyrical preoccupation was no coincidence. Lead singer Joey Ramone (real name Jeffry Hyman) had Marfan's syndrome. As a teenager, he experienced a psychotic episode and was treated in hospital, his experience informing many of The Ramones' songs. Later in life Joey was diagnosed with severe obsessive-compulsive disorder (OCD), which, although not directly referenced in song, led to conflicts within the already famously dysfunctional group. Band mates were often left waiting for hours outside the singer's apartment before leaving on tour as he completed a series of rituals inside. Joey's struggle with OCD would sadly indirectly lead to his death. On returning home from a doctor's appointment, Joey was plagued by an intrusive thought that he had not closed the door at the surgery properly and set out across town to remedy this. Unfortunately, he slipped on ice on the street and fractured a hip, complicating the treatment of previously diagnosed lymphoma. He did not recover and passed away in April 2001, aged 49. Two other original members of the band, Johnny and Dee Dee, died soon afterwards. The Ramones remain one of the most influential and best loved rock'n'roll bands of all time, their enduring appeal to those disenfranchised by mainstream society best summarised by the intro to the band's signature anthem 'Pinhead': 'Gabba, Gabba, we accept you, one of us'

The British Journal of Psychiatry (2012) 200, 453. doi: 10.1192/bjp.bp.111.105981