Directions for Contributors to WEEDS

Manuscripts dealing with all aspects of weed control, regulatory, educational and research, are acceptable for publication in WEEDS. Manuscripts should have more than purely local interest. At least one author of any manuscript submitted must be a member of the WSA. The material described should be more conclusive than progress reports. Ordinarily, field experiments should have continued two years or been conducted at two or more widely separated localities for publication of results. Articles must be original material previously unpublished elsewhere. Prior publication in brief progress report form is permitted. After review, the acceptance of each manuscript will depend on the recommendations of the Editor and the Editorial Committee. Reprints may be ordered when galley proof is returned. The author has the opportunity to make revisions after the review and before publication.

The American Institute of Biological Sciences, 2000 P Street NW, Washington 6, D. C., has published "Style Manual for Biological Journals" for the Conference of Biological Editors. In most respects, WEEDS is following this Manual. Except in rare cases of conflict, it should be followed to supplement these directions and the latest report of the WSA Terminology Committee.

Manuscripts. Two copies, one on bond paper, should be furnished for each manuscript. DOUBLE SPACE everything title, abstract, text, footnotes, literature cited, captions, and tables. This is to provide space for clear marking for the printer. Number all pages consecutively. An additional copy of the manuscript should be retained by the author to ensure against loss. It is not necessary to send a carbon of a manuscript revised after review.

Use as short a title as practical. Following the title give the author's name(s). It is desirable to divide the text into sections, usually with such headings as Methods and Materials, Results, and Discussion, but Results and Discussion may often be profitably combined in a single section and no requirement of any of the above divisions is implied. The order of items in the manuscripts should be: 1. Title and authors (no separate title page); 2. Abstract; 3. Text; 4. Literature Cited (start new page); 5. Tables; 6. Captions for figures;

Avoid underscoring headings, words or phrases unless they are to be printed in italics. Measurements, such as time, weight and degrees, should be in arabic numerals regardless of the number of digits in the number, except as the first word of a sentence. Where the figure is not one of measurement, figures below 10 should be spelled out except when one figure in a series has two digits, in which case all should be in arabic.

The full chemical name or description of all chemicals mentioned should be given the first time used. Nomenclature of both herbicides and weeds, abbreviations, and definitions should follow those presented in the Terminology Committee Report, WSA, published in WEEDS 10:255-271, July 1962, and later notes

Footnotes. Use footnotes sparingly for items that cannot be included conveniently in the text. Text footnote No. 1 should be or include "Received for publication......".

The place where the study was done and the title and address of the author(s) should be given as footnotes. Number footnotes to the text consecutively throughout the manuscript with superscript arabic numerals. Designate footnotes to tables with superscript lower case letters.

Acknowledgments. Acknowledgments should be put in a text section, just before Literature Cited, not in footnotes.

Figures. Experimental data may be presented in graphic or tabular form, but the same data will not be presented in both forms. Photographs should be clear glossy prints and should be trimmed of unessential portions. Never use clips on photographs in any way. Put in an envelope. Place the author's name and figure number on the back of each one submitted. Type the legends for all figures on one sheet separate from the figures, and double spaced. Figures should be numbered consecutively in arabic numerals in order of reference in the text. reference in the text.

Graphs and drawings should be inked with heavy black lines to ensure clarity after reduction in size. Hand lettering should be large and made with a lettering guide. Typing is not acceptable.

Tables. Type each table double-spaced on a separate sheet. In long tables, the lines may be single spaced, but the cap-tions should not be. Tables should be numbered in arabic numerals in order of reference in the text. In tables, the

caption, column headings and side headings should be in lower case with only the first word and proper nouns capitalized. Avoid reporting non-significant decimal places in tables. It is rare for more than three places to be significant for example, report weed or crop yields of 1234 pounds as 1230 pounds. The reader can comprehend three-place tables and data in much less time than four-place.

Literature cited. Citations are numbered alphabetically by senior author and the number of the reference is used in the text. Citations should include names of all authors, year of publication, complete title, publication, volume number, and inclusive pages, in that order. When there are two or more authors, put initials after the name only for the first. (See detailed directions and abbreviations in the Style Manual.) Theses and letters, or any other communication not readily available in libraries, should appear as footnotes.

Abstracts

An abstract, which should usually replace the summary, is required to precede each article. The following suggestions for preparing the abstract, based on those from Biological Abstracts, are offered.

An abstract should be a non-critical, informative digest of the significant content and conclusions of the paper, not a mere description. It should be intelligible in itself, without reference to the original, but is not intended to substitute for it. It should be brief (preferably less than 3% of the original) written in whole sentences, not telegraphic phrases.

CONTENT

Include:

- Name of organism, and objective of the study.
- Materials, manner of use, principal findings, and results. New techniques, their uses and qualities.
- New apparatus, its intended use, and if commercially available, name and address of its manufacturer.
- 5. New or verified data of permanent value, e.g., absorption spectra, chromosome number, constants, mathematical or chemical formulae.
- 6. New distribution records.7. New theories, new interpretations, evaluations, if possible; if not, reference to them.

- 1. Information contained in the title.
- Tables and graphs.

 Detailed descriptions of experiments or organisms.
- 4. Long lists of names.

FORM

- 1. Use abbreviations sparingly, and only as directed. (See below)
- 2. For chemicals, use standard rather than proprietary terms; avoid trade names.
- 3. For organisms, use genus and species names, always underlined, except for widely used experimental species (dog, rabbit) and commonly cultivated crops (corn, wheat).

ABBREVIATIONS

Use sparingly. Consider the reader who is not a specialist, or to whom American English is a foreign language. When in doubt, spell it out.

Do abbreviate or symbolize:

- 1. Those units of weight and measure listed in the Report of the Terminology Committee, WSA, but only when accompanied by numerical amounts "40%" but "per cent of gain."

- cent of gain."
 Numbers, except at the beginning of a sentence.
 Chemical elements, except when part of the name of a compound. "K deficiency" but "potassium cyanate".
 Substantives used repeatedly, such as names of compounds, but only after they have been spelled out the first time in each abstract, followed immediately by the symbol in parentheses—"trichloroacetic acid (TCA)". Such symbol-letters should not be spaced, or underlined.

Do not abbreviate:

- Geographical names.
- Short words such as day, year, ton.
- Any special technical terms, no matter how commonly used in your field, unless treated as in number 4 above.
- 4. Greek letters, except in chemical compounds.

Common and Chemical Names of Herbicides

| acrylaldehyde 2-ethylamino-4-isopropylamino-6- methylmercapto-s-triazine | K | | |
|---|---|---|--|
| 2-ethylamino-4-isopropylamino-6- | | KOCN | potassium cyanate |
| methymic capto-3-diazine | | | , |
| 3-amino-2,5-dichlorobenzoic acid 3-amino-1,2,4-triazole | L linuron (lĭn'ū rŏn) | | 3-(3,4-dichlorophenyl)-1-methoxy-1- |
| ammonium sulfamate 2-methoxy-4-ethylamino-6-isopropylamino- | W | | methylurea |
| s-triazine 2-chloro-4-ethylamino-6-isopropylamino- | M | MAA | methanearsonic acid |
| s-triazine | | MAMA MCPA | monoammonium methanearsonate 2-methyl-4-chlorophenoxyacetic acid |
| 4-chloro-2-butynyl m-chlorocarbanilate N-(2-mercaptoethyl) benzenesulfonamide | | MCPB MCPES | 4-(2-methyl-4-chlorophenoxy)butyric actors sodium 2-methyl-4-chlorophenoxyethyl sulfate |
| S-(0,0-diisopropyl phosphorodithioate) sec-butyl N-(3-chlorophenyl)carbamate | mecoprop (mě'cō prop) | MCPP | 2-(2-methyl-4-chlorophenoxy) propionic acid |
| 5-bromo-3-sec-butyl-6-methyluracil 3-(e-chlorophenyl)-1-methyl-1-(1-methyl- | | MH | 1,2-dihydropyridazine-3,6-dione (maleic hydrazide) |
| 2-propynyl)urea | molinate (mõl'I nāt) | R-4572 | S-ethyl hexahydro-1 H-azepine-1-car = bothioate |
| dimethylarsinic acid 2-chloro-N,N-diallylacetamide | monolinuron (mŏn'ō lĭr | 'ū rŏn) | 3-(4-chlorophenyl)-1-methoxy-1-methyl- urea |
| 2-chloro-N,N-diallylacetamide 2-chloro-N,N-diethylacetamide 2-chloroallyl diethyldithiocarbamate | monuron (mŏn'ū rŏn) monuronTCA | | 3-(p-chlorophenyl)-1,1-dimethylurea 3-(p-chlorophenyl)-1,1-dimethylurea |
| 2-chloro-4,6-bis(diethylamino)-s-triazine | | MSMA | trichloroacetate monosodium acid methanearsonate |
| N'-(4-chlorophenoxy)phenyl-N,N- dimethylurea | N | | |
| isopropyl N-(3-chlorophenyl)carbamate calcium acid methanearsonate | neburon (něb'ū rŏn) | | 1-butyl-3-(3,4-dichlorophenyl)-1- methylurea |
| l-chloro-N-(3,4-dichlorophenyl)-N,N-dimethylformamidine | norea (nō rē'uh) | | 3-(hexahydro-4,7-methanoindan-5-yl)- 1,1-dimethylurea |
| 1-chloro-2-propyl N-(3-chlorophenyl) = carbamate | | NPA | N-1-naphthylphthalamic acid |
| 3-cyclooctyl-1,1-dimethylurea 3',4'-dichlorocyclopropanecarboxanilide | 0 | ОСН | octachlorocyclohexenone |
| 0.0 1511 | P | | |
| 2,2-dichloropropionic acid o-dichlorobenzene | paraquat (pår'ä kwät) | PBA | 1,1'-dimethyl-4,4'-bipyridinium salt polychlorobenzoic acid |
| 56 N-(3,4-dichlorophenyl)methacrylamide | pebulate (peb'ū lāt) | PCP PEBC, R-2061 | pentachlorophenol S-propyl butylethylthiocarbamate |
| dimethyl 2,3,5,6-tetrachloroterephthalate dichloral urea | picloram (pĭc'lôr ăm) | PMA | 4-amino-3,5,6-trichloropicolinic acid phenylmercuric acetate |
| 2-isopropylamino-4-methylamino-6- methylthio-s-triazine | prometone (prō'mĕ tōn | | 2-methoxy-4,6-bis(isopropylamino)-s- triazine |
| S-2,3-dichloroallyl N,N-diisopropylthiol = | prometryne (prō'mĕ trī | | 2,4-bis(isopropylamino)-6-methylmer- capto-s-triazine |
| carbamate 2-methoxy-3,6-dichlorobenzoic acid | propanil (prō'pä nĭl) propazine (prō'pă zēn) | DPA | 3',4'-dichloropropionanilide 2-chloro-4,6-bis(isopropylamino)-s- |
| 2,6-dichlorobenzonitrile 2-(2,4-dichlorophenoxy)propionic acid | pyrazon (pī'ră zŏn) | PCA, H-119-1 | triazine 5-amino-4-chloro-2-phenyl-3(2H)- |
| 2,3-dichloro-1,4-naphthoquinone 3',4'-dichloro-2-methylacrylanilide P,P-dibutyl-N,N-diisopropylphosphinic | S | | pyridazinone |
| amide N,N-dimethyl-2,2-diphenylacetamide | sesone (sĕs'ōn) siduron (sid'ū rŏn) | | sodium 2,4-dichlorophenoxyethyl sulfate 1-(2-methylcyclohexyl)-3-phenylurea |
| diphenylacetonitrile N,N-dipropyl-2,6-dinitro-p-toluidine | silvex (sĭlvčks) simazine (sĭm'ăzēn) | | 2-(2,4,5-trichlorophenoxy) propionic acid 2-chloro-4,6-bis(ethylamino)-s-triazine |
| 6,7-dihydrodipyrido[1,2-a:2',1'-c] = pyrazidiinium salt | simetone (sĭm'čtōn) simetryne (sĭm'č trīn) | | 2-methoxy-4,6-bis(ethylamino)-s-triazine 2,4-bis(ethylamino)-6-methylmercapto- |
| 3-(3,4-dichlorophenyl)-1,1-dimethylurea O-(2,4-dichlorophenyl) O-methyl | , | SMDC | s-triazine sodium N-methyldithiocarbamate |
| isopropylphosphoramidothioate 3,5-dimethyltetrahydro-1,3,5,2H- | solan (so'lăn) swep (swep) | | 3'-chloro-2-methyl-p-valerotoluidide methyl 3,4-dichlorocarbanilate |
| thiadiazine-2-thione 4,6-dinitro-o-sec-amylphenol | | | |
| 4,6-dinitro-o-sec-butylphenol 3,5-dinitro-o-cresol | T | TCA | trichloroacetic acid |
| disodium methanearsonate | triallate (trī ăl'lāt) | TCBA | trichlorobenzene $S-2,3,3$ -trichloroallyl N,N -diisopropyl = |
| ethyl bis(2-ethylhexyl)phosphinate 7-oxabicyclo[2.2.1]heptane-2,3- | tricamba (tri kăm'bá) | | thiolcarbamate 2-methoxy-3,5,6-trichlorobenzoic acid 2-chloro-4-diethylamino-6-ethylamino-s- |
| dicarboxylic acid ethyl N,N-dipropylthiolcarbamate 2-(2,4,5-trichlorophenoxy)ethyl-2,2- | trictazine (trī'č tă zēn) | | triazine |
| dichloropropionate | trifluralin (trī flūr'ă lin | | α,α,α -trifluoro-2,6-dinitro- N,N-dipropyl- p -toluidine |
| ethyl xanthogen disulfide | trimeturon (trī mět'ū r | B-40557 | 1-(p-chlorophenyl)-2,3,3-trimethyl = |
| 2,3,6-trichlorophenylacetic acid 3-phenyl-1,1-dimethylurea 3-phenyl-1,1-dimethylurea trichloroacetate 4-chlorophenoxyacetic acid | | | psuedourea or \mathcal{N} -(p -chlorophenyl)- O , \mathcal{N}' , \mathcal{N}' -trimethyl = |
| 4-chlorophenoxyacetic acid | | 2,2,3-TPA | isourea |
| 4-(4-chlorophenoxy)butyric acid 2-(4-chlorophenoxy)propionic acid | | 2,3,5,6-TBAb | 2,2,3-trichloropropionic acid 2,3,5,6-tetrachlorobenzoic acid 2,3,6-trichlorobenzoic acid |
| 2-chloro-4-isopropylamino-6-methylamino- | | 2,2,3-TPA 2,3,5,6-TBAb 2,3,6-TBAb 2,4-D 2,4-DEB 2,4-DEB 2,4-DEP 2,4,5-T 2,4,5-TB 2,4,5-TES 3,4-DA | 2,4-dichlorophenoxyacetic acid 4-(2,4-dichlorophenoxy) butvric acid |
| s-triazine 2-diethylamino-4-isopropylamino-6- methoxy-s-triazine | | 2,4-DEB 2,4-DEP | 2,4-dichlorophenoxyethyl benzoate tris(2,4-dichlorophenoxyethyl) phosphite |
| 2-isopropylamino-4-methoxy-6- methylamino-s-triazine | | 2,4,5-T 2,4,5-TB | 2,4-dichlorophenoxyacetic acid 4-(2,4-dichlorophenoxy)butyric acid 2,4-dichlorophenoxyethyl benzoate tris(2,4-dichlorophenoxyethyl) phosphite 2,4,5-trichlorophenoxyacetic acid 4-(2,4,5-trichlorophenoxy)butyric acid sodium 2,4,5-trichlorophenoxyethyl sulfate 3,4-dichlorophenoxyacetic acid 4-(3,4-dichlorophenoxy)butyric acid 2-(3,4-dichlorophenoxy)butyric acid |
| 2-isopropylamino-4-methylamino-6- methylmercapto-s-triazine | | 2,4,5-TES 3,4-DA | sodium 2,4,5-trichlorophenoxyethyl sulfate 3,4-dichlorophenoxyacetic acid |
| | | 3,4-DB 3,4-DP | 4-(3,4-dichlorophenoxy) butyric acid 2-(3,4-dichlorophenoxy) propionic acid |
| 1-(2-methylcyclohexyl)-3-phenylurea | V (* (*) | • | |
| 3,5-diiodo-4-hydroxybenzonitrile | vernolate (vērn'ō lāt) | K-1607 | S-propyl dipropylthiocarbamate |
| 2-chloro-4-diethylamino-6-isopropylamino- s-triazine | an equal (=) sign is jo | ined together w | nical name occupying two lines separated be ithout any separation if written on one line |
| isopropyl N-phenylcarbamate | ^b These herbicides a | re usually avail | lable as mixed isomers. When possible than to feach isomer in the mixture specifie |
| | hexachloroacetone 1-(2-methylcyclohexyl)-3-phenylurea 3,5-diiodo-4-hydroxybenzonitrile 2-chloro-4-diethylamino-6-isopropylamino- s-triazine | hexachloroacetone 1-(2-methylcyclohexyl)-3-phenylurea 3,5-diiodo-4-hydroxybenzonitrile 2-chloro-4-diethylamino-6-isopropylamino- s-triazine isopropyl M-phenylcarbamate isopropylxanthic acid As tabulated in thi an equal (=) sign is jo b'These herbicides a isomers should be iden | hexachloroacetone 1-(2-methylcyclohexyl)-3-phenylurea 3,5-diiodo-4-hydroxybenzonitrile 2-chloro-4-diethylamino-6-isopropylamino- s-triazine isopropyl N-phenylcarbamate isopropylyanthic acid As tabulated in this paper, a chem an equal (=) sign is joined together with the control of the con |