

INDEX FOR VOLUME 114

PAGE

Adell, J. A. & De La Cal, J. Limiting properties of inverse Beta and generalized Bleimann–Butzer–Hahn operators	489
Arratia, R., Barbour, A. D. & Tavaré, S. On random polynomials over finite fields	347
Aupetit, B. Spectral characterization of the radical in Banach and Jordan–Banach algebras	31
Barbour, A. D., Tavaré, S. & Arratia, R. On random polynomials over finite fields	347
Bennett, M. Fractional parts of powers of rational numbers	191
Bowers, P. L. The upper Perron method for labelled complexes with applications to circle packings	321
Bravo, F. & Girela, D. Some results of the Lindelöf type involving the segmental behaviour of holomorphic functions	57
Brown, G., Wang, K.-Y. & Wilson, D. C. Positivity of some basic cosine sums	383
Bryant, R. M. & Gupta, C. K. Automorphisms of free nilpotent-by-abelian groups	143
Buhmann, M. Discrete least squares approximation and prewavelets from radial function spaces	533
Bullejos, M., Carrasco, P. & Cegarra, A. M. Cohomology with coefficients in symmetric cat-groups. An extension of Eilenberg–MacLane’s classification theorem	163
Carrasco, P., Cegarra, A. M. & Bullejos, M. Cohomology with coefficients in symmetric cat-groups. An extension of Eilenberg–MacLane’s classification theorem	163
Cassels, J. W. S. Jacobian in genus 2	1
Cegarra, A. M., Bullejos, M. & Carrasco, P. Cohomology with coefficients in symmetric cat-groups. An extension of Eilenberg–MacLane’s classification theorem	163
De Angelis, D., Hall, P. & Young, G. A. A note on coverage error of bootstrap confidence intervals for quantiles	517
De La Cal, J. & Adell, J. A. Limiting properties of inverse Beta and generalized Bleimann–Butzer–Hahn operators	489
Dellnitz, M. & Melbourne, I. Normal forms for linear Hamiltonian vector fields commuting with the action of a compact Lie group	235
Dowling, P. N. & Lennard, C. J. Uniform Kadec–Klee–Huff properties of vector-valued Hardy spaces	25
Fountain, J. & Lewin, A. Products of idempotent endomorphisms of an independence algebra of infinite rank	303
Girela, D. & Bravo, F. Some results of the Lindelöf type involving the segmental behaviour of holomorphic functions	57
Gupta, C. K. & Bryant, R. M. Automorphisms of free nilpotent-by-abelian groups	143
Gupta, N. & Shpilrain, V. Nielsen’s commutator test for two-generator groups	295
Hall, J. I. The general theory of 3-transposition groups	269
Hall, P., Young, G. A. & De Angelis, D. A note on coverage error of bootstrap confidence intervals for quantiles	517
Hall, R. R. & Wilson, J. C. On reciprocity formulae for inhomogeneous and homogeneous Dedekind sums	9
Hansen, J. C. & Schmutz, E. How random is the characteristic polynomial of a random matrix	507
Heinonen, J. & Rohde, S. The Gehring–Hayman inequality for quasihyperbolic geodesics	393
Higgins, P. J. & Mackenzie, K. C. H. Duality for base-changing morphisms of vector bundles, modules, Lie algebroids and Poisson structures	471

Higson, N., Roe, J. & Yu, G. A coarse Mayer–Vietoris principle	85
Hillman, J. A. On 3-dimensional Poincaré duality complexes and 2-knot groups.	215
Johnson, F. E. A. & Kotschick, D. On the signature and Euler characteristic of certain four-manifolds.	431
Jordan, D. A. Height one prime ideals of certain iterated skew polynomial rings	407
Kashiwabara, T. Mod p K-theory of $\Omega^\infty \Sigma^\infty X$ revisited	219
Kondracki, W., Królak, A. & Rudnicki, W. On the instability of a class of generalized strong curvature singularities.	379
Kotschick, D. & Johnson, F. E. A. On the signature and Euler characteristic of certain four-manifolds.	431
Królak, A., Rudnicki, W. & Kondracki, W. On the instability of a class of generalized strong curvature singularities.	379
Lennard, C. J. & Dowling, P. N. Uniform Kadec–Klee–Huff properties of vector-valued Hardy spaces	25
Lewin, A. & Fountain, J. Products of idempotent endomorphisms of an independence algebra of infinite rank	303
Loos, O. Properly algebraic and spectrum-finite ideals in Jordan systems	149
Mackenzie, K. C. H. & Higgins, P. J. Duality for base-changing morphisms of vector bundles, modules, Lie algebroids and Poisson structures	471
Martin, M.-A. & Mattila, P. Hausdorff measures, Hölder continuous maps and self-similar fractals	37
Mattila, P. & Martin, M.-A. Hausdorff measures, Hölder continuous maps and self-similar fractals	37
Melbourne, I. Versal unfoldings of equivariant linear Hamiltonian vector fields.	559
Melbourne, I. & Dellnitz, M. Normal forms for linear Hamiltonian vector fields commuting with the action of a compact Lie group.	235
Merriman, J. R. & Smart, N. P. Curves of genus 2 with good reduction away from 2 with a rational Weierstrass point	203
Morris, S. A. & Pestov, V. G. Open subgroups of free abelian topological groups	439
Offord, A. C. Lacunary entire functions	67
Oguiso, K. A remark on the global indices of \mathbb{Q} -Calabi–Yau 3-folds	427
Pestov, V. G. & Morris, S. A. Open subgroups of free abelian topological groups	439
Promislow, S. D. A class of groups producing simple, unique trace C^* -algebras	223
Rajeev, B. On asymptotics of a class of 1-dimensional diffusions.	499
Robinson, P. L. Equivariant prequantization and admissible coadjoint orbits	131
Roe, J., Yu, G. & Higson, N. A coarse Mayer–Vietoris principle	85
Rogers, L. C. G. The harmonic functions of $(A_i, B_i)^1$	369
Rognes, J. Characterizing connected K-theory by homotopy groups	99
Rohde, S. & Heinonen, J. The Gehring–Hayman inequality for quasihyperbolic geodesics	393
Rudnicki, W., Kondracki, W. & Królak, A. On the instability of a class of generalized strong curvature singularities.	379
Schmutz, E. & Hansen, J. C. How random is the characteristic polynomial of a random matrix?	507
Serrano, F. The sheaf of relative differentials of a fibred surface.	461
Shpilrain, V. & Gupta, N. Nielsen’s commutator test for two-generator groups.	295
Silver, D. S. On the existence of minimal Seifert manifolds	103
Smart, N. P. & Merriman, J. R. Curves of genus 2 with good reduction away from 2 with a rational Weierstrass point	203
Stallard, G. M. The iteration of entire functions of small growth	43
Sudbery, A. The algebra of differential forms on a full matrix bialgebra	111
Tavaré, S., Arratia, R. & Barbour, A. D. On random polynomials over finite fields	347

Turner, P. R. Dyer–Lashof operations in the Hopf ring for complex cobordism	453
Vitter, A. Hermitian–Einstein metrics and jumping lines for $Sp(n+1)$ –homogeneous bundles over P^{2n+1}	443
Wang, K.-Y., Wilson, D. C. & Brown, G. Positivity of some basic cosine sums	383
Wilson, D. C., Brown, G. & Wang, K.-Y. Positivity of some basic cosine sums	383
Wilson, J. C. & Hall, R. R. On reciprocity formulae for inhomogeneous and homogeneous Dedekind sums	9
Young, G. A., De Angelis, D. & Hall, P. A note on coverage error of bootstrap confidence intervals for quantiles	517
Yu, G., Higson, N. & Roe, J. A coarse Mayer–Vietoris principle	85

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ε , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams redrawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis. Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 114 (Pt 3) 383–581 (1993) 0305–0041 November 1993


CONTENTS

	PAGE
BROWN, G., WANG, K.-Y. & WILSON, D. C. Positivity of some basic cosine sums	383
HEINONEN, J. & ROHDE, S. The Gehring–Hayman inequality for quasihyperbolic geodesics.	393
JORDAN, D. A. Height one prime ideals of certain iterated skew polynomial rings	407
OGUIISO, K. A remark on the global indices of \mathbb{Q} -Calabi–Yau 3-folds	427
JOHNSON, F. E. A. & KOTSCHICK, D. On the signature and Euler characteristic of certain four-manifolds	431
MORRIS, S. A. & PESTOV, V. G. Open subgroups of free abelian topological groups.	439
VITTER, A. Hermitian–Einstein metrics and jumping lines for $Sp(n+1)$ -homogeneous bundles over \mathbb{P}^{2n+1}	443
TURNER, P. R. Dyer–Lashof operations in the Hopf ring for complex cobordism	453
SERRANO, F. The sheaf of relative differentials of a fibred surface	461
HIGGINS, P. J. & MACKENZIE, K. C. H. Duality for base-changing morphisms of vector bundles, modules, Lie algebroids and Poisson structures	471
ADELL, J. A. & DE LA CAL, J. Limiting properties of Inverse Beta and generalized Bleimann–Butzer–Hahn operators	489
RAJEEV, B. On asymptotics of a class of 1-dimensional diffusions	499
HANSEN, J. C. & SCHMUTZ, E. How random is the characteristic polynomial of a random matrix?	507
DE ANGELIS, D., HALL, P. & YOUNG, G. A. A note on coverage error of bootstrap confidence intervals for quantiles	517
BUHMANN, M. Discrete least squares approximation and prewavelets from radial function spaces	533
MELBOURNE, I. Versal unfoldings of equivariant linear Hamiltonian vector fields	559
PROCEEDINGS OF MEETINGS	575

© The Cambridge Philosophical Society 1993

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199311)114:3;1-H