

Index of Subjects

- Absorption of hexachlorophane from dusting powder on newborn infants' skin, 311
- Adjuvant, effect of on pertussis agglutinins in vaccinated children, 119
- Air sampling of smallpox virus, 1
- Anthrax, cutaneous, a fatal case of, 151
- Antibiotic decontamination in mice and in a patient; oral dose and faecal concentration of antibiotics during, 197
- Antibiotics used for elimination of bacteria from dogs, 205
- Antibiotics, clearance of from the intestines after termination of antibiotic decontamination, 409
- Antibodies detected by the microscopic agglutination test for bovine leptospirosis, characterization of, 425
- Babies after normal delivery, further studies of *Escherichia coli* in, 277
- Babies, newborn, and their mothers, spread of *Escherichia coli* in, 383
- Bacillus cereus*, survival and growth of in boiled and fried rice in relation to outbreaks of food poisoning, 433
- Bacteriological status of a specific-pathogen-free animal production building one year after commissioning, 271
- Bacteriologically safe infant feeds, provision of in hospitals, 297
- Bordetella pertussis*, variation of serotype in strains of, 305
- Brucella* infections in producer-retailer herds in North Lancashire from 1965 to 1972, 9
- Brucellosis, human, epidemiology of in Isfahan, Iran, 221
- Calciferol as a rodenticide, some properties of, 341
- Calciferol combined with warfarin tested against wild house-mice (*Mus musculus* L.), 353
- Calciferol tested against warfarin resistant infestations of the Norway rat (*Rattus norvegicus* Berk.), 361
- Characterization of the antibodies detected by the microscopic agglutination test for bovine leptospirosis, 425
- Clearance of antibiotics from the intestines after termination of antibiotic decontamination, 409
- Combination of relative potencies, maximum likelihood solutions for, 97
- Contour maps in the analysis of spread of communicable disease, 15
- Coxsackievirus B infections in heart disease, a six-year study, 165
- Coxsackie virus type B5, attempts to infect pigs with, 85
- Cross-infection rate, introduction of in children's wards and its application to respiratory virus infections, 53
- Croup, viral, in Glasgow. Aetiology and epidemiology, 143
- Dengue, the 1972-73 epidemic in Fiji, 263
- Detection by a simplified method of rubella-specific IgM, employing sucrose density fractionation and 2-mercaptoethanol, 329
- Disinfectants, the use of inactivators in the evaluation of, 189
- Elimination of bacteria from dogs with antibiotics, 205
- Enterotoxin production by strains of *Staphylococcus aureus* isolated from foods and human beings, 255
- Epidemic keratoconjunctivitis in the West of Scotland, 1967-72, 157
- Epidemic vomiting, 445
- Escherichia coli*, further studies of in babies after normal delivery, 277; spread of in babies and their mothers, 383
- Escherichia coli* serotype distribution in man and animals, 467
- Escherichia coli* isolation from a poultry packing station and an abattoir, 245
- Evaluation of a partial-walled laminar-flow operating room, 61

- Field trials of the rodenticide 5-*p*-chlorophenyl silatrane against wild rats, 45; against wild house mice, 49
- Field trials of calciferol against warfarin resistant infestations of the Norway rat, 361
- Field trials of calciferol combined with warfarin against wild house mice, 353
- Food poisoning outbreaks in relation to the survival and growth of *Bacillus cereus* in boiled and fried rice, 433
- Food preferences of wild house mice, 473
- Foot-and-mouth disease virus carrier cattle; the effect of repeated vaccination on the incidence in an enzootic area, 229
- Foot-and-mouth disease virus subtype variants in Kenya, 237
- Fungal lesions experimentally produced, 369
- Growth of smallpox vaccine virus at elevated temperatures: a possible relation with human pathogenicity, 35
- Heart disease and coxsackievirus B infections, a six-year study, 165
- Hepatitis, post transfusion, in a London hospital: results of a two-year prospective study, 173
- Hexachlorophane absorption from dusting powder on newborn infants' skin, 311
- Immunity to influenza in ferrets, XI. Cross-immunity between A/Hong Kong/68 and A/England/72 viruses: serum antibodies produced by infection or immunization, 389
- Immunoglobulin responses, specific, in serum and nasal secretions after the administration of attenuated rubella vaccine, 127
- Inactivators, the use of in evaluation of disinfectants, 189
- Infant feeds, bacteriologically safe, the provision of in hospitals, 297
- Influenza, immunity to in ferrets, XI, 389
- Influenza A vaccines, a controlled trial in general practice, 317
- Influenza inoculations with live attenuated virus in volunteers, studied serologically by the single radial immunodiffusion test, 287
- Isolation of *Escherichia coli* from a poultry packing station and an abattoir, 245
- Keratoconjunctivitis, epidemic, in the West of Scotland, 1967–72, 157
- Laboratory tests of 5-*p*-chlorophenyl silatrane as a rodenticide, 39
- Laminar flow, evaluation of in a partial-walled operating room, 61
- Leptospirosis, bovine, characterization of the antibodies detected by the microscopic agglutination test for, 425
- Lesions experimentally produced by fungi implicated in extrinsic allergic alveolitis, 369
- Maximum likelihood solutions for the combination of relative potencies, 97
- Mice (*Mus musculus* L.) Field trials of the rodenticide 5-*p*-chlorophenyl silatrane against, 49; Field trials of calciferol combined with warfarin against, 353; Food preferences of, 473
- Mosquito-borne infections in Fiji, V. The 1971–73 dengue epidemic, 263
- Mycoplasmacidal activity of bovine milk for T-mycoplasmas, 415
- Mycoplasma dispar*, serological comparison and haemagglutinating activity of, 457
- Pathogenicity of smallpox vaccines for humans, a possible relation with virus growth at elevated temperatures, 35
- Pertussis agglutinins in vaccinated children: better response with adjuvant, 119
- Phage types of *Staphylococcus aureus* in one hospital 1961–72, 375
- Pigs, attempts to infect with Coxsackie virus type B5, 85
- Plaque formation, statistical analysis of data bearing on the number of particles required, 27
- Post-transfusion hepatitis in a London hospital: results of a two-year prospective study, 173
- Pseudomonas aeruginosa* and the general hospital: a six-year survey, 249
- Pseudomonas aeruginosa*, specificity of the protective response induced by the slime layer, 75
- Rattus norvegicus* Berk., field trials of 5-*p*-chlorophenyl silatrane against, 45; field trials of calciferol against warfarin resistant infestations, of 361; susceptibilities to warfarin of several populations of, 401

- Respiratory virus infections studied by introduction of a cross-infection rate in children's wards, 53
- Rice, the survival of *Bacillus cereus* in after boiling or frying, in relation to outbreaks of food poisoning, 433
- Rodenticide, some properties of calciferol as, 341; laboratory tests of 5-*p*-chlorophenyl silatrane as, 39
- Rubella-specific IgM, a simplified method for the detection of, employing sucrose density fractionation and 2-mercaptoethanol, 329
- Rubella vaccine, attenuated, specific immunoglobulin responses in serum and nasal secretions after administration, 127
- Serological comparison and haemagglutinating activity of *Mycoplasma dispar*, 457
- Serological studies in volunteers inoculated with live attenuated influenza virus by the single radial immunodiffusion test, 287
- Serotype distribution of *Escherichia coli* in man and animals, 467
- Serotype variation in strains of *Bordetella pertussis*, 305
- Silatrane, 5-*p*-chlorophenyl, field trials of against wild rats, 45; field trials of against wild house mice, 49; laboratory tests of, 39
- Smallpox vaccines, human pathogenicity of possibly related to growth of virus at elevated temperatures, 35
- Smallpox virus, air sampling of, 1
- Specific immunoglobulin responses in serum and nasal secretions after the administration of attenuated rubella vaccine, 127
- Specific-pathogen-free animal production building, its bacteriological status one year after commissioning, 271
- Specificity of the protective response induced by the slime layer of *Pseudomonas aeruginosa*, 75
- Spread of communicable disease, analysis by the use of contour maps, 15
- Staphylococci in swimming pool water, 213
- Staphylococcus aureus* strains isolated from foods and human beings, enterotoxin production by, 255
- Staphylococcus aureus*, phage types of in one hospital 1961–72, 375
- Statistical analysis of data bearing on the number of particles required to form a plaque, 27
- Susceptibilities of several populations of *Rattus norvegicus* to warfarin, 401
- Swimming pool water, staphylococci in, 213
- Swine vesicular disease: attempts to transmit infection to cattle and sheep, 101; comparative study of viruses isolated from different countries, 109
- Transmission of swine vesicular disease infection to cattle and sheep, attempts at, 101
- Variation of serotype in strains of *Bordetella pertussis*, 305
- Vaccines, inactivated monovalent influenza A, a controlled trial of in general practice, 317
- Viral croup in Glasgow, 1966–72, aetiology and epidemiology, 143
- Viruses: Coxsackie B, 165; Coxsackie B5, 85; foot-and-mouth disease, 229, 237; influenza, 287, 389, respiratory, 53; smallpox, 1; smallpox vaccine, 35; swine vesicular disease, 109
- Vomiting, epidemic, 445
- Warfarin combined with calciferol, field trials against wild house mice, 353
- Warfarin resistant infestations of the Norway rat, field trials of calciferol against, 361
- Warfarin susceptibilities of several populations of *Rattus norvegicus*, an analysis of, 401