

# The global plastics treaty: understanding the present to guide the future

Fabiula Danielli Bastos de Sousa 

Technology Development Center, Universidade Federal de Pelotas, Rua Gomes Carneiro, Pelotas, RS, Brazil

## Research Article

**Cite this article:** de Sousa FDB (2024). The global plastics treaty: understanding the present to guide the future. *Cambridge Prisms: Plastics*, 2, e31, 1–13  
<https://doi.org/10.1017/plc.2024.32>

Received: 05 January 2024  
 Revised: 21 September 2024  
 Accepted: 09 October 2024

### Keywords:

bibliometric analysis; bibliometric mapping; global plastics treaty; UNEA resolution 5/14; plastic pollution

### Corresponding author:

Fabiula Danielli Bastos de Sousa;  
 Email: [fabiuladesousa@gmail.com](mailto:fabiuladesousa@gmail.com)

### Abstract

To mitigate plastic pollution, Resolution 5/14 of the United Nations Environment Assembly established an Intergovernmental Negotiating Committee (INC) tasked with negotiating the Global Plastics Treaty, an ambitious treaty expected to take effect in 2025. This treaty's success in effectively reducing plastic pollution will depend on the ongoing work of the committee and the existing literature. Herein, I review the literature on the Global Plastics Treaty based on a search of the Web of Science. The data were analyzed, mapped and discussed in depth. The literature indicates an interdisciplinary nature, where Environmental Sciences/Ecology and Government Law are the subject areas with the highest contribution. Plastic pollution is a prominent emerging trend and research topic. Notable gaps include the need for stronger connections among the various directions in the literature and limited collaboration among authors. This work may serve as a basis for other researchers aiming to enhance the literature on the Global Plastics Treaty.

### Impact statement

Plastic pollution is widespread. In this plastic era, we are witnessing and experiencing significant adverse impacts on the environment and human health due to plastic exposure throughout its entire life cycle. Despite the detrimental effects of plastic pollution, the rate of plastic production continues to increase each year. Resolution 5/14 of the United Nations Environment Assembly established an Intergovernmental Negotiating Committee (INC) to facilitate negotiations on the Global Plastics Treaty aimed at addressing the global plastic pollution. In the present work, an overview of the literature is provided through bibliometric analysis and mapping. The outcomes can lay strong foundations and, therefore, contribute to enhancing the literature on the Global Plastics Treaty.

## Introduction

Global plastic production has increased significantly worldwide over time, rising from 2 Mt. in 1950 (Geyer et al., 2017) to 400.3 Mt. in 2022 (plastics used in the manufacture of textiles, adhesives, sealants, coatings, paints, varnishes, waterproofing, as well as those used in the production of cosmetics, pharmaceuticals or chemical processes are not included) (Plastics – the fast facts 2023, 2023). In 2060, global plastic use is expected to reach 1231 Mt. (OECD, 2022). Conversely, despite the escalating daily consumption of plastic, there has been a need for corresponding progress in both effective plastic waste management practices (de Sousa, 2021a) and consumer awareness (Northen et al., 2023; de Sousa, 2023a). Presently, we are dealing with and experiencing the effects of the triple planetary crisis – climate change, nature loss and pollution – exacerbated by plastic production and pollution (United Nations Environment Programme, 2022a).

Plastics are ubiquitous, leading humanity to constant daily exposure to numerous plastic-containing items. However, plastic exposure can be hazardous to human health. Some hazardous additives, such as bisphenols, alkylphenol ethoxylates, perfluorinated compounds, brominated flame retardants, phthalates, UV stabilizers and metals, which can be added to plastics to modify their properties, are endocrine-disrupting chemicals (EDCs). The release of these EDCs from plastic materials is a matter of significant concern due to their demonstrated ability to induce adverse effects on reproductive, metabolic, thyroid, immunological and neurological systems (Flaws et al., 2020). Another concern is human exposure to microplastics (MPs) through ingestion (the main route), dermal contact and inhalation. It has been established that human MPs consumption causes adverse effects such as intestinal inflammation and the acceleration of viral arthritis (Rawle et al., 2022), toxicity, oxidative stress and inflammation in general (Prata et al., 2020; Xu et al., 2021; Yang et al., 2021; Zhao et al., 2021; Zheng et al., 2021; Huang et al., 2022, 2021; Junaid et al., 2022; Liu et al., 2022; Nikolic et al., 2022; Rawle et al., 2022; Tong et al.,

© The Author(s), 2024. Published by Cambridge University Press. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.

 Cambridge Prisms

 CAMBRIDGE UNIVERSITY PRESS

2022; Weber et al., 2022; Yuan et al., 2022) and has a potential association with immune system dysfunction and neurotoxicity (Prata et al., 2020).

Every year, approximately 11 Mt. of plastic waste end up in the ocean, causing harm to life and ecosystems (Reddy and Lau, 2020; de Sousa, 2024a). It is estimated that around 170 trillion plastic particles, primarily MPs, are floating in the world's oceans (Eriksen et al., 2023). More than 800 marine and coastal species are affected by this waste in various ways, including ingestion and entanglement (Secretariat of the Convention on Biological Diversity, 2016).

Concerning climate change, the objective is to limit global warming to 1.5 °C (34.7 °F). Plastics release greenhouse gases (GHGs) that contribute to climate change at every stage of their life cycle, from extraction to disposal (Ford et al., 2022). By 2050, GHGs emissions from the production, use and disposal of plastic are projected to account for up to 15% of all emissions allowed (UNEP, 2021).

The United Nations Environment Assembly (UNEA) Resolution 5/14 entitled “End plastic pollution: Towards an international legally binding instrument” was adopted on March 2, 2022 (United Nations Environment Programme, 2022b) to mitigate plastic pollution across its entire life cycle. An Intergovernmental Negotiating Committee (INC) was established to reach a resolution by the conclusion of 2024, the Global Plastics Treaty. The fourth session of the INC (Ottawa, 23–29 April 2024) resulted in a revised draft of the international legally binding instrument on plastic pollution (UNEP, 2024). Along with the INC, each article available in literature represents a “brick” in the construction of a robust Global Plastics Treaty.

An internationally binding agreement, such as the Global Plastics Treaty, can help mitigate this planetary crisis by promoting a transition to more sustainable and circular plastic use: “A shift to a circular economy can reduce the volume of plastics entering oceans by over 80% by 2040; reduce virgin plastic production by 55%; save governments US\$70 billion by 2040; reduce GHGs emissions by 25%; and create 700,000 additional jobs – mainly in the Global South” (United Nations Environment Programme, 2022a).

The adoption of bibliometric analyses plays a crucial role in evaluating the literature and guiding future works. The bibliometric analyses, due to their transparent, reliable, replicable and transdisciplinary nature, have gained widespread acceptance as methods for evaluating literature (Aria et al., 2020; Carrión-Mero et al., 2021). By conducting searches in electronic databases, researchers can systematically analyze data for patterns and map interconnections using software (de Sousa, 2021b, 2024a). Bibliometric research, in this context, is essential for building a strong foundation that supports significant and innovative contributions to a given field (Mukherjee et al., 2022).

I conducted a bibliometric analysis and mapping of the Global Plastics Treaty. Articles in this field, written in English and published from 2018, were examined to provide an overview of the subject based on sources, authors, affiliations, countries, publications and keywords. These outcomes can lay strong foundations and, therefore, contribute to enhancing the literature on the Global Plastics Treaty.

## Methodology

A Web of Science search was conducted on October 27, 2023. The words used were “global plastic\* treaty”, searching within all fields. The term “global plastic\* treaty” was used in the search to

encompass the employed terms in the literature, i.e., Global Plastic Treaty and Global Plastics Treaty.

The data from 31 articles in English from 2018 to October 2023 were exported to two files, a BibTex and a RIS. The R-package Bibliometrix examined the BibTex file and VOSviewer version 1.6.18 was used to evaluate the RIS file. Graphs were created in VOSviewer and Biblioshiny for Bibliometrix. The literature suggests that emerging topics are addressed in articles (Garcia-Vazquez et al., 2021), which is why articles were chosen for this study.

The analysis of the co-occurrence network (Bibliometrix) was based on the top 50 authors' keywords and involved the application of the Louvain clustering algorithm. All the isolated nodes have been removed. In VOSviewer, the keywords' co-occurrence network included 183 items (the minimum number of occurrences was one) and used the full counting approach.

In the co-authorship analysis, the full counting method was adopted. Documents with many authors (25) were ignored.

Possible limitations include publications from databases other than the Web of Science and articles in languages other than English within the Web of Science. The Web of Science database was selected because it has a more significant number of articles on the topic than the Scopus database on the search date. While 31 articles were found in the Web of Science, only 27 articles related to the Global Plastics Treaty were identified in Scopus, with 17 articles being duplicated.

## Results and discussion

Supplementary Figure S1(a) and (b) present the number of articles published per year and the subject areas of these publications. Before 2018, the annual publication rate was small (around 1 article per year). Since 2018, there has been a significant growth in the number of publications per year, consisting in an annual growth rate of 39.77%.

The Global Plastics Treaty is of significant interest to various research areas. Therefore, it is interdisciplinary. Among the articles analyzed, about half are in the areas of Environmental sciences/Ecology (35.8%) and Government law (15.1%).

## Sources

From the 24 sources identified, the most relevant journals in terms of the number of published articles are as follows (with the number of published articles in parenthesis): Environmental Science & Policy (3), Marine Policy (3), AJIL Unbound (2), Frontiers in Marine Science (2) and Journal of Environmental Studies and Sciences (2). The following journals have one publication each: American Journal of Agricultural Economics, Asia-Pacific Journal of Ocean Law and Policy, Environmental Science & Technology, Environmental Science & Technology Letters, European Journal of Legal Studies, Global Environmental Change-Human and Policy Dimensions, International Journal of Marine and Coastal Law, Journal of Hazardous Materials, Journal of International Economic Law, Korean Journal of International and Comparative Law, Marine Pollution Bulletin, Nature, One Earth, Photochemical & Photobiological Sciences, PLOS One, Review of European Comparative & International Environmental Law, Sustainability Science and Water Research.

Concerning the most frequently cited local sources (i.e., those most cited from the reference lists of the analyzed publications), the most significant ones are as follows (with the number of local citations indicated in parenthesis): Marine Pollution Bulletin

(88), *Science* (77), *Science of the Total Environment* (51), *Environmental Science & Technology* (45), *Marine Policy* (36), *Frontiers in Marine Science* (31), *Proceedings of the National Academy of Sciences-USA* (29), *Atmospheric Chemistry and Physics* (28), *Science Advances* (25), *Environmental Pollution* (24), *Nature* (24), *Scientific Reports-UK* (24), *Environmental Research Letters* (23) and *PLOS One* (23).

As the primary goal of the Global Plastics Treaty is to mitigate plastic pollution, particularly in aquatic environments, it is expected that a significant number of the most relevant scientific journals focus on water and environmental sciences. As previously discussed, these findings align with the subject matter of the published articles (see [Supplementary Figure S1\(b\)](#)).

### Authors, affiliations and countries

Approximately 150 authors contributed to the analyzed articles. The most productive authors (with the number of published articles in parenthesis) are: Dauvergne (3), Cowan (2), Eriksen (2), Stofen-O'Brien (2), Tiller (2) and Walker (2). All other authors published a single article. Regarding local citations, the most frequently local cited authors (with the number of local citations in parenthesis) are: Le Billon (4), Tessnow-Von Wysocki (4), Tiller (3) and Nyman (2).

The sizes of the letters and circles in the co-authorship network (see [Supplementary Figure S2](#)) indicate the number of articles the author has published. The distance between authors reflects the degree of connection they share, as determined by co-occurrence links. Lines represent the strongest co-occurrences.

In the network (see [Supplementary Figure S2](#)), 24 clusters are displayed, each represented by a different color. The most productive authors and their corresponding number of links are as follows: Dauvergne (0), Cowan (4), Eriksen (20), Stofen-O'Brien (0), Tiller (3) and Walker (3). Authors with a zero link are considered single authors. Eriksen, who has the highest degree of connectivity, is positioned at the center, linking two clusters: one blue and one yellow. In the yellow cluster, the author Walker is also present. These authors are significant in the analyzed literature because of their central positions on the map.

Regarding the authors' collaboration, there is a need for greater cooperation among the authors from the various clusters. The average number of co-authors per article is 10. There are 45.16% international co-authorships, and 10 articles have single authors. However, all other articles are characterized by limited collaboration among authors from different clusters, with the exception of the clusters containing the authors Walker and Eriksen. Given the significance and interdisciplinary nature of the subject, it is likely that the collaboration among authors will increase as the number of authors rises.

In the globe presented in [Supplementary Figure S3](#), the most productive countries are those shaded in the darkest blue, i.e., the USA (38 articles) and the UK (23 articles). In contrast, countries depicted in gray did not publish any articles. To date, North America has produced the highest number of publications on the Global Plastics Treaty. Given the importance of this topic, this perspective demonstrates that research is being conducted worldwide, underscoring the global nature of the subject (de Sousa, 2021b, 2023b).

In further bibliometric analyses, China consistently emerged as one of the most productive countries, regardless of the subject analyzed (de Sousa, 2021b, 2021a, 2023b). In this work, China

has only three articles published. China stands out in the market as one of the largest producers of processed plastic items. In 2021, global plastic production reached 390.7 Mt., and China represented 32% of this number (ABIPLAST, 2023). Therefore, the limited number of publications discussing the Global Plastics Treaty from the country seems unusual. Does this small number of publications indicate a sense of apprehension?

Although the USA has published more articles on the subject, it also generates more plastic waste than any other country (70.8 Mt. per year), and only a small portion of that amount is recycled (34.6%) (Montenegro et al., 2020). These conflicting statistics may symbolize the beginning of the nation's transition.

The most relevant affiliations (with the number of published articles in parentheses) are: the University of British Columbia in Canada (9), Duke University in the USA (5), Lund University in Sweden (5), University of Portsmouth in England (5), Arctic University in Norway (4), Dalhousie University in Canada (4), University of Lincoln in the UK (4) and the World Maritime University in Sweden (4).

### Publications

According to the Web of Science, the most relevant publications are as follows: Wang and Praetorius (2022), Tessnow-von Wysocki and Le Billon (2019), O'Meara (2023), Cowan et al. (2023b) and Filella and Turner (2023). Wang and Praetorius (2022) discuss the possibility of integrating a chemical perspective into the Global Plastics Treaty. Tessnow-von Wysocki and Le Billon (2019) list and discuss seven treaty design aspects likely to boost the effectiveness of a future legally binding mechanism for managing marine plastic pollution. O'Meara (2023) argues for the importance of including human rights in the discussions. Cowan et al. (2023b) discuss plastic governance. Filella and Turner (2023) also alert about inorganic additives present in plastic formulations. This collection of articles has the potential to influence the academic community (de Oliveira et al., 2019).

Table 1 presents the five most important publications (top 5) based on the total number of local citation scores (LCS) and the ten most important publications (top 10) based on the total number of global citation score (GCS), as identified by Bibliometrix. This approach is used to identify benchmark studies in a particular field (Andrews, 2003). LCS indicates how frequently an article was cited in the local dataset, i.e., in the Web of Science search documents. The value of LCS represents the significance of a specific publication on the Global Plastics Treaty; the higher the value, the more crucial it is. Citation analysis assumes that authors cite key research documents. As a result, commonly cited documents are likely to have exerted a more significant impact on the subject (Ramos-Rodríguez and Ruiz-Navarro, 2004). Therefore, the five articles in Table 1 are relevant to the field.

Tiller and Nyman (2018) argue that plastic pollution could be included in the treaty to governing marine biodiversity in areas beyond national jurisdiction (referred to as the BBNJ Conference), rather than waiting for a new treaty that would take more time for discussion and ratification. Kirk (2020) suggests that a plastics treaty should be modeled on treaties such as the Montreal Protocol. Tiller et al. (2022) compare the evolution of marine plastics as an environmental governance issue with that of other global problems. They use culture theory to explore how individual's varying perception of risk influences their governance. Eriksen et al. (2023) offer an estimate of the change in plastic concentration over time in

**Table 1.** Citation scores of the most relevant publications

Group	Publication	LCS	GCS
Top 5 LCS	Tessnow-von Wysocki and Le Billon (2019)	4	45
	Tiller and Nyman (2018)	2	29
	Kirk (2020)	1	5
	Tiller et al. (2022)	1	2
	Eriksen et al. (2023)	1	14
Top 10 GCS	Dauvergne (2018)	0	209
	Tessnow-von Wysocki and Le Billon (2019)	4	45
	Bernhard et al. (2020)	0	41
	Tiller and Nyman (2018)	2	29
	Hassouni et al. (2019)	0	24
	Ortuño Crespo et al. (2020)	0	22
	Eriksen et al. (2023)	1	14
	Khan (2020)	0	9
	Kirk (2020)	1	5
	Finska and Howden (2018)	0	5

LCS: local citation score, GCS: global citation score.

the global ocean surface layer and a history of international policy actions to reduce plastic inputs.

The GCS indicates the total number of citations of publications in the Web of Science database, but the cited publications may not be related to the Global Plastics Treaty. Dauvergne (2018) is the most globally cited article and discusses the global governance of plastics. According to the author, “as pressures and complexities mount, the global governance of plastic—characterized by fragmented authority, weak international institutions, uneven regulations, uncoordinated policies and business-oriented

solutions—is failing to rein in marine plastic pollution.” Tessnow-von Wysocki and Le Billon (2019) are locally and globally cited, being the second-top GCS, besides being among the most relevant articles.

Among the most cited articles, all discuss the future of plastic based on current treaties, collaborating to create an effective Global Plastics Treaty.

Although it is not included in Table 1, some other works available in the literature are highly relevant to the topic. One notable example is the work by Cowan and Tiller (2021), which presents a systematic review of a global plastic governance agreement.


## Keywords

In bibliometric analysis and mapping, keywords are beneficial as they indicate the most essential content of a manuscript (Fujita and Tartarotti 2020) and provide an extensive overview of the subject area (de Sousa 2022, 2023a), demonstrating its gaps, trends and directions.

From the 115 authors' keywords present in the analyzed articles, the 50 most common are displayed in the word cloud (Figure 1). The size of the letters indicates the frequency of each keyword in the literature under study. The most common keywords in the analyzed literature (with the number of occurrences in parentheses) are: plastic pollution (5), pollution (5), plastic (4), plastics (4), Arctic (3), marine litter (3), circular economy (2), climate change (2), litter (2), marine plastic pollution (2), monitoring (2), plastic treaty (2), treaty (2) and UNCLOS (the United Nations Convention on the Law of the Sea) (2). All other keywords occurred only once. The small number of occurrences results from the limited number of articles analyzed. The keyword ‘climate-change’ occurred once, and thus the keyword ‘climate change’ has three occurrences (i.e., ‘climate change’ + ‘climate-change’). As noted above, the keywords ‘plastic’ and ‘plastics’ can be merged as



**Figure 1.** Word cloud containing the 50 most common authors' keywords.



**Figure 2.** Keywords' co-occurrence network. The circle size indicates the number of keyword occurrences.

'plastic\*', with the highest number of occurrences (8). Emerging trends or hotspots are indicated by keyword frequency or density (Tripathi et al., 2018; Garcia-Vazquez et al., 2021; de Sousa, 2022). Emerging topics are present in articles (Garcia-Vazquez et al., 2021). Therefore, the most common authors' keyword (i.e., 'plastic pollution'), besides being an emerging trend and topic, constitutes the main reason for the Global Plastics Treaty, aiming at mitigating plastic pollution.

A co-occurrence network of the authors' keywords highlights research topics in the studied research field (Kafi et al., 2023). Related keywords are presented as clusters, each representing a research topic related to the Global Plastics Treaty. The lines connecting the keywords indicate the strength of the correlation. Closer connections indicate stronger associations. If no lines connect the keywords, no connection has been established. The circle size indicates the number of keyword occurrences. There are more co-occurrences between keywords closer to the network map's center (Kafi et al., 2023).

In the network (Figure 2), 14 clusters are observed, each with a different color, and depicting a topic (direction) related to the Global Plastics Treaty. Details are presented in Table 2.

Each cluster related to the Global Plastics Treaty represents a direction in the analyzed literature. Thus, the directions are as follows: effects of climate change on agronomy, international policy design on plastics, threats and challenges, monitoring, environmental governance, technology, marine biodiversity, global environmental politics, distributive justice, stakeholder integration, anthropogenic litter, environmental law, consumption and plastic waste production, and disaster lens.

As depicted in Supplementary Figure S1, the Global Plastics Treaty is a highly interdisciplinary field, as supported by the findings of Figure 2. The directions corroborate the five main topic areas of the published articles: Environmental Sciences/Ecology, Government Law, International Relations, Engineering and Science Technology.

The absence of a clear structure in the keywords' co-occurrence network could be seen as a gap. Clusters 2, 4, 5, 7–11, 13, and 14 are highly interconnected. What is worrying is that key directions such as consumption and plastic waste production – which brings up keywords such as 'single-use plastics' and 'consumer perceptions' – and threats and challenges –which brings up keywords such as 'biobased plastics' and 'biodegradable plastics'—are placed far from the network's center. Such points highlight the significant potential for the development of literature and, consequently, present opportunities for future research.

It is important to note this series of keywords: circular economy, marine litter, plastic pollution, climate change and marine biodiversity. The distance between the keywords indicates their relatedness. This expanded fraction of the network (see Supplementary Figure S4) demonstrates that the literature supports a strong association between plastic pollution, climate change and their impacts on oceans and marine biodiversity. Similarly, there is a significant connection between the circular economy, extended producer responsibility, marine litter, plastic pollution and climate change. The literature highlights the role of fishing nets (keyword 'abandoned lost or otherwise discarded fishing gear') in the increase of plastic pollution in the oceans and subsequent effects on marine biodiversity. Fishing-related items represent approximately 27% of plastic marine litter (European Union, 2019).

According to a recent study (de Sousa, 2024a), plastic pollution and its corresponding effects may be attributed to human behavior. This connection also emerged in this study, due to the proximity among the keywords anthropogenic litter, marine litter, plastic pollution, climate change, impacts and marine biodiversity (See Supplementary Figure S4).

Some keywords, such as 'treaty' and 'circular economy', are present in certain clusters. Therefore, even if the keywords of these clusters have fewer links with other clusters, they demonstrate greater participation and importance in the current literature

**Table 2.** Details about the keywords' co-occurrence network present in Figure 2

Cluster	Number of items	Color	Keywords	Direction
1	17	Red	Agronomic traits, climate change, drought resistance, dry matter, durum wheat, fertility, grain yield, heat stress, high-temperature stress, physiological traits, protein-composition, quantitative trait loci, resilience, technological quality, tolerance, triticum-aestivum l, yield	Effects of climate change on agronomy
2	16	Green	Abatement costs, choice experiment, choice experiments, debris, design, equity preferences, fairness, inequality aversion, insights, international environmental agreement, lessons, litter, marine plastic pollution, marine plastics, nonmarket valuation, policy	International policy design on plastics
3	16	Blue	Additives, biobased plastics, biodegradable plastics, challenges, durable plastics, esters, global plastic treaty, non-intentionally added substances (NIAS), opportunities, plants, plastic additives, plastic processing aids, plastic recycling, threat, waste pyrolysis oils, waste-to-energy	Threats and challenges
4	16	Yellow	Accumulation, Caribbean SIDS, global plastics treaty, harmonization, marine debris, mesoplastics, microplastics, monitoring, plastic, plastic debris, retention, river, shorelines, the Bahamas, transport, water	Monitoring
5	15	Dark purple	Anthropogenic debris, corporate social responsibility, ecosystems, environment, fibers, framework, global environmental governance, ingestion, marine protected areas, marine reserve, microbeads, ocean governance, patterns, plastics industry, recycling	Environmental governance
6	14	Cyan	Added value, agreement, carbon lock-in, clean-up technology, climate, energy, externalities, industry, innovation policies, marine, plastics treaty, regulations, technology, transition	Technology
7	14	Orange	BBNJ, bycatch, climate-change, conservation, fisheries, global ocean, governance, impacts, labor, marine biodiversity, marine fisheries management maritime, protected areas, tuna, UNCLOS	Marine biodiversity
8	13	Brown	International regimes, Kyoto, Montreal protocol, negotiations, oceans, plastics, politics, pollution, prevention, production, regime formation, treaty, virgin	Global environmental politics
9	12	Purple	Activism, bags, civil society, distributive justice, global environmental politics, global south, international legal instruments, marginalized communities, need, plastics governance, policies, procedural justice	Distributive justice
10	11	Pink	Arctic, circular economy, extended producer responsibility, global plastic governance, international legally binding instrument on plastics, plastic waste, port reception facilities, regional action plans, shipping, stakeholder integration, United Nations environment assembly	Stakeholder integration
11	11	Light green	Abandoned lost or otherwise discarded fishing gear, anthropogenic litter, beach debris, citizen science, derelict fishing gear, global trends, increase, marine litter, mitigate, polar regions, sea	Anthropogenic litter
12	11	Light blue	Aarhus Convention, agenda setting, ideology, nano plastics, non-state actors, participation, plastic treaty, principle 10, Rio Declaration, risk, UNEA 5	Environmental law
13	10	Beige	Circularity, consumer perceptions, household waste generation, impact, perceptions, recycling rate, single-use, single-use plastics, sustainable consumption, waste	Consumption and plastic waste production
14	7	Light purple	Cross-sectoral, disaster lens, global instrument, health, life cycle, multi-instrument benefits, plastic pollution	Disaster lens

(Figure 3). The association among some keywords in particular will be discussed in the following lines.

In Figure 3a, there is a strong association between keywords 'threat' and 'additives'. Because the treaty emphasizes polymer recycling as part of the circular economy, some additives, such as pro-degrading agents, can harm the recycling process and the quality of the recycled material (please note the small distance between 'plastic additives' and 'plastic recycling' in Figure 3b). These additives accelerate the degradation of the chemical structure of fossil-based polymers, leading to the formation of inorganic particles and molecules with lower molecular weight that are non-biodegradable and contribute to the environmental pollution. These additives can degrade the polymer matrix in recycling procedures, resulting in a decrease in the technical quality of the

recycled materials (Hann et al., 2016; European Commission, 2018), as well as exposing workers to hazardous additives, potentially causing illness (Wang and Praetorius, 2022). Certain entities within the plastics industry in Brazil (Associação Brasileira da Indústria do Plástico – ABIPLAST) have taken a stance opposing the use of such chemicals (ABIPLAST 2015). "Considering that degradation in the environment is not an environmentally appropriate solution for waste management, ABIPLAST does not recommend the use of plastic materials with pro-degrading additives in the manufacture of bags or other plastic products, with the promise that they are 'environmentally friendly'" (ABIPLAST 2015). Some scientists argue that chemicals found in plastics must be considered an essential component for the efficiency of the Global Plastics Treaty (Wang and Praetorius, 2022, 2022a; UNEP,

2022b). Furthermore, as mentioned before, EDCs found in plastics, such as bisphenols, have been linked to health problems in the reproductive, metabolic, thyroid, immunological and neurological systems (Flaws et al., 2020; Landrigan et al., 2023a).

Recycled plastics should not be used in certain applications, such as toys and food packaging, due to the presence of hazardous chemicals (Geueke et al., 2023). Using recycled plastics in food applications is particularly challenging due to non-intentionally added substances (NIAS) such as reaction and degradation products and impurities. Based on some authors (Geueke et al., 2018), NIAS levels can get higher in recycled food packaging due to several reasons: (i) materials indicated to be recycled may contain inherent contaminants such as dyes, additives, and their degradation products; (ii) the material may degrade during use and/or recycling; (iii) chemicals can accumulate when materials are recycled multiple times; (iv) unwanted and/or unexpected contaminants may be present due to past misuse of the packaging; and (v) non-food grade materials may enter the recycling stream.

According to Geueke et al. (2023), the chemical migration of additives in plastic food contact materials is evident, but more information is required. Monomers of some polymers may also migrate because of degradation during mechanical recycling. So, “plastic reuse and recycling become vectors for spreading chemicals of concern” (Geueke et al., 2023). Therefore, some formulations have a lower recycling rate, which contributes to plastic pollution. Thus, it is essential to review the use of additive to ensure that recycling and the use of recycled plastics are not compromised. Uncontrolled utilization of additives might also affect the circular economy, which is vital for mitigating plastic pollution (de Sousa, 2024b). The literature argues for the inclusion of additives in the Global Plastics Treaty (Dey et al., 2022; Grabiell et al., 2022; Stöfen-O’Brien, 2022; Wang and Praetorius, 2022; Fernandez and Trasande, 2023; Filella and Turner, 2023; Kurniaty et al., 2023; Maes et al., 2023; Tilsted et al., 2023; Wang et al., 2023; Landrigan et al., 2023b, 2023a; Brander et al., 2024; Gündoğdu et al., 2024; Trasande et al., 2024).

In addition, keywords in the enlarged group (Figure 3a), such as ‘additives’ and ‘durable plastics’, are considered threats to the Montreal Protocol and Vienna Convention (Andersen et al., 2021). The Montreal Protocol on Substances that Deplete the Ozone Layer (Montreal Protocol) protects the Earth from climate change because ozone-depleting substances (ODSs) are the strongest GHGs. By reducing the availability of ODS and hydrofluorocarbon (HFC) feedstocks, there is a decrease in the production of plastics, leading to a reduction in plastic pollution. Therefore, it is important to consider limiting exemptions related to ODS and HFC feedstocks to address plastic pollution during the manufacturing process (Andersen et al., 2021).

Regarding climate change, the subject is a concern of the literature analyzed (emerging trend or hotspot, Figure 1), and one of the detected directions addresses how climate change affects agronomy (Figure 2 and Table 2). As mentioned before, plastics emit GHGs at every life cycle stage, from extraction to end-of-life (Ford et al., 2022). They contribute approximately 4.5% of global GHGs emissions throughout their life cycle (Cabernard et al., 2021). The plastic manufacturing industry contributes approximately 3.7% of the total GHGs emissions worldwide (Landrigan et al., 2023a). At the end-of-life stage, plastics are responsible for approximately 9% of the total GHGs emissions released over their entire lifespan (Zheng and Suh, 2019). During the degradation of plastics in water, they emit GHGs such as CO<sub>2</sub> (carbon dioxide) or CH<sub>4</sub> (methane), which influence climate change. In the atmosphere, CH<sub>4</sub> has a global

warming potential that is 21 times greater than CO<sub>2</sub> (Ackerman, 2000). Some plastics, such as polyethylene, degrade and release ethylene and CH<sub>4</sub> when exposed to solar radiation, which produces direct and indirect GHGs emissions. Polyethylene is the primary source of both gases (Royer et al., 2018). Furthermore, MPs in the ocean may hamper the ability of the ocean to fix carbon as an indirect contribution of plastics to climate change (Shen et al., 2020). Degradation also affects the leaching of the additives present in plastic formulations.

The anticipated increase in plastic manufacturing is expected to project approximately 56 billion Mt. of carbon dioxide equivalent (CO<sub>2e</sub>) in GHGs emissions between 2015 and 2050, accounting for 10–13% of the total remaining carbon budget (Hamilton and Feit, 2019). Therefore, if the expected rise in production takes place without intervention (OECD, 2022), there will be a corresponding surge in GHGs emissions, further intensifying the effects of climate change. Thus, the literature proposes a ‘cap’ for the manufacture of plastics (Cowan and Tiller, 2021; Simon et al., 2021; Bergmann et al., 2022; Walker, 2023; Landrigan et al., 2023b, 2023a).


All keywords containing the term ‘treaty’ were analyzed separately (Figure 3b-f).

In the same group of keywords enlarged in Figure 3a, there is a keyword related to the term ‘treaty’, i.e., ‘global plastic treaty’. It is located at the center of the group of keywords present in Figure 3b. Links a and b are links to the keyword ‘threat’ and ‘pollution’, respectively. In this group, some recycling possibilities are observed, with a greater connection between the keywords ‘waste pyrolysis oil’, ‘biodegradable plastics’, ‘plastic processing aids’ and ‘opportunities’. Thus, the current literature emphasizes recycling as an opportunity for the Global Plastics Treaty.

Plastic recycling is a well-recognized solution for reducing the socio-environmental issues caused by improper plastic disposal. Multiple choices are available for recycling a given polymeric material, with each method having its own advantages and disadvantages (de Sousa, 2021a). According to the Mindereroo Foundation (Charles and Kimman, 2023), mechanical recycling reduces cradle-to-grave emissions by at least 30–40% compared to the production of polymers from fossil fuels. In other words, in terms of GHGs emissions, the efficiency of producing new plastics from recycled plastic packaging materials is more than three times higher than that of producing the same products from original raw materials (Shen et al., 2020). However, some authors point out many cons of plastics recycling, which will be briefly presented in the sequence.

Concerning mechanical recycling, despite being a sustainable practice, it can result in low-quality plastics (virgin plastic material can only be recycled 2–3 times due to thermal degradation, which reduces its strength with each recycling process (Singh et al., 2017)), as well as is costly and energy-intensive (Zheng and Suh, 2019). Therefore, it is advisable to use renewable energy sources, which would also cause a 77% decrease in GHGs emissions (Zheng and Suh, 2019). Additionally, it usually generates odorous emissions while processing waste plastics and soil contaminants that impact human and environmental health (Gu et al., 2017). Another issue is that grinding, which is a part of the process, releases plastic micro-particles into the environment (Brown et al., 2023). The main contributors to environmental impacts are extrusion and additives (Gu et al., 2017).

As illustrated in Figure 3b and Table 2, the Global Plastics Treaty presents both opportunities and challenges. Given its multidisciplinary nature, the entire scientific community has the opportunity to collaborate to advance this field.



**Figure 3.** Connections of the keywords: (a) threat, (b) global plastic treaty, (c) global plastics treaty, (d) plastics treaty, (e) plastic treaty, and (f) treaty.

In Figure 3c, the keyword ‘global plastics treaty’ has a strong connection with the keywords ‘mesoplastics’, ‘the Bahamas’ and the Caribbean Small Island Developing States (SIDS) (keyword ‘Caribbean SIDS’). There are possibilities for developing standardized monitoring of MPs and mesoplastics by the Caribbean SIDS to collect data that might support the Global Plastics Treaty negotiations (Ambrose and Walker, 2023). The inclusion of MPs in the current negotiations of the plastics treaty among member states of the United Nations is recognized at an international level (Ambrose and Walker, 2023). Therefore, these keywords demonstrate the

interest of SIDS in implementing an ambitious Global Plastics Treaty to reduce plastic pollution (IUCN, 2023). Additionally, as observed in a recent work (de Sousa, 2024b), literature recommends that MPs be included in negotiations and in the final treaty (Stöfen-O’Brien, 2022; Ambrose and Walker, 2023; Eriksen et al., 2023; Landrigan et al., 2023b, 2023a).

Figure 3d shows a strong association between keywords ‘plastics treaty’ and ‘clean-up technologies’. Observing the high correlation between the keywords ‘treaty’ and ‘citizen science’ is interesting. Citizen science is the joint work of amateurs and professional



scientists to collect data for a scientific study. They do this using participatory methods created by citizens or by working with professional researchers to involve more people in environmental management (SIBBr *n.d.*). Moreover, in the background of Figure 3d, it is possible to observe the proximity between ‘citizen science’ and ‘extended producer responsibility’. Extended producer responsibility is an important aspect for achieving a circular economy. The circular economy promotes the reduction of energy and raw material inputs, closing cycles in industrial systems and minimizing waste (Geueke et al., 2018). Reverse logistics operate sequentially, with the consumer playing a crucial role in ensuring the effective operation of this process. The close relationship between ‘extended producer responsibility’ and ‘citizen science’ highlights the value of citizen involvement in scientific efforts, leading to increased knowledge and active participation in society. This involvement is achieved by fulfilling their roles in reverse logistics and compliance with the extended producer responsibility.

In Figure 3e, the keyword ‘plastic treaty’ is mainly connected to the ‘Aarhus Convention’, which is the United Nations Economic Commission for Europe (UNECE) Convention on Access to Information, Public Participation in Decision-Making, and Access to Justice in Environmental Matters (Aarhus Convention) (UNECE, *n.d.-b*). This Convention “protects every person’s right to live in an environment adequate to his or her health and well-being” (UNECE, *n.d.-a*). This segment of the network map addresses the Global Plastics Treaty from an environmental justice perspective. Some authors (Akrofi et al., 2022) argue that Principle 10 of the Rio Declaration, which lays down the ‘pillars of environmental democracy’ (i. access to environmental information, ii. participation in decision-making processes on environmental issues, and iii. access to administrative and judicial proceedings), is not implemented in any multilateral environmental agreements. At this time, the most solid expression of Principle 10 was found in the 1998 Aarhus Convention. Therefore, the Global Plastics Treaty may present ideal opportunity to apply Principle 10 to address an intricate environmental governance concern such as plastic pollution.

The keyword ‘treaty’ in Figure 3f is close to the keyword ‘pollution’. It shows the treaty internationally, correlating with the Montreal Protocol, global trends, global instruments and international regimes. This also demonstrates the connection between the life cycle of plastic materials and health. As it is a keyword highlighted in the literature owing to its more centralized position on the map, it demonstrates that the Global Plastics Treaty is understood as a solid opportunity to reduce plastic pollution.

The keywords ‘recycling’ and ‘plastic recycling’ are present in clusters 5 and 3, respectively. As shown in Figure 4a, there is a connection between the keywords ‘microplastic’ and ‘recycling’, which means the presence of MPs in the waters may be a consequence of a lack of plastic recycling.

‘Plastic recycling’ (Figure 4b) is very close to the keyword ‘global plastic treaty’, showing itself as an ally. However, recycling continues to be a marginal activity in the plastics industry. In general, plastic recycling still faces multiple challenges, as discussed previously. The literature (direction technology in Table 2) shows that technology needs to be developed to improve the recycling processes of different types of plastic to have a better overall advantage. Regardless, the most effective approach for mitigating plastic pollution is to reduce its source.

The keywords ‘single-use’ and ‘single-use plastics’ are in cluster 13, a group of keywords completely isolated from other clusters. These keywords (Figure 4c) are connected to keywords such as ‘consumer perceptions’, ‘impact’, ‘circularity’ and ‘household generation’. In addition, keywords presented in the same cluster, such

as ‘sustainable consumption’, ‘perceptions’ and ‘recycling rates’, are not connected with ‘single-use’ and ‘single-use plastics’. Based on this, it is evident that the literature should take action on this topic because the majority of plastic debris in water bodies comes from single-use plastics, such as food and beverage containers (Börger et al., 2023). Single-use plastics represent approximately 50% of all plastic marine litter (European Union, 2019). Additionally, as observed in a recent work (de Sousa, 2024b), literature recommends to be included in the negotiations and final treaty, a clause that prohibits or significantly limits the production and use of superfluous, preventable and troublesome plastic products, particularly single-use and synthetic microbeads (Andersen et al., 2021; Grabiell et al., 2022; Smith et al., 2023; Tilsted et al., 2023; Landrigan et al., 2023a). Thus, gaps in plastic recycling have been identified concerning the Global Plastics Treaty, which allows the scientific community to participate in expanding this area.

In the thematic map of the authors’ keywords (Supplementary Figure S5), four quadrants are shown: niche themes (upper left), motor themes (upper right), emerging or declining themes (lower left) and basic themes (lower right). This map presents the main research topics related to the Global Plastics Treaty, according to Bibliometrix (because the methodology is different from VOSviewer, the number of clusters differs from that in Figure 2. However, the trend is the same). The dimensions of the spheres are proportional to the number of keywords or subjects in the cluster.


In Supplementary Figure S5, the motor themes are plastic, Arctic, marine litter and circular economy (green cluster); pollution, plastics, treaty and UNCLOS (blue cluster); and plastic pollution, litter and monitoring (red cluster). These themes are well-developed and important to the structure of the research field (Kafi et al., 2023). They are considered hotspots in the literature on the Global Plastics Treaty. Circular economy has a high degree of relevance and development. Therefore, it is a relevant point in the literature on the Global Plastics Treaty because it is considered a possible solution to plastic pollution (de Sousa 2021a, 2023c).

It is well established that the entire planet is experiencing adverse effects of plastic pollution. Nevertheless, areas with fragile ecosystems, such as the Arctic, seem to be heavily impacted (Vanderzwaag, 2024). It is a region in the world where plastic pollution tends to accumulate (Cowan et al., 2023a). Some authors have argued that, only aluminum and glass are collected in separate containers in Svalbard, with plastic and general waste collected together as burnable waste (Cowan et al., 2023a).

The emerging or declining themes are plastic treaty (brown cluster, Supplementary Figure S5); marine plastic pollution (orange cluster, Supplementary Figure S5); and climate change (purple cluster, Supplementary Figure S5). These themes are minimal and under-developed (Kafi et al., 2023). However, this thematic map fails to show whether a study topic is emerging or declining (Wijaya et al., 2023).

In the overlay visualization (Supplementary Figure S6), the keywords in green to yellow are novel or emerging themes, whereas those in blue to green are old or declining. As observed in Supplementary Figure S5, plastic treaty, marine plastic pollution and climate change are in the emerging/declining quadrant. From the overlay visualization, it is possible to observe that climate change is blue, so it is a declining theme; plastic treaty (and all the keywords containing the term ‘treaty’ analyzed in Figure 3) are green or yellow, *i.e.*, these themes are emerging, and marine plastic pollution is yellow, which is also an emerging theme.

In general, the oldest themes (blue to green) are closer to each other, indicating a stronger connection, while the youngest themes (green to yellow) are further apart (Supplementary Figure S6). It



**Figure 4.** Connections of the keywords: (a) 'recycling', (b) 'plastic recycling', and (c) 'single-use' and 'single-use plastics'.

could be argued that as negotiations on the treaty progress, new concerns arise, resulting in the inclusion of novels from different fields. Despite being an interdisciplinary field, there is still a need for collaboration across its different clusters, particularly in the green to yellow directions (Supplementary Figure S6), emphasizing substantial opportunities for future research endeavors.

## Conclusions

The present study thoroughly analyzed the literature on the Global Plastics Treaty available in the Web of Science database, identifying trends and gaps that require further investigation. The main emerging trend and topic is plastic pollution, and mitigation of plastic pollution constitutes the treaty's primary goal. The main observed gaps are the overall lack of connections among the different directions of the literature and the low cooperation among the authors as

a whole. The directions include: effects of climate change on agronomy, international policy design on plastics, threats and challenges, monitoring, environmental governance, technology, marine biodiversity, global environmental politics, distributive justice, stakeholder integration, anthropogenic litter, environmental law, consumption and plastic waste production, and disaster lens. Other gaps were also mentioned throughout the text in different literature directions, and regardless of the direction, all the gaps may serve as a guide for future studies.

In terms of sources, the most relevant journals regarding the number of articles published are Environmental Science & Policy and Marine Policy. The USA, the UK and the University of British Columbia in Canada are the most productive countries and affiliation. The most productive author is Dauvergne, but Stofen-O'Brien and Tiller have the highest impact. Regarding articles, all of the most often cited articles analyze the future of plastic concerning current agreements.

In this area filled with possibilities and challenges, I hope that this work inspires researchers to collaborate in developing literature related to the Global Plastics Treaty.

**Open peer review.** To view the open peer review materials for this article, please visit <http://doi.org/10.1017/plc.2024.32>.

**Supplementary material.** The supplementary material for this article can be found at <http://doi.org/10.1017/plc.2024.32>.

**Author contribution.** F. D. B. de Sousa wrote and proofread the manuscript for language editing.

**Competing interest.** The author declares no competing interests.

**Ethics statement.** This article does not include human participants or biological material data.

## References

- ABIPLAST (2015) Posicionamento da ABIPLAST com relação aos aditivos pró-degradantes incorporados aos materiais plásticos. Retrieved November 14, 2023, from [www.abiplast.org.br/wp-content/uploads/2019/03/Aditivos-Pró-Degradantes-Posicionamento-da-ABIPLAST.pdf](http://www.abiplast.org.br/wp-content/uploads/2019/03/Aditivos-Pró-Degradantes-Posicionamento-da-ABIPLAST.pdf).
- ABIPLAST (2023) Perfil 2022 – The Plastic Transformation and Recycling Industries in Brazil. Retrieved from [https://www.abiplast.org.br/wp-content/uploads/2023/09/perfil\\_2022\\_en.pdf](https://www.abiplast.org.br/wp-content/uploads/2023/09/perfil_2022_en.pdf).
- Ackerman F (2000) Waste management and climate change. *Local Environment: The International Journal of Justice and Sustainability* 5(2), 223–229.
- Akrofi DF, Shang P and Ciesielczuk J (2022) Reconsidering approaches towards facilitating non-state actors' participation in the global plastics regime. *European Journal of Legal Studies* 14(2), 121–140.
- Ambrose KK and Walker TR (2023) Identifying opportunities for harmonized microplastics and mesoplastics monitoring for Caribbean Small Island developing states using a spatiotemporal assessment of beaches in South Eleuthera, the Bahamas. *Marine Pollution Bulletin* 193. <http://dx.doi.org/10.1016/j.marpolbul.2023.115140>.
- Andersen SO, Gao S, Carvalho S, et al. (2021) Narrowing feedstock exemptions under the Montreal protocol has multiple environmental benefits. *Proceedings of the National Academy of Sciences of the United States of America* 118 (49). <http://doi.org/10.1073/pnas.2022668118>.
- Andrews JE (2003) An author co-citation analysis of medical informatics. *Journal of the Medical Library Association* 91(1), 47.
- Aria M, Misuraca M and Spano M (2020) Mapping the evolution of social research and data science on 30 years of social indicators research. *Social Indicators Research* 149(3), 803–831.
- Bergmann M, Almroth BC, Brander SM, et al. (2022) A global plastic treaty must cap production. *Science* 376(6592), 469–470.
- Bernhard GH, Neale RE, Barnes PW, et al. (2020) Environmental effects of stratospheric ozone depletion, UV radiation and interactions with climate change: UNEP environmental effects assessment panel, update 2019. *Photochemical & Photobiological Sciences* 19(5), 542–584.
- Börger T, Hanley N, Johnston RJ, et al. (2023) Equity preferences and abatement cost sharing in international environmental agreements. *American Journal of Agricultural Economics*. <http://doi.org/10.1111/ajae.12392>.
- Brander SM, Senathirajah K, Fernandez MO, et al. (2024) The time for ambitious action is now: Science-based recommendations for plastic chemicals to inform an effective global plastic treaty. *Science of the Total Environment* 949, 174881.
- Brown E, MacDonald A, Allen S and Allen D (2023) The potential for a plastic recycling facility to release microplastic pollution and possible filtration remediation effectiveness. *Journal of Hazardous Materials Advances* 10, 100309.
- Cabernard L, Pfister S, Oberschelp C and Hellweg S (2021) Growing environmental footprint of plastics driven by coal combustion. *Nature Sustainability* 5(2), 139–148.
- Carrión-Mero P, Montalván-Burbano N, Morante-Carballo F, Quesada-Román A and Apolo-Masache B (2021) Worldwide research trends in landslide science. *International Journal of Environmental Research and Public Health* 18(18), 9445.
- Charles D and Kimman L (2023) Plastic Waste Makers Index 2023 – Minderoo Foundation. Retrieved from [https://cdn.minderoo.org/content/uploads/2023/02/04205527/Plastic-Waste-Makers-Index-2023.pdf?\\_gl=1\\*76ds6f\\*\\_ga\\*NTcwNTQ2MDMxLjE3MDAwNzc1MjM.\\*\\_ga\\_MFMM3WMMTC\\*MTcwMDA3NzUyMy4xLjAuMTcwMDA3NzUyMy42MC4wLjA](https://cdn.minderoo.org/content/uploads/2023/02/04205527/Plastic-Waste-Makers-Index-2023.pdf?_gl=1*76ds6f*_ga*NTcwNTQ2MDMxLjE3MDAwNzc1MjM.*_ga_MFMM3WMMTC*MTcwMDA3NzUyMy4xLjAuMTcwMDA3NzUyMy42MC4wLjA).
- Cowan E and Tiller R (2021) What shall we do with a sea of plastics? A systematic literature review on how to pave the road toward a global comprehensive plastic governance agreement. *Frontiers in Marine Science* 8, 798534.
- Cowan E, Setsaas L and Nørstebo VS (2023a) End of life at the top of the world —Stakeholder perspectives for plastics and circular transitions in the Arctic. *Journal of Environmental Studies and Sciences*. <http://doi.org/10.1007/s13412-023-00845-6>.
- Cowan E, Tiller R, Oftebro TL, Throne-Holst M and Normann AK (2023b) Orchestration within plastics governance – From global to Arctic. *Marine Pollution Bulletin* 197, 115635.
- Dauvergne P (2018) Why is the global governance of plastic failing the oceans? *Global Environmental Change* 51, 22–31.
- de Oliveira OJ, da Silva FF, Juliani F, et al. (2019) Bibliometric method for mapping the state-of-the-art and identifying research gaps and trends in literature: An essential instrument to support the development of scientific projects. In Kunosic S and Zerem E (eds.), *Scientometrics Recent Advances*, Vol. 1. London: IntechOpen, pp. 1–21.
- de Sousa FDB (2021a) Management of plastic waste: A bibliometric mapping and analysis. *Waste Management & Research: The Journal of the International Solid Wastes and Public Cleansing Association*, ISWA 39(5), 664–678.
- de Sousa FDB (2021b) The role of plastic concerning the sustainable development goals: The literature point of view. *Cleaner and Responsible Consumption* 3, 100020.
- de Sousa FDB (2022) A simplified bibliometric mapping and analysis about sustainable polymers. *Materials Today: Proceedings* 49, 2025–2033.
- de Sousa FDB (2023a) Consumer awareness of plastic: An overview of different research areas. *Circular Economy and Sustainability*. <http://doi.org/10.1007/s43615-023-00263-4>.
- de Sousa FDB (2023b) The impact of plastic during the COVID-19 pandemic: The point of view of the environmental science literature. *Materials Today: Proceedings* 80, 1448–1455.
- de Sousa FDB (2023c) Plastics: Sustainable development goals and circular solutions. In Ghosh SK and Eduljee G (eds.), *The Circular Economy: Meeting Sustainable Development Goals*. London: The Royal Society of Chemistry, pp. 165–179.
- de Sousa FDB (2024a) Plastic effects on marine and freshwater environments. *Water Biology and Security*, 3(1), 100228.
- de Sousa FDB (2024b) Will the global plastics treaty break the plastic wave? The beginning of a long discussion road. *Cambridge Prisms: Plastics* 2, e16.
- Dey T, Trasande L, Altman R, et al. (2022) Global plastic treaty should address chemicals. *Science* 378(6622), 841–842.
- Eriksen M, Cowger W, Erdle LM, et al. (2023) A growing plastic smog, now estimated to be over 170 trillion plastic particles afloat in the world's oceans—Urgent solutions required. *PLoS One* 18(3), e0281596.
- European Commission (2018) Report from the Commission to the European Parliament and the Council on the Impact of the Use of Oxo-degradable Plastic, Including Oxo-degradable Plastic Carrier Bags, on the Environment, Brussels. Retrieved from <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:52018DC0035>.
- European Union (2019) Directive (EU) 2019/904 of the European Parliament and of the Council of 5 June 2019 on the Reduction of the Impact of Certain Plastic Products on the Environment. Retrieved February 22, 2021, from <https://eur-lex.europa.eu/eli/dir/2019/904/oj>.
- Fernandez MO and Trasande L (2023) The global plastics treaty: An endocrinologist's assessment. *Journal of the Endocrine Society* 8(1). <http://doi.org/10.1210/JENDSO/BVAD141>.
- Filella M and Turner A (2023) Towards the global plastic treaty: A clue to the complexity of plastics in practice. *Environmental Sciences Europe* 35(1), 1–7.

- Finska L and Howden JG** (2018) Troubled waters - where is the bridge? Confronting marine plastic pollution from international watercourses. *Review of European, Comparative and International Environmental Law* 27(3), 245–253.
- Flaws J, Damdimopoulou P, Patisaul HB, Gore A, Raetzman L and Vandenberg LN** (2020) *Plastics, EDCs & Health: A Guide for Public Interest Organizations and Policy-Makers on Endocrine Disrupting Chemicals & Plastics*. Endocrine Society and IPEN. <https://www.endocrine.org/topics/edc/plastics-edcs-and-health>
- Ford HV, Jones NH, Davies AJ, et al.** (2022) The fundamental links between climate change and marine plastic pollution. *Science of the Total Environment* 806, 150392.
- García-Vazquez E, García-Ael C and Topa G** (2021) On the way to reduce marine microplastics pollution. Research landscape of psychosocial drivers. *Science of the Total Environment* 799, 149384.
- Geueke B, Groh K and Muncke J** (2018) Food packaging in the circular economy: Overview of chemical safety aspects for commonly used materials. *Journal of Cleaner Production* 193, 491–505.
- Geueke B, Phelps DW, Parkinson LV and Muncke J** (2023) Hazardous chemicals in recycled and reusable plastic food packaging. *Cambridge Prisms: Plastics* 1, e7.
- Geyer R, Jambeck JR and Law KL** (2017) Production, use, and fate of all plastics ever made. *Science Advances* 3(7), e1700782.
- Grabiél T, Gammage T, Perry C and Dixon C** (2022) Achieving sustainable production and consumption of virgin plastic polymers. *Frontiers in Marine Science* 9. <http://doi.org/10.3389/fmars.2022.981439>.
- Gu F, Guo J, Zhang W, Summers PA and Hall P** (2017) From waste plastics to industrial raw materials: A life cycle assessment of mechanical plastic recycling practice based on a real-world case study. *Science of the Total Environment* 601–602, 1192–1207.
- Gündoğdu S, Bour A, Köşker AR, et al.** (2024) Review of microplastics and chemical risk posed by plastic packaging on the marine environment to inform the global plastics treaty. *Science of the Total Environment* 946, 174000.
- Hamilton LA and Feit S** (2019) Plastic & Climate: The Hidden Costs of a Plastic Planet. Retrieved from <https://coilink.org/20.500.12592/qctxbd> on 09 Sep 2024. COI: 20.500.12592/qctxbd.
- Hann S, Ettlinger S, Gibbs A and Hogg D** (2016) The Impact of the Use of “Oxo-degradable” Plastic on the Environment. Retrieved from <https://op.europa.eu/en/publication-detail/-/publication/bb3ec82e-9a9f-11e6-9bca-01aa75ed71a1/language-en?ref=PDF>.
- Hassouni KE, Belkadi B, Filali-Maltouf A, et al.** (2019) Loci controlling adaptation to heat stress occurring at the reproductive stage in durum wheat. *Agronomy* 9(8), 414.
- Huang Z, Weng Y, Shen Q, Zhao Y and Jin Y** (2021) Microplastic: A potential threat to human and animal health by interfering with the intestinal barrier function and changing the intestinal microenvironment. *Science of the Total Environment* 785, 147365.
- Huang D, Zhang Y, Long J, et al.** (2022) Polystyrene microplastic exposure induces insulin resistance in mice via dysbacteriosis and pro-inflammation. *Science of the Total Environment* 838, 155937.
- IUCN** (2023) Small Island Developing States Call for Ambitious Global Plastics Treaty – INC-2 Paris. Retrieved February 11, 2023, from <https://www.iucn.org/story/202306/small-island-developing-states-call-ambitious-global-plastics-treaty-inc-2-paris>.
- Junaïd M, Siddiqui JA, Sadaf M, Liu S and Wang J** (2022) Enrichment and dissemination of bacterial pathogens by microplastics in the aquatic environment. *Science of the Total Environment* 830, 154720.
- Kafi A, Zainuddin N, Saifudin AM, et al.** (2023) Meta-analysis of food supply chain: Pre, during and post COVID-19 pandemic. *Agriculture and Food Security* 12(1). <http://doi.org/10.1186/s40066-023-00425-5>.
- Khan SA** (2020) Clearly hazardous, obscurely regulated: Lessons from the Basel convention on waste trade. *AJIL Unbound* 114, 200–205.
- Kirk EA** (2020) The Montreal protocol or the Paris agreement as a model for a plastics treaty? *AJIL Unbound* 114, 212–216.
- Kurniaty R, Widagdo S, Madjid YR, Kharji RRA and Putri AI** (2023) Policy formulation for managing ship-generated plastic waste via improved port reception facility governance. *Indonesian Journal of International Law* 20(4), 775–804.
- Landrigan PJ, Raps H, Cropper M, et al.** (2023a) The Minderoo-Monaco commission on plastics and human health. *Annals of Global Health* 89(1). <http://doi.org/10.5334/AOGH.4056>.
- Landrigan P, Symeonides C, Raps H and Dunlop S** (2023b) The global plastics treaty: Why is it needed? *The Lancet* 402(10419), 2274–2276.
- Liu S, Li H, Wang J, Wu B and Guo X** (2022) Polystyrene microplastics aggravate inflammatory damage in mice with intestinal immune imbalance. *Science of the Total Environment* 833, 155198.
- Maes T, Preston-Whyte F, Lavelle S, et al.** (2023) A recipe for plastic: Expert insights on plastic additives in the marine environment. *Marine Pollution Bulletin* 196. <http://doi.org/10.1016/j.marpolbul.2023.115633>.
- Montenegro M, Vianna M and Teles DB** (2020) Atlas do plástico 2020: Fatos e números sobre o mundo dos polímeros sintéticos, Rio de Janeiro. Retrieved from <https://br.boell.org/sites/default/files/2020-11/AtlasdoPlástico-ver-sãodigital-30denovembro-de-2020.pdf>.
- Fujita MSL and Tartarotti RCD** (2020) Análise de palavras-chave da produção científica de pesquisadores: o autor como indexador. *Informação & Informação* 25(3), 332–374.
- Mukherjee D, Lim WM, Kumar S and Donthu N** (2022) Guidelines for advancing theory and practice through bibliometric research. *Journal of Business Research* 148, 101–115.
- Nikolic S, Gazdic-Jankovic M, Rosic G, et al.** (2022) Orally administered fluorescent nanosized polystyrene particles affect cell viability, hormonal and inflammatory profile, and behavior in treated mice. *Environmental Pollution* 305, 119206.
- Northern SL, Nieminen LK, Cunsolo S, Iorfa SK, Roberts KP and Fletcher S** (2023) From shops to bins: A case study of consumer attitudes and behaviours towards plastics in a UK coastal city. *Sustainability Science* 18(3), 1379–1395.
- O’Meara N** (2023) Human rights and the global plastics treaty to protect health, ocean ecosystems and our climate. *The International Journal of Marine and Coastal Law* 38(3), 480–515.
- OECD** (2022) *Global Plastics Outlook – Policy Scenarios to 2060*. OECD.
- Ortuño Crespo G, Mossop J, Dunn D, et al.** (2020) Beyond static spatial management: Scientific and legal considerations for dynamic management in the high seas. *Marine Policy* 122, 104102.
- Plastics – The Fast Facts 2023** (2023). Plastics Europe. Retrieved from <https://plasticseurope.org/knowledge-hub/plastics-the-fast-facts-2023/>
- Prata JC, da Costa JP, Lopes I, Duarte AC and Rocha-Santos T** (2020) Environmental exposure to microplastics: An overview on possible human health effects. *Science of the Total Environment* 702, 134455.
- Ramos-Rodríguez AR and Ruíz-Navarro J** (2004) Changes in the intellectual structure of strategic management research: A bibliometric study of the strategic management journal, 1980–2000. *Strategic Management Journal* 25(10), 981–1004.
- Rawle DJ, Dumenil T, Tang B, et al.** (2022) Microplastic consumption induces inflammatory signatures in the colon and prolongs a viral arthritis. *Science of the Total Environment* 809, 152212.
- Reddy S and Lau W** (2020) Breaking the Plastic Wave: Top Findings for Preventing Plastic Pollution. Retrieved November 15, 2023, from <https://www.pewtrusts.org/en/research-and-analysis/articles/2020/07/23/breaking-the-plastic-wave-top-findings>.
- Royer SJ, Ferrón S, Wilson ST and Karl DM** (2018) Production of methane and ethylene from plastic in the environment. *PLoS One* 13(8), e0200574.
- Secretariat of the Convention on Biological Diversity** (2016) Marine Debris: Understanding, Preventing and Mitigating the Significant Adverse Impacts on Marine and Coastal Biodiversity. Retrieved from <https://www.cbd.int/doc/publications/cbd-ts-83-en.pdf>.
- Shen M, Huang W, Chen M, Song B, Zeng G and Zhang Y** (2020) (Micro)plastic crisis: Un-ignorable contribution to global greenhouse gas emissions and climate change. *Journal of Cleaner Production* 254, 120138.
- SIBBR** (n.d.) O que é ciência cidadã – Sistema de informação sobre a biodiversidade Brasileira. Retrieved February 11, 2023, from <https://sibbr.gov.br/ciencia-cidadada/oquee.html?lang=pt-BR>.
- Simon N, Raubenheimer K, Urho N, et al.** (2021) A binding global agreement to address the life cycle of plastics. *Science* 373(6550), 43–47.

- Singh N, Hui D, Singh R, Ahuja IPS, Feo L and Fraternali F** (2017) Recycling of plastic solid waste: A state of art review and future applications. *Composites Part B: Engineering* **115**, 409–422.
- Smith M, Singh H and Sherman JD** (2023) Infection prevention, planetary health, and single-use plastics. *JAMA* **330**(20), 1947–1948.
- Stöfen-O'Brien A** (2022) The prospects of an international treaty on plastic pollution. *The International Journal of Marine and Coastal Law* **37**(4), 727–740.
- Tessnow-von Wysocki I and Le Billon P** (2019) Plastics at sea: Treaty design for a global solution to marine plastic pollution. *Environmental Science and Policy* **100**, 94–104.
- Tiller R and Nyman E** (2018) Ocean plastics and the BBNJ treaty—Is plastic frightening enough to insert itself into the BBNJ treaty, or do we need to wait for a treaty of its own? *Journal of Environmental Studies and Sciences* **8**(4), 411–415.
- Tiller R, Booth AM and Cowan E** (2022) Risk perception and risk realities in forming legally binding agreements: The governance of plastics. *Environmental Science and Policy* **134**, 67–74.
- Tilsted JP, Bauer F, Deere Birkbeck C, Skovgaard J and Rootzén J** (2023) Ending fossil-based growth: Confronting the political economy of petrochemical plastics. *One Earth* **6**(6), 607–619.
- Tong X, Li B, Li J, et al.** (2022) Polyethylene microplastics cooperate with *Helicobacter pylori* to promote gastric injury and inflammation in mice. *Chemosphere* **288**, 132579.
- Trasande L, Krithivasan R, Park K, Obsekov V and Belliveau M** (2024) Chemicals used in plastic materials: An estimate of the attributable disease burden and costs in the United States. *Journal of the Endocrine Society* **8**(2). <http://doi.org/10.1210/JENDSO/BVAD163>.
- Tripathi M, Kumar S, Sonker SK and Babbar P** (2018) Occurrence of author keywords and keywords plus in social sciences and humanities research: A preliminary study. *Collnet Journal of Scientometrics and Information Management* **12**(2), 215–232.
- UNECE (n.d.-a) Introduction: Aarhus Convention and Protocol on PRTRs. Retrieved February 11, 2023, from <https://unece.org/environment-policy/public-participation/aarhus-convention/introduction>.
- UNECE (n.d.-b) Text of the Convention. Retrieved February 11, 2023, from <https://unece.org/environment-policy/public-participation/aarhus-convention/text>.
- UNEP (2021) *From Pollution to Solution: A Global Assessment of Marine Litter and Plastic Pollution*. Retrieved from <https://www.unep.org/interactives/pollution-to-solution/>.
- UNEP (2022a) UNEP/PP/INC.1/11. Retrieved November 15, 2023, from <https://wedocs.unep.org/bitstream/handle/20.500.11822/40721/K2221859-UNEP-PP-INC.1-11-ADVANCE.pdf>.
- UNEP (2022b) UNEP/PP/INC.1/7. Retrieved November 15, 2023, from <https://wedocs.unep.org/bitstream/handle/20.500.11822/41166/K2221533-UNEP-PP-INC.1-7-AMENDED-ADVANCE-14.10.2022.pdf>.
- UNEP (2024) *Revised Draft Text of the International Legally Binding Instrument on Plastic Pollution, Including in the Marine Environment*. United Nations Environment Programme. Retrieved from: <https://wedocs.unep.org/bitstream/handle/20.500.11822/44526/RevisedZeroDraftText.pdf>
- United Nations Environment Programme** (2022a) Historic Day in the Campaign to Beat Plastic Pollution: Nations Commit to Develop a Legally Binding Agreement. Retrieved November 14, 2023, from <https://www.unep.org/news-and-stories/press-release/historic-day-campaign-beat-plastic-pollution-nations-commit-develop>.
- United Nations Environment Programme** (2022b) UNEA Resolution 5/14. United Nations Environment Programme. Retrieved from: <https://wedocs.unep.org/bitstream/handle/20.500.11822/44526/RevisedZeroDraftText.pdf>
- Vanderzwaag DL** (2024) Tinkering while the Arctic marine environment totters: Governance and the triple polar crisis. *Environmental Policy and Law* **54**(2–3), 141–153.
- Walker TR** (2023) The tropics should not become the world's plastic pollution problem. *Journal of Tropical Futures: Sustainable Business, Governance & Development*. <http://doi.org/10.1177/27538931231165273>.
- Wang Z and Praetorius A** (2022) Integrating a chemicals perspective into the global plastic treaty. *Environmental Science & Technology Letters* **9**, 1000–1006.
- Wang M, Carlini G and Wang Z** (2023) Major international negotiations on chemicals and waste for researchers from all disciplines to watch for in 2023. *Environmental Science and Technology Letters* **10**(5), 392–394.
- Weber A, Schwiebs A, Solhaug H, et al.** (2022) Nanoplastics affect the inflammatory cytokine release by primary human monocytes and dendritic cells. *Environment International* **163**, 107173.
- Wijaya A, Setiawan NA and Shapii MI** (2023) Mapping research themes and future directions in learning style detection research: A bibliometric and content analysis. *Electronic Journal of E-Learning* **21**(4), 274–285.
- Xu D, Ma Y, Han X and Chen Y** (2021) Systematic toxicity evaluation of polystyrene nanoplastics on mice and molecular mechanism investigation about their internalization into Caco-2 cells. *Journal of Hazardous Materials* **417**, 126092.
- Yang S, Cheng Y, Chen Z, et al.** (2021) In vitro evaluation of nanoplastics using human lung epithelial cells, microarray analysis and co-culture model. *Ecotoxicology and Environmental Safety* **226**, 112837.
- Yuan Z, Nag R and Cummins E** (2022) Human health concerns regarding microplastics in the aquatic environment – From marine to food systems. *Science of the Total Environment* **823**, 153730.
- Zhao L, Shi W, Hu F, Song X, Cheng Z and Zhou J** (2021) Prolonged oral ingestion of microplastics induced inflammation in the liver tissues of C57BL/6J mice through polarization of macrophages and increased infiltration of natural killer cells. *Ecotoxicology and Environmental Safety* **227**, 112882.
- Zheng J and Suh S** (2019) Strategies to reduce the global carbon footprint of plastics. *Nature Climate Change* **9**(5), 374–378.
- Zheng H, Wang J, Wei X, Chang L and Liu S** (2021) Proinflammatory properties and lipid disturbance of polystyrene microplastics in the livers of mice with acute colitis. *Science of the Total Environment* **750**, 143085.