

Original Research

Cite this article: Wu M, Li X, Wang Y and Xu L (2024). Investigation and Analysis of Disaster Preparedness among Nurses in Chinese Non-First-tier (Inland) Cities: A Case Study from Yongcheng City, Henan Province. *Disaster Medicine and Public Health Preparedness*, **18**, e342, 1–10
<https://doi.org/10.1017/dmp.2024.300>

Received: 15 June 2024

Accepted: 18 October 2024

Keywords:

disaster nursing; disaster preparedness; featured training; nursing role; non-first-tier (inland) cities in China

Corresponding authors:

Li Xu and Xueyan Li;

Emails: jjashuran0330@163.com;

yoyolixueyan@163.com

*These authors contributed equally to this work as first authors.

Investigation and Analysis of Disaster Preparedness among Nurses in Chinese Non-First-tier (Inland) Cities: A Case Study from Yongcheng City, Henan Province

Min Wu^{1,4*}, Xueyan Li² , Yanshen Wang^{1*} and Li Xu³

¹School of Medicine, Tongji University, Shanghai 200092, China; ²Nursing Department, Shanghai East Hospital, Tongji University School of Medicine, Shanghai 200120, China; ³Department of Neurosurgery, Shanghai East Hospital, Tongji University School of Medicine, Shanghai 200120, China and ⁴Intensive Care Unit, Central Hospital of Yongcheng, Yongcheng 476600, China

Abstract

Objectives: Compared with first-tier cities in China that are of abundant funds and resources like legions of high-level hospitals, the degree of nurses' disaster nursing preparedness in non-first-tier cities (inland) is relatively lower. For example, nurses' knowledge reserve of specific disasters is not comprehensive enough. And nurses are diffident when it comes to the skills of handling disaster rescue. Furthermore, their understanding of the roles to take in disaster coordination management is ambiguous. Conquering these challenges could be conducive to the improvement of local medical staffs' confidence and capabilities in disaster relief. Consequently, the objective of this research is to probe for approaches of improving the strategies of disaster nursing in Chinese small cities.

Methods: In order to ascertain the factors that influence disaster preparedness, a cross-sectional study with SPSS 25.0 data analysis method is adopted. The sample of the study is nursing personnel from 4 comprehensive hospitals at or above the second level in Yongcheng, Henan Province, China, as nurses are first-line responders in disasters and pandemics and the largest group in disaster rescue.

Results: From 813 distributed questionnaires, 784 completed questionnaires were returned, for a response rate of 96.43%. The total average score of the Disaster Preparedness Evaluation Tool is 146.76 ± 34.98 , and the average score of all the entries is 3.26 ± 0.45 , indicating moderate performance. The results indicate that age affects post disaster management ($P < 0.05$), meaning that as age increases, the scores also tend to be higher. Work experience, professional titles, disaster relief experience, and disaster training significantly differ in terms of knowledge, skills, post disaster management, and total scores ($P < 0.01$). The result of multivariate analysis indicates that titles, disaster relief experiences, and disaster training are the main factors affecting the disaster preparedness of nurses in Chinese non-first-tier (inland) cities ($P < 0.05$).

Conclusions: For the sake of upgrading the efficiency of disaster nursing preparedness in Chinese non-first-tier (inland) cities with limited funds and resources, it is very important to formulate training and education methods that are suitable for the local area, conduct characteristic simulation exercises, and expand experience exchange between hospitals. It's certain that the local government will also play an important role in coordinating and organizing the division of labor, resource allocation, and management of hospitals at all levels in different phases of disasters, which can help nursing staff have a clearer understanding of their roles when preparing for disasters.

© The Author(s), 2025. Published by Cambridge University Press on behalf of Society for Disaster Medicine and Public Health, Inc. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.



Disaster is defined by the Asian Disaster Reduction Center as “a serious disruption of the functioning of society, causing widespread human, material, or environmental losses that exceed the ability of affected society to cope using only its resources.”¹ They are most often characterized by being unexpected, unpredictable, uncertain, and unplanned. The increase in population, resource scarcity, and escalating conflicts has increased both man-made and natural disasters around the world.² As the global effects of climate change are felt more intensively, so too are the human and economic consequences of catastrophic disaster events.³ Every year, millions of people across the world are being affected by floods, landslides, cyclones, hurricanes, tornados, tsunamis, volcanic eruptions, earthquakes, wildfires, or human-made disasters. In the past 10 years, 83% of all disasters triggered by natural hazards were caused by extreme weather and climate-related events.⁴ Asia has suffered the highest number of disaster events. In total, there were 3068 disasters occurring in Asia from 2000-2019. China reported the highest number of disaster events (577 events).⁵

A disaster is not just a single event but has 3 phases: pre-incident, incident, and post-incident. To decrease the impact of the disaster throughout its different phases, numerous nursing activities are required, including prevention or mitigation, preparedness, response, recovery, and reconstruction or rehabilitation.⁶ Based on the International Strategy for Disaster Reduction (UNISDR 2011), preparedness is “the knowledge and capacities developed by governments, professional response and recovery organizations, communities and individuals to effectively anticipate, respond to, and recover from, the impacts of likely, imminent or current hazard events or conditions.”⁷ Hospitals are the basic infrastructure for disaster response. While they themselves are exposed to disasters, they also play an important role during the disaster response period.⁸ A lack of preparedness was a major contributor to the struggles experienced by health care facilities around the world. Items such as personal protective equipment (PPE) for health care workers, hospital equipment, sanitizing supplies, toilet paper, and water were in short supply. These deficiencies were exposed by COVID-19 and have prompted health care organizations around the world to invent new essential plans for pandemic preparedness.⁹ There is considerable evidence that preparedness for disasters in front line and non-front line hospitals is sub-optimal.^{10–12} Most felt “not really” prepared or “unsure” about their preparedness to respond to a disaster.

Because disaster strikes without warning, all health care providers, especially nurses, must be prepared with appropriate skills and resources for disaster procedures and management during the 3 phases of disaster.¹³ The International Council of Nurses (ICN) emphasizes that disaster preparedness and response should be a part of nurses’ knowledge and skills, making nurses’ training in disaster management a globally agreed upon requirement (ICN, 2006).¹⁴ Nurses are usually the first health professionals to meet patients during a disaster event. There is a formal global consensus that nurses require some knowledge of disaster management, leading to the development of the disaster nursing concept that stresses the need to improve nurses’ competencies in such situations.¹⁵

Rural communities are heavily impacted by natural disasters and have different health care needs than urban communities.¹⁶ In large and high-level cities in China like Shanghai, the disaster preparedness is comprehensive and extensive, which can also be described as broad and refined. With the scientific layout and establishment of emergency medical rescue base, training base, major infectious disease prevention and control base and nuclear treatment base, an emergency medical rescue system based in Shanghai that can serve all parts of the country has basically formed. Nevertheless, in Chinese small cities such as many of those in Henan Province with mountainous areas accounting for 47% of the total area of the province and spanning the 4 major river basins of the Hai River, Yellow River, Yangtze River, and Huai River, are influenced by complex weather systems. Due to the impact of rainfall, underlying surface environment and human activities, flash floods occur frequently in Henan Province, which also leads to frequent gas and roof accidents in this coal producing province. An extremely heavy rainstorm disaster happened on July 20, 2021 in Zhengzhou, Henan Province and caused a total of 14 786 million people in 150 counties (cities and districts) to be affected; 398 people died and disappeared due to the disaster. The cross-country marathon held in Baiyin, Gansu Province resulted in 21 deaths and 8 injuries for encountering extreme weather. Therefore, it’s particularly necessary for these places to improve certain capacities of disaster preparedness in response to natural disasters. Disasters

magnify and more fully expose these health care disparities.¹⁷ Regarding the disaster preparedness of nurses, research in China mainly focuses on emergency departments and emergency rescue teams in tertiary hospitals, with very little concern about survey data on disaster preparedness of nurses in county-level hospitals. When serious disasters occur, whether they be natural disasters or large-scale epidemics, they tend to have more serious impacts in small cities with relatively poorer disaster preparedness. The city of Yongcheng in Henan Province, where the author works, is in the easternmost part of Henan Province, with a population of 1.68 million and a total area of 2020 square kilometers. It is rich in mineral resources. This study focuses on 4 hospitals in Yongcheng, Henan Province, 2 of which are tertiary hospitals and serve as Yongcheng’s main medical care and emergency centers. The other 2 are secondary first-class hospitals and are affiliated with a group. There is no medical college in Yongcheng. The aim is to understand the current status of disaster preparedness and influencing factors among nurses in county-level hospitals in China. It is hoped that through data analysis and dissection of the local actual situation, references for the cultivation of qualified nursing talent teams for disaster rescue in county-level hospitals can be provided to explore strategies for improving disaster nursing in small cities in China.

Objectives

The aim of this study was to understand the current status and influencing factors of disaster preparedness among nurses in non-first-tier (inland) cities, explore strategies for improving disaster nursing in small cities in China and provide a reference basis for the development of training programs for the disaster rescue nursing workforce.

Methods

Design and Participants

A cross-sectional research design was used. Nursing personnel from 4 comprehensive hospitals at or above the second level in Yongcheng were selected from 0:00 to 24:00 on April 14, 2023.

Participant Recruitment

Inclusion criteria: 1. Nurses who have obtained a nurse qualification certificate and have worked in the unit for at least 1 year. 2. Nurses who agree to participate in this study.

Instrument Development (Validity and Reliability)

Survey instrument

Demographics A self-designed questionnaire for general information was used, which included gender, age, current education background, years of work experience, professional title, disaster relief participation experience, disaster training participation, and other survey items.

Disaster Preparedness Evaluation Tool (DPET) DPET¹⁸ chosen in this research is the scale for nurses’ disaster preparedness that was first created by Tichy and Bond, introduced into Jordan by Al Khalailah in 2010,¹⁹ accepted for localization and revision, and was later Sinicized by Li Zhen in 2013. This questionnaire includes with a total of 45 survey entries. The scale ranges from strongly disagree to strongly agree, with scores ranging from 1-6 and a total score of

45-270. Cronbach's alpha of this scale is 0.91 in China, which has good reliability in statistics.

Data Collection Questionnaires were distributed by researchers on site to various departments, and the nurses in the department completed them within the specified time of 20-30 minutes. After that, questionnaires were collected on site.

Data Analysis SPSS 25.0 data analysis method is adopted. The enumeration data is expressed in frequency and percentage. Measurement data is represented by "mean \pm standard deviation." *T* test is used for comparison between 2 groups, and analysis of variance is used for comparison between multiple groups. The influencing factors are analyzed using multiple linear regression analysis. *P* < 0.05 indicates that the difference is statistically significant.

Ethical Approval The Ethics Committee of Shanghai East Hospital approved the study. All participants were provided a description of the study and informed that participation was voluntary and anonymity assured.

Results

Demographic and work-related characteristics are summarized in Table 1.

A total of 813 questionnaires were distributed. Having excluded 12 questionnaires with identical answer options and 17 questionnaires with incomplete information, 784 valid questionnaires were finally returned, for an effective questionnaire response rate of 96.43%.

Score of Nurses' Disaster Preparedness Survey

The total average score of the disaster preparedness questionnaire for 784 nurses is (146.76 \pm 34.98) and the average score of all the entries is (3.26 \pm 0.45), indicating moderate performance. The scores for each dimension are shown in Table 2A and 2B. Figure 1 is the distribution chart of disaster preparedness score frequencies of nursing personnel.

An average score of 1-2.99 (total score of 45-134) indicates nonperformance, an average score of 3-4.99 (total score of 135-224) equates to moderate performance, and an average score of 5-6 (total score of 225-270) denotes proficient ranking. The overall distribution is shown in Figure 1. The entry with the highest score (4.39 \pm 1.03) is "I know the limits of my knowledge, skills, and authority as an RN to act in disaster situations, and I would know when I exceed them," while the lowest score (2.48 \pm 1.14) lies in "I am familiar with the main Groups (A, B, C) of biological weapons (Anthrax, Plague, Botulism, Smallpox, etc.), their signs and symptoms, and effective treatments." The specific scores for some entries are shown in Table 3 from low to high

Single Factor Analysis of Nurses' Disaster Preparedness

We set the general information of the respondents as independent variables and analyzed the differences in disaster preparedness scores across different dimensions and characteristics compared to the nurses' total scores. The results indicate that age affects disaster management (*P* < 0.05), meaning that as age increases, the scores also tend to be higher. Work experience, professional titles, disaster relief experience, and disaster training significantly differ in terms of disaster knowledge, skills, management scores, and total scores (*P* < 0.01). Details are demonstrated in Table 4.

Table 1. Demographic and work-related characteristics of nurses (*n* = 784)

Variables	<i>n</i>	%
Gender		
Male	34	4.3
Female	750	95.7
Age		
\leq 25 years	57	7.3
26~35years	585	74.6
\geq 36 years	142	18.1
Current education background		
Junior college	209	26.7
Undergraduate or above	575	73.3
Years of work experience		
\leq 5 years	125	16
6~10 years	437	55.7
\geq 11 years	222	28.3
Professional title		
Nurse	103	13.1
Nurse Practitioner	407	51.9
Supervisor Nurse or above	274	35.0
Department		
Emergency Department	67	8.5
Intensive Care Medicine Department	119	15.2
Surgical Department	185	23.6
Internal Medicine	200	25.5
OB-GYN	90	11.5
Pediatrics	75	9.6
Others	48	6.1
Hospital level		
Tertiary hospital	383	48.9
Secondary hospital	401	51.1
Having experienced the disaster response		
Yes	166	21.2
No	618	78.8
Has participated in the training of disaster nursing specialist nurse		
Yes	462	58.9
No	322	41.1

Multivariate Analysis of Nurses' Disaster Preparedness

We set the total score of disaster preparedness as the dependent variable and general information of survey subjects as independent variables. Four variables including years of work, title, disaster relief experience, and disaster training were introduced into the regression equation. The result indicates that titles, disaster relief experiences, and disaster training are the main factors affecting the disaster preparedness of nurses in county-level hospitals (*P* < 0.05). Details are demonstrated in Table 5.

Table 2A. Scores of nurses' disaster preparedness in various dimensions. (categorize by content points, $\bar{x} \pm s$)

Dimension	Items	Score Range	Dimension Score	Entry Score
Knowledge	13	20~76	45.19 ± 9.86	3.48 ± 0.30
Skills	11	11~61	34.65 ± 8.98	3.15 ± 0.39
Post disaster management	21	27~110	66.92 ± 16.57	3.19 ± 0.51
total Score	45	58~236	146.76 ± 34.98	3.26 ± 0.45

Table 2B. Scores of nurses' disaster preparedness in various dimensions (classified by stage; points, $\bar{x} \pm s$)

Dimension	Items	Score range	Dimension score	Entry score
Pre-disaster Preparedness	25	37~143	84.23 ± 1.25	3.37 ± 0.43
Response	14	15~75	45.63 ± 11.28	3.26 ± 0.39
Recovery stage	6	6~30	16.89 ± 4.78	2.82 ± 0.42
total Score	45	58~236	146.76 ± 34.98	3.26 ± 0.45

Discussion

Nurses play various roles at each stage of a disaster, including as caregivers, rescuers, educators, coordinators, and managers.²⁰ There have been reports on relevant studies in China and other countries around the world that nurses play a crucial role in disaster management before, during or after a disaster while also facing some challenges.^{21–24}

Results show that the overall level is relatively moderate to low, which indicates a significant gap compared to some foreign developed countries such as the United States, Japan, Australia,²⁵ Singapore, Germany, Saudi Arabia,²⁶ and major domestic cities like Shanghai (199.78±54.51) and Beijing (201.84±38.97) in terms of disaster preparedness.²⁷ The scores are also lower than those from cities in Hubei and Sichuan provinces in China, which have scores of 187.60±40.45 (results from Chinese literature). Analyzing by

dimension, the score for Knowledge (3.48±0.30) was the highest. When broken down by phase, the score for Recovery stage was extremely low (2.82±0.42), significantly under-performing in comparison to Pre Disaster Preparedness and Response.

Entries with the highest score are “I know the limits of my knowledge, skills, and authority as an RN to act in disaster situations, and I would know when I exceed them” and “I participate in disaster drills or exercises at my workplace (clinic, hospital, etc.) on a regular basis.” This is closely related to the Chinese experience of gradually attaching importance to and establishing a disaster relief system following the 2008 Wenchuan earthquake and the recent COVID-19 pandemic in the years 2019 to 2020. Whereas entries like “I would be considered a key leadership figure in my community in a disaster situation,” “I am familiar with what the scope of my role as a registered nurse in a postdisaster situation would be” and “I am familiar with the main Groups (A, B, C) of biological weapons (Anthrax, Plague, Botulism, Smallpox, etc.), their signs and symptoms, and effective treatments” are of the lowest scores. Among them, except for the last entry which may be related to the currently stable social environment in China and that biochemical threats are rare, the direct causes of the former 2 should be related to nursing staffs' lack of clarity about their roles at various stages of disasters and a lack of confidence. The indirect reasons leading to this outcome may have a tight bond with the education, training, drills, and management systems for nurses in disaster nursing.

Overall, factors such as nursing seniority (years of service and professional title), experience in disaster relief, and disaster training influence scores, but nurses working in emergency departments and ICUs do not have an advantage in scoring. This is inconsistent with some domestic studies, which show that emergency and ICU nurses in many cities receive broader and more frequent disaster-related training. This indirectly suggests that the 4 hospitals in Yongcheng may not be adequately implementing nurse training programs, nor are they conducting stratified training.

Yongcheng is typical of non-first-tier (inland) cities in China, so the sample surveyed here can represent the nursing level in most small cities in China. Following the analysis of survey data, it is more appropriate to develop and implement strategies for the preparation of disaster nursing in a step-by-step and context-specific manner. We aimed to explore strategies from 4 aspects:

Strategy 1. An education in comprehensive knowledge is necessary for nursing professionals. Disaster rescue knowledge cannot


**Figure 1.** Distribution chart of disaster preparedness score frequencies of nursing personnel.

Table 3. Scores of nurses' disaster preparedness in each item (points, $\bar{x}\pm s$)

Items	Dimension	Score points, $\bar{x}\pm s$
I am familiar with the main Groups (A, B, C) of biological weapons (Anthrax, Plague, Botulism, Smallpox, etc.), their signs and symptoms, and effective treatments	Post-disaster management	2.48 \pm 1.14
I am familiar with what the scope of my role as a registered nurse in a postdisaster situation would be	Post-disaster management	2.49 \pm 1.14
I would be considered a key leadership figure in my community in a disaster situation	Skills	2.50 \pm 1.15
I participate in peer evaluation of skills on disaster preparedness and response	Post-disaster management	2.51 \pm 1.13
I participate/have participated in creating new guidelines, emergency plans, or lobbying for improvements on the local or national level	Skills	2.52 \pm 1.14
I can discern the signs and symptoms of Acute Stress disorder and Post Traumatic Stress Disorders (PTSD)	Post-disaster management	2.53 \pm 1.14
I am aware of what the potential risks in my community are (e.g., earthquake, floods, terror, etc.)	Skills	2.53 \pm 1.15
I am familiar with how to perform focused health assessment for PTSD	Post-disaster management	2.53 \pm 1.15
I feel confident recognizing differences in health assessments indicating potential exposure to biological or chemical agents	Post-disaster management	2.54 \pm 1.15
I am familiar with psychological interventions, behavioral therapy, cognitive strategies, support groups and incident debriefing for patients who experience emotional or physical trauma	Post-disaster management	2.55 \pm 1.29
I have participated in emergency plan drafting and emergency planning for disaster situations in my community	Knowledge	2.75 \pm 0.68
I consider myself prepared for the management of disasters	Skills	3.23 \pm 1.04
In case of bioterrorism/biological or chemical attacks, I know how to execute decontamination procedures	Skills	3.33 \pm 1.14
I am familiar with the local emergency response system for disasters	Skills	3.38 \pm 1.24
I can identify possible indicators of mass exposure evidenced by a clustering of patients with similar symptoms	Post-disaster management	3.39 \pm 1.24
I have personal/family emergency plans in place for disaster situations	Skills	3.39 \pm 1.25
I am aware of classes about disaster preparedness and management that are offered for example at either my workplace, the university, or community	Knowledge	3.40 \pm 1.25
In case of a disaster situation, I think that there is sufficient support from local officials on the county, regional, or governance level	Knowledge	3.40 \pm 1.25
I would feel confident providing education on coping skills and training for patients who experience traumatic situations, so they are able to manage themselves	Post-disaster management	3.40 \pm 1.25
I know where to find relevant research or information related to disaster preparedness and management to fill gaps in my knowledge	Knowledge	3.40 \pm 1.26
As a nurse, I would feel confident in my abilities as a direct care provider and first responder in disaster situations	Post-disaster management	3.41 \pm 1.25
As a nurse, I would feel reasonably confident in my abilities to be a member of a decontamination team	Post-disaster management	3.41 \pm 1.25
I find that the research literature on disaster preparedness and management is easily accessible	Knowledge	3.41 \pm 1.26
I am familiar with the organizational logistics and roles among local and national agencies in disaster response situations	Post-disaster management	3.42 \pm 1.23
I participate in one of the following educational activities on a regular basis: continuing education classes, seminars, or conferences dealing with disaster preparedness	Knowledge	3.42 \pm 1.27
In case of bioterrorism/biological or chemical attacks, I know how to perform focused health history and assessment, specific to the biological and chemical agents that are used	Post-disaster management	3.43 \pm 1.23
I feel confident managing (caring, evaluating) emotional outcomes for Acute Stress Disorder or PTSD following disaster or trauma in a multi-disciplinary way such as referrals, and follow-ups and I know what to expect in ensuing months	Post-disaster management	3.43 \pm 1.27
In case of bioterrorism/biological or chemical attacks, I know how to use personal protective equipment	Skills	3.44 \pm 1.24
In case of bioterrorism/biological or chemical attacks I know how to perform isolation procedures so that I minimize the risks of community exposure	Skills	3.44 \pm 1.24
I would feel confident providing patient education on stress and abnormal functioning related to trauma	Post-disaster management	3.45 \pm 1.23
I have an agreement with loved ones and family members on how to execute our personal/family emergency plans	Skills	3.45 \pm 1.24
As an RN, I would feel confident as a manager or coordinator of a shelter	Post-disaster management	3.45 \pm 1.24
I have a list of contacts in the medical or health community in which I practice. I know referral contacts in case of a disaster situation (health department, e.g.)	Knowledge	3.45 \pm 1.25
I am familiar with accepted triage principles used in disaster situations	Skills	3.45 \pm 1.25

(Continued)

Table 3. (Continued)

Items	Dimension	Score points, $\bar{x}\pm s$
I can manage the common symptoms and reactions of disaster survivors that are of affective, behavioral, cognitive, and physical nature	Post-disaster management	3.45 \pm 1.25
I know who to contact (chain of command) in disaster situations in my community	Knowledge	3.46 \pm 1.25
I find that the research literature on disaster preparedness is understandable	Knowledge	3.46 \pm 1.25
I can describe my role in the response phase of a disaster in the context of my workplace, the general public, media, and personal contacts	Post-disaster management	3.46 \pm 1.25
Finding relevant information about disaster preparedness related to my community needs is an obstacle to my level of preparedness	Knowledge	3.47 \pm 1.24
I read journal article related to disaster preparedness	Knowledge	3.55 \pm 1.15
I would feel confident implementing emergency plans, evacuation procedures, and similar functions	Post-disaster management	3.56 \pm 1.13
I feel reasonably confident I can care for patients independently without supervision of a physician in a disaster situation	Post-disaster management	3.64 \pm 0.99
I would be interested in educational classes on disaster preparedness that relate specifically to my community situation	Knowledge	3.83 \pm 1.25
I participate in disaster drills or exercises at my workplace (clinic, hospital, etc.) on a regular basis	Knowledge	4.18 \pm 0.65
I know the limits of my knowledge, skills, and authority as an RN to act in disaster situations, and I would know when I exceed them	Post-disaster management	4.39 \pm 1.03

solely rely on accumulated experience and training. Rather, it should commence from the foundational education as part of a systematic learning process.

By 2008, 7 nursing schools, including Columbia University School of Nursing and Johns Hopkins University School of Nursing, had made disaster nursing a major direction for master's students, with the aim of cultivating professional talents in disaster rescue and scientific research.^{28–30} These students are required to complete courses such as health management, education, domestic and international humanitarian comfort studies, emergency plan development, and disaster response studies. In the United States, disaster education content is primarily divided into theoretical knowledge related to disaster rescue and practical skills.³¹ The theoretical knowledge in disaster nursing education includes triage, monitoring rare epidemics, emergency plan development, leadership development, group collaboration, mental health care, ethics, and legal aspects. Rescue skills not only cover basic skills training in trauma treatment and first aid but also include training in using personal protective equipment in biological, nuclear events, and terrorist attacks.

In Yongcheng, as well as in most of China's coastal big cities, most nurses hold a diploma as their first academic qualification, with a 3-year program. Their basic education is relatively weak, professional course teaching progresses quickly, and the disaster rescue knowledge they learn is fragmented and unsystematic. We also found in this survey that scores for the 2 items related to PTSD were low, indicating that nurses' knowledge reserves and responses in this area are inadequate. During the disaster mitigation phase, it is crucial for nurses to pay attention to both the emotional and physical trauma of survivors and their own psychological states. Psychology courses must also be incorporated into basic education. Furthermore, entries related to bioterrorism and biochemical attacks generally scored lower in the survey. Despite the favorable social environment in China, if the influence of biological hazards or even bioterrorism spread out because of ineffective containment, it could potentially escalate into large-scale terrorist events

resulting in significant casualties. Consequently, knowledge acquisition in relevant areas should also be integrated into the curriculum of basic nursing education.

In 2015, the Disaster Professional Committee of Chinese Nursing Association organized the compilation of the textbook *Disaster Nursing*, marking a gradual advancement in disaster nursing education in China to address the current situation. However, due to a lack of corresponding faculty and supportive educational resources in China, institutions offering disaster nursing as a standalone course remain limited. Nursing institutions at all levels have begun to train disaster rescue specialist nurses and develop training courses to compensate for the deficiencies in basic education. Additionally, Tongji University's Liu Zhongmin and Wang Tao launched the nationally renowned "Escape and Self-Rescue (Chinese University MOOC)" course in Shanghai, but it was only incorporated into the curriculum for clinical medical students. Nursing education in China is divided into graduate, undergraduate, and diploma programs. It is suggested to tailor education according to different levels of academic qualifications to cultivate professional talents in disaster nursing. For nursing vocational and undergraduate students, students will be enabled to possess basic knowledge and skills in disaster nursing, so that a solid foundation for future participation in rescue practice or advanced training can be laid. For regions prone to various disasters, master's and doctoral programs in disaster nursing should be established referring to the ICN Nursing Core Competencies standards for curriculum design and regular updates with the target of setting "Disaster Nursing Core Competencies" Level II and III as training objective, emphasizing the integration of theory and practice and encouraging international academic exchanges to learn from the forefront of disaster nursing research to provide a continuous supply of emergency mid-to-high-level talents in disaster nursing for regions that are susceptible to frequent disasters comparatively in China, especially in the western regions.

Strategy 2. Maximize the scope of extensive nursing skills training and emphasize the importance of cultivating nursing leaders, as

Table 4. Single factor analysis of the total score and scores in various dimensions (points, $\bar{x}\pm s$)

Characteristics	Classification	Number of Nurses	Knowledge	Skills	Post disaster management	Total Score
Gender	Male	34	42.94 ± 6.65	32.15 ± 7.08	64.00 ± 13.19	139.09 ± 25.52
	Female	750	45.29 ± 9.98	34.76 ± 9.05	67.05 ± 16.72	147.10 ± 35.34
t			-1.962	-1.662	-1.050	-1.307
p			0.057	0.097	0.294	0.192
Age (years)	≤25	57	43.61 ± 9.62	33.09 ± 9.54	62.68 ± 16.91	139.39 ± 35.44
	26~35	585	44.99 ± 10.03	34.45 ± 9.08	66.79 ± 16.97	146.23 ± 35.67
	≥36	142	46.65 ± 9.19	36.08 ± 8.20	69.16 ± 14.44	151.89 ± 31.39
F			2.407	2.830	3.193	2.874
p			0.091	0.051	0.042	0.057
Current education background	Junior college	209	44.21 ± 9.04	34.16 ± 8.26	65.44 ± 15.44	147.83 ± 35.89
	Undergraduate or above	575	45.54 ± 10.14	34.83 ± 9.23	67.46 ± 16.96	143.80 ± 32.33
t			1.767	0.921	1.512	1.425
p			0.078	0.357	0.131	0.155
Years of work experience	≤5	125	42.52 ± 9.64	32.21 ± 9.18	61.82 ± 16.39	136.55 ± 34.62
	6~10	437	45.12 ± 9.87	34.62 ± 8.99	66.92 ± 16.65	146.66 ± 35.12
	≥11	222	46.83 ± 9.70	36.08 ± 8.59	69.79 ± 15.94	152.70 ± 33.77
F			7.778	7.547	9.430	8.680
p			<0.001	0.001	<0.001	<0.001
Professional title	Nurse	103	42.64 ± 9.90	32.27 ± 9.32	62.17 ± 16.82	137.09 ± 35.45
	Nurse Practitioner	407	44.58 ± 9.54	34.12 ± 8.74	65.86 ± 16.07	144.56 ± 33.96
	Supervisor Nurse or above	274	47.04 ± 10.06	36.32 ± 8.95	70.28 ± 16.66	153.65 ± 35.21
F			9.223	9.274	10.965	10.289
p			<0.001	<0.001	<0.001	<0.001
Disaster Relief Experience	Yes	166	48.43 ± 11.63	37.48 ± 10.33	72.72 ± 19.78	158.64 ± 41.25
	No	618	44.32 ± 9.16	33.89 ± 8.43	65.36 ± 15.27	143.56 ± 32.43
t			-4.221	-4.129	-4.453	-4.360
p			<0.001	<0.001	<0.001	<0.001
Disaster Training	Yes	462	46.20 ± 9.65	35.52 ± 8.71	68.45 ± 16.17	150.18 ± 34.05
	No	322	43.74 ± 10.02	33.39 ± 9.23	64.72 ± 16.95	141.85 ± 35.80
t			-3.465	-3.283	-3.117	-3.297
p			0.001	0.001	0.002	0.001
Department	Emergency Department	67	46.40 ± 9.34	35.39 ± 8.35	68.82 ± 14.53	150.61 ± 31.38
	Intensive Care Medicine Department	119	44.03 ± 8.14	33.85 ± 8.16	65.80 ± 15.02	143.68 ± 30.77
	Surgical Department	185	45.01 ± 9.87	34.21 ± 8.89	66.70 ± 17.03	145.92 ± 35.37
	Internal Medicine	200	45.80 ± 10.55	35.38 ± 9.61	67.67 ± 17.68	148.84 ± 37.46
	OB-GYN	90	45.36 ± 10.81	34.83 ± 9.73	66.68 ± 17.40	146.87 ± 37.74
	Pediatrics	75	43.93 ± 8.81	33.72 ± 7.72	65.15 ± 15.04	142.80 ± 31.21
	Others	48	46.17 ± 11.27	33.35 ± 9.91	68.02 ± 17.72	149.54 ± 38.47
F			0.861	0.712	0.490	0.633
p			0.524	0.640	0.816	0.704
Hospital level	Tertiary hospital	383	45.28 ± 9.808	34.87 ± 8.857	67.18 ± 16.645	147.33 ± 35.012
	Secondary hospital	401	45.11 ± 9.938	34.44 ± 9.105	66.68 ± 16.544	146.22 ± 35.021
t			-0.240	-0.675	-0.423	-0.441
p			0.810	0.500	0.672	0.659

Table 5. Multiple linear regression analysis of factors influencing nurses' disaster preparedness

Variable	<i>b</i> value	SE	Standard coefficient	<i>t</i>	<i>P</i> value	95%CI lower limit	95%CI upper limit
Constant term	100.869	7.646	—	13.192	<0.001	85.860	115.879
Years of work	4.781	2.819	0.089	1.696	0.090	-0.753	10.315
title	4.997	2.396	0.094	2.085	0.037	-0.293	9.701
Disaster relief experience	12.627	3.091	0.147	4.084	<0.001	-6.518	6.449
Disaster training	5.929	2.569	0.083	2.307	0.021	6.559	18.696

it's accepted that training paramedics in disaster response is an essential part of preparedness within the disaster management cycle.³²

Currently, the training of core disaster nursing skills for junior nurses relies solely on traditional materials such as PowerPoint presentations and literature, combined with practical training in skills like CPR. This method of training is far from sufficient for adequately preparing nurses to respond to disaster situations. County-level cities like Yongcheng have limited funds available for disaster preparedness. As a result, laying emphasis on training related to potential disasters in the local context can make nursing training within hospitals or collaborations between hospitals more effective. For instance, in areas prone to earthquakes, mudslides, and collapses, hospitals can prioritize training in skills such as fracture immobilization, hemostasis, and bandaging. In regions near industrial zones like chemical and petroleum facilities, it is essential to concentrate on training for prevention of inhalation, mitigation of radiation exposure, and handling of poisoning and burns. For serious epidemics, natural disasters, biological accidents or attacks, chemical accidents or attacks, explosions/combustion accidents or attacks, and nuclear/radioactive accidents, approaches like online training and remote lectures by inviting experts from major cities can be applied.

Since its inception in 2018, the National Virtual Simulation Experimental Teaching Course Sharing Platform in China has significantly advanced the field of online experimental teaching. This platform now boasts 4790 experimental centers across 12 disciplines, including 658 in medicine, marking a qualitative leap in online experimental education. The platform is focused on enhancing emergency core competencies by fully simulating urgent and complex situations, facilitating scenario simulations, investigative deductions, and immersive experiences. Notable virtual simulations include "Emergency Handling of a Sudden Plague Outbreak" and "Key Technologies for Health Emergency Handling of Biological Terror Attacks in Public Places," with over 10 000 training sessions completed to date. However, the primary users have been students enrolled in medical universities. There is a growing need to make these resources available to a broader audience, particularly for continuing education among graduates.

Except for this, given the complex nature of disaster rescue operations which often involves multiple casualties, challenging conditions, and heavy treatment tasks, rescue team members are required to have comprehensive capabilities that are specialized and versatile. In the face of disaster, individual capabilities seem insignificant, and skills can become non-standard in emergency states. Therefore, good nursing team cooperation is extremely important. Nurses make up 50% of disaster relief teams, and we recommend selecting excellent professionals with strong emergency skills, such as those in emergency and intensive care, to be

trained as nursing leaders who can oversee the reasonable allocation of nursing staff, detail responsibilities, and enhance treatment efficiency. Training programs like the American Heart Association's ACLS and TEAMSTEPPS are recommended for team training and have already been implemented in many cities across China.

Strategy 3. Explore the implementation of disaster simulation training between urban areas. From the survey analysis in this research, it is evident that nursing personnel with disaster relief experience generally exhibit a higher level of disaster preparedness compared to their counterparts without such experience. We believe that inter-city disaster simulation training is a way to improve the disaster preparedness level of nursing staff.

In May 2018, Chinese disaster prevention and emergency alliance was established by the efforts of 10 first level-rated medical health associations and societies. The experts agree that the Chinese disaster medical rescue system should start before the disaster, emphasize action during the disaster, and extend care after the disaster. The current situation in Yongcheng's hospitals is that disaster training exercises are isolated, fragmented, and conducted on a small scale. There is an urgent need to develop integrated and comprehensive inter-city joint simulation training programs. Such collaborative initiatives would enable the pooling of resources and expertise, fostering a more unified and effective approach to disaster preparedness.

In 2001, China established the National Earthquake Disaster Emergency Rescue Team, and since 2003, it began to plan for the establishment of a national-level health emergency team. By 2010, national administrative departments had formed 37 national health emergency rescue teams in 23 provinces across the country, for emergency response to disasters and sudden incidents, counterpart support, and health poverty alleviation. They have accumulated rich experience in emergency drill equipment, participating in practical drills for rapid response, on-site rescue, and talent and discipline construction. However, Henan Province only has 1 such team. Referring to the national-level emergency rescue team's training program and localizing it to explore and form a municipal-level regional simulation training program might be something for health department managers in cities like Yongcheng to consider. In the summer of 2023, Yongcheng City Central Hospital Medical Health Group issued an implementation plan for the establishment of a health emergency team, with 4 emergency teams under it, marking a leap in exploring regional cooperative disaster rescue models. The organizational structure is shown in the [Figure 2](#).

Strategy 4. The government and health administrative departments need to further highlight their supporting roles. In addition to enhancing the disaster rescue capabilities of medical personnel through knowledge and skills training and drills, the role of the government and health administrative departments is crucial. As




Figure 2. Emergency organization command system structure chart.

public hospitals, the government needs to allocate funds for material reserves, talent training, and project construction.

Regarding disaster rescue triage, while it may not be feasible to establish large-scale, fully functional medical rescue bases like those in major cities, county-level cities should also establish a disaster management and diversion system with tertiary hospitals (higher-level hospitals) as the central force for emergency rescue, secondary hospitals providing auxiliary support in treatment, and community hospitals serving as the main force for post-disaster rehabilitation. When higher-level hospitals are unable to immediately accommodate a large number of casualties during the disaster, experienced nursing specialists or doctors from those hospitals can coordinate with and assist lower-level hospitals to divert and manage the injured individuals. It is undeniable that in the face of disaster, managers and coordinators can be government personnel with some medical knowledge. This necessitates the identification and development of such disaster preparedness capabilities through joint participation in regular training and exercises. During the planning phase, it is essential to clarify the division of tasks among hospitals at various levels and various organizations. Coordinating task assignments and establishing an executable system require the support of the local government. To integrate emergency management and public health response more seamlessly, exercises inclusive of partner agencies as well as relevant and senior-level leaders from respective organizations may be considered.³³

In addition, the allocation of nursing resources for disaster preparedness, including human resources; material resources, such as a sufficient blood supply containing as many blood types as possible; respiratory masks; gas masks; and other special requirement supplies, as well as the turnover and timely supply of other basic medical materials, should be taken into consideration. If it's possible, coordinating and connecting with emergency teams from

other provinces to supplement and respond to particularly severe disasters can also be a method.

During the early stages of the COVID-19 pandemic in 2019, many parts of inland China experienced a shortage of medical supplies and a rapid conversion of numerous hospital resources to pandemic response, causing a halt in routine medical services and significant distress to the general public's health. Effectively allocating medical resources and making reasonable arrangements for nursing staff is a prerequisite for improving the success rate of disaster relief and serves as strong support for frontline medical personnel.

Limitations

This study surveyed nurses from 4 comprehensive hospitals at or above the second level in Yongcheng, thereby limiting the generalizability of its results to other countries or even other parts of China. This survey was cross-sectional in nature, so represents the views of the participants at the time of the survey. Further, this survey was voluntary and those who did not complete it might represent groups with different responses than those reported in this paper. Participants might represent the core competence of local nurses in Yongcheng but is not representative of the global nursing workforce. This led to a potential for selection bias, as well as the limited generalizability of the research design. We look forward to further research that addresses these deficiencies.

Conclusion

This paper presents a survey conducted on nurses from secondary or higher-level hospitals in Yongcheng City, Henan Province, China,

and discusses strategies for improving disaster preparedness. It holds certain reference significance for some key small cities in inland China, such as those with coal, petroleum, nuclear, chemical industrial zones, or tourist destinations, as well as various transportation hubs. We are also conducting interviews with nurses who have participated in disaster relief and had expected further guidance, focusing on their experiences at the disaster sites and self-evaluation with the objective of establishing appropriate and feasible nursing training programs. Additionally, regardless of natural disasters, man-made disasters, or sudden outbreaks of epidemics, how to refine responses, management, and disposal at various stages of disasters could be topics for further exploration in the future.

Author contribution. Li Xu: Conceptualization, Methodology. Min Wu: Visualization, Investigation, Data curation, Writing- Original draft preparation. Xueyan Li: Supervision, Writing- Reviewing and Editing. Yanshen Wang: Data curation, Writing- Original draft preparation, Visualization, Investigation.

Funding statement. This study was supported by grants from the National Natural Science Foundation of China (No. 82070541, 81600625, 82271406, 81771332, 81571184); the Natural Science Foundation of Shanghai (22ZR1451200), the Health Industry Clinical Research Project of Shanghai Municipal Health Commission (20204125, 201840110); the Key Disciplines Group Construction Project of Shanghai Pudong New Area Health Commission (PWZxq2022-10); the Medical Discipline Construction Project of Pudong Health Committee of Shanghai (PWYgy2021-07); the Li Jiashou Intestinal Barrier Research Foundation (LJS-201901A); the Japan-China Sasagawa Medical Fellowship; Important Weak Subject Construction Project of Shanghai Pudong New Area Health Commission (Grant No. PWZbr2022-04); the Three-Year Action Plan for Discipline Construction of School of Nursing, Tongji University (JS2210320).

Competing interest. The author(s) declare no competing interests.

References

1. **Asian Disaster Reduction Center.** Good Practices Total Disaster Risk Management. 2010. Accessed February 26, 2022. https://www.adrc.asia/publications/TDRM2005/TDRM_Good_Practices/GP2009_e.php
2. **Mahdi SS, Jafri HA, Allana R,** et al. Systematic review on the current state of disaster preparation Simulation Exercises (SimEx). *BMC Emerg Med.* 2023;23(1).
3. **Jones RL, Guha-Sapir D, Tubeuf S:** Human and economic impacts of natural disasters: can we trust the global data? *Scientific Data.* 2022;9(1).
4. **International Federation of Red Cross and Red Crescent Societies.** World Disasters Report 2020: Geneva, Switzerland; 2020. Accessed December 12, 2020. https://www.ifrc.org/sites/default/files/2021-05/20201116_WorldDisasters_Full.pdf.
5. **Munasinghe NL, O'Reilly G, Cameron P.** Establishing the domains of a hospital disaster preparedness evaluation tool: a systematic review. *Prehosp Disaster Med.* 2022;37(5):674–686.
6. **Tzeng W-C, Feng H-P, Cheng W-T,** et al. Readiness of hospital nurses for disaster responses in Taiwan: a cross-sectional study. *Nurs Educ Today.* 2016;47:37–42.
7. **UNISDR.** Proposed Updated Terminology on Disaster Risk Reduction A Technical Review; 2015. Accessed June 1, 2020. https://www.preventionweb.net/files/45462_backgroundpaperonterminologyaugust20.pdf.
8. **Azarmi S, Sharififar S, Pishgooie AH,** et al. Hospital disaster risk management improving strategies: a systematic review study. *Am J Disaster Med.* 2022;17(1):75–89.
9. **Kaye AD, Okeagu CN, Pham AD,** et al. Economic impact of COVID-19 pandemic on health care facilities and systems: international perspectives. *Best Pract Res Clin Anaesthesiol.* 2021;35(3):293–306.
10. **Biswas S, Bahouth H, Solomonov E,** et al. Preparedness for mass casualty incidents: the effectiveness of current training model. *Disaster Med Public Health Prep.* 2022;16(5):2120–2128.
11. **Khan MS, Dar O, Erondur NA,** et al. Using critical information to strengthen pandemic preparedness: the role of national public health agencies. *BMJ Glob Health.* 2020;5(9).
12. **Goniewicz K, Goniewicz M, Wloszczak-Szubda A,** et al. The importance of pre-training gap analyses and the identification of competencies and skill requirements of medical personnel for mass casualty incidents and disaster training. *BMC Public Health* 2021;21(1):114.
13. **Hugelius K, Adolfsson A.** The HOPE model for disaster nursing - a systematic literature review. *Int Emerg Nurs.* 2019;45:1–9.
14. **Koca B, Arkan G.** The effect of the disaster management training program among nursing students. *Public Health Nurs.* 2020, 37(5):769–777.
15. **Kalanlar B.** The challenges and opportunities in disaster nursing education in Turkey. *J Trauma Nurs.* 2019;26(3):164–170.
16. **Chan EYY, Man AYT, Lam HCY.** Scientific evidence on natural disasters and health emergency and disaster risk management in Asian rural-based area. *Br Med Bull.* 2019;129(1):91–105.
17. **Cornelius AP, Char DM, Doyle C,** et al. Disparities in disaster health care: a review of past disasters. *Am J Disaster Med.* 2022;17(2):171–184.
18. **Tichy M, Bond AE, Beckstrand RL,** et al. Nurse practitioners' perception of disaster preparedness education. *Am J Nurse Pract.* 2009;13(1):10–22
19. **Al Khalaleh MA, Bond AE, Beckstrand RL,** et al. The Disaster Preparedness Evaluation Tool: psychometric testing of the Classical Arabic version. *J Adv Nurs.* 2010;66(3):664–672.
20. **Labrague LJ, Hammad K, Gloe DS,** et al. Disaster preparedness among nurses: a systematic review of literature. *Int Nurs Rev.* 2018;65(1):41–53.
21. **Al Harthi M, Al Thobaity A, Al Ahmari W,** et al. Challenges for nurses in disaster management: a scoping review. *Risk Manag Healthc Policy.* 2020; 13:2627–2634.
22. **Hu Y, Hu J, Li L,** et al. Development and preliminary validation of a brief nurses' perceived professional benefit questionnaire (NPPBQ). *BMC Med Res Methodol.* 2020;20(1):18.
23. **Pourvakhshoori N, Norouzi K, Ahmadi F,** et al. Nursing in disasters: a review of existing models. *Int Emerg Nurs.* 2017;31:58–63.
24. **Alharazi A, Al Thobaity A.** From planning to execution: delving into the crucial role and challenges of HEPPUs in hospital emergency management. *Int J Disaster Risk Sci.* 2023;14(5):858–867.
25. **Brewer CA, Hutton A, Hammad KS,** et al. A feasibility study on disaster preparedness in regional and rural emergency departments in New South Wales: nurses self-assessment of knowledge, skills and preparation for disaster management. *Australas Emerg Care.* 2020;23(1):29–36.
26. **Farghaly Abdelaliem SM, Baghdadi NA, Al Anizi AS.** A cross-sectional study about nurses' and physicians' experience of disaster management preparedness throughout COVID-19. *Disaster Med Public Health Prep.* 2022;17.
27. **Wang Y, Liu Y, Yu MF,** et al. Disaster preparedness among nurses in China: a cross-sectional study. *J Nurs Res.* 2023;31(1).
28. **Tang PY, Shi N, Jiang P.** Comparison of continuing education of disaster nursing in China, U.S and Japan and its inspiration for China. World Disaster Nursing Conference, Beijing; 2014:207–209.
29. **Littleton-Kearney MT, Slepski LA.** Directions for disaster nursing education in the United States. *Crit Care Nurs Clin North Am.* 2008;20(1):103–109, viii.
30. **Du YM, Shi N, Jiang P.** Comparison of disaster nursing curriculum setting between U.S and Japan and its inspiration for China. World Disaster Nursing Conference, Beijing; 2014:100–102.
31. **Loke AY, Guo C, Molassiotis A.** Development of disaster nursing education and training programs in the past 20 years (2000–2019): a systematic review. *Nurse Educ Today.* 2021;99:104809.
32. **Horrocks P, Hobbs L, Tippett V,** et al. Paramedic disaster health management competencies: a scoping review. *Prehosp Disaster Med.* 2019;34(3):322–329.
33. **Li Y, Hsu EB, Pham N,** et al. Developing public health emergency response leaders in incident management: a scoping review of educational interventions. *Disaster Med Public Health Prep.* 2022;16(5):2149–2178.