


Amitriptyline first choice in treatment of depression



Lentizol
sustained release amitriptyline

the obvious choice of amitriptyline¹

- for your new patients
- for maintenance treatment of responders to amitriptyline
- Lentizol aids patient compliance by avoiding the need for multiple daily doses

1. Barton, J.L. and Snaith, R.P. *Curr med Res Opin.*, 1, 3, 133, 1972.

 **Lentizol**
sustained release amitriptyline

Further information is available on request
William R. Warner & Co. Ltd.
Usk Road, Pontypool, Gwent NP4 0YH

*Trade mark

6612-UK-DEC 78



New from Freeman

MEDICINE MIND AND MAN

JOHN COHEN · JOHN H CLARK
University of Manchester

Professor Cohen and Dr. Clark have set out to demonstrate the contribution modern psychology can make to the art and science of medicine. Throughout the text the clinical emphasis integrates psychology within current medical teaching, whilst special consideration is given to the importance of a humane outlook in therapist-patient relations. Here is an introduction to psychology needed by students of medicine and allied professions.

May 1979, 410 pages, hardcover £10.00, softcover £4.95

ORDER FORM Hand to bookseller, or in case of difficulty, send with payment to the address below.

Cohen and Clark:
MEDICINE,
MIND AND MAN

Please send me _____ copies hardcover @ £10.00
_____ copies softcover @ £4.95

Name Payment enclosed: £

Address

..... PM



W. H. FREEMAN AND COMPANY LIMITED
58 Kings Road, Reading, England RG1 3AA
Registered in England No. 641222. Registered office as above

NOTES FOR CONTRIBUTORS

PAPERS Papers for publication should be addressed to the Editor, Professor Michael Shepherd, Institute of Psychiatry, De Crespigny Park, Denmark Hill, London SE5 8AF. Contributors should send at least three copies of the text, tables, and figures. Copies other than the first may be xeroxed. The S.I. system should be adopted for text and figures. A short synopsis of about 50 words should be provided at the beginning of each article. Foreign quotations and phrases should be followed by a translation. Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere.

In addition to longer articles, the Editor is prepared to accept preliminary communications of between 1500 and 2000 words.

Manuscripts must be typewritten on one side of the paper in double-spacing with wide margins. The following information must be given on a single separate sheet: (1) title and short title for running head (not more than 100 characters); (2) authors' names, and (3) department in which work was done. Footnotes on the same sheet should list: (i) the authors' present addresses if different from departments in which work was done; (ii) name and address of the author to whom correspondence should be addressed; (iii) receipt of grants. Authors who would like a reprint address to be printed should include this on their manuscript.

REFERENCES (1) In the text these should follow the Harvard system – that is, name followed by date: Brown (1970). If there are more than two authors the first author's name followed by *et al.* should be used, even the first time that the reference appears. (2) The list of references should be typed in alphabetical order on a separate sheet and should appear as follows: Brown, J., Williams, E. & Wright, H. (1970). Treatment of heroin addiction. *Psychological Medicine* 1, 134–136. Journal titles should be given in full.

Books should be cited as follows: Brown, J. (1970). *Psychiatric Research*. Smith: Glasgow.

ILLUSTRATIONS Only essential figures and tables should be included. *Photographs* Unmounted photographs on glossy paper should be provided. Magnification scales, if necessary, should be lettered on these. Where possible, prints should be trimmed to column width (i.e. 70 mm). *Diagrams* These will usually be reduced to 70 mm wide. Lettering should be in either Letraset or stencil, and care should be taken that lettering and symbols are of comparable size. Illustrations should not be inserted in the text, they should be marked on the back with figure numbers, title of paper, and name of author. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in the text in Arabic numerals. The legends for illustrations should be typed on a separate sheet. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet.

PROOFS AND OFFPRINTS Page proofs will be sent to the senior author. Corrections other than printer's errors may be charged to the author. Fifty offprints of each paper are supplied free; additional offprints are available according to a scale of charges if they are ordered when the proof is returned.

Psychological Medicine

Volume 9 Number 2 May 1979

CONTENTS

EDITORIALS

- Research in psychiatry: a view from general medicine *page* 205
Epilepsy: some epidemiological aspects 207
Behavioural changes in temporal lobe epilepsy 217
- BOSS, J. M. N.
The seventeenth-century transformation of the hysteric affection, and Sydenham's Baconian medicine 221
- LEIGHTON, A. H.
Research directions in psychiatric epidemiology 235
- STEPHENSON, J. D.
Physiological and pharmacological basis for the chemotherapy of enuresis 249
- WAKELING, A., DE SOUZA, V. F. A., GORE, M. B. R., SABUR, M., KINGSTONE, D. AND BOSS, A. M. B.
Amenorrhoea, body weight and serum hormone concentrations, with particular reference to prolactin and thyroid hormones in anorexia nervosa 265
- GARNER, D. M. AND GARFINKEL, P. E.
The Eating Attitudes Test: an index of the symptoms of anorexia nervosa 273
- TOONE, B. K., COOKE, E. AND LADER, M. H.
The effect of temporal lobe surgery on electrodermal activity: implications for an organic hypothesis in the aetiology of schizophrenia 281
- WIEDEKING, C., MONEY, J. AND WALKER, P.
Follow-up of 11 XYY males with impulsive and/or sex-offending behaviour 287
- BALLINGER, C. B., BUCKLEY, D. E., NAYLOR, G. J. AND STANSFIELD, D. A.
Emotional disturbance following childbirth: clinical findings and urinary excretion of cyclic AMP (adenosine 3'5' cyclic monophosphate) 293
- RABINS P. V. AND SLAVNEY, P. R.
Hysterical traits and variability of mood in normal men 301
- MURRAY, R. M., COOPER, J. E. AND SMITH, A.
The Leyton Obsessional Inventory: an analysis of the responses of 73 obsessional patients 305
- CHICK, J. AND DUFFY, J. C.
Application to the alcohol dependence syndrome of a method of determining the sequential development of symptoms 313
- RAMA RAO, V. A. AND COPPEN, A.
Classification of depression and response to amitriptyline therapy 321
- BARETTE, J. AND MARSDEN, C. D.
Attitudes of families to some aspects of Huntington's chorea 327
- MARKS, J. N., GOLDBERG, D. P. AND HILLIER, V. F.
Determinants of the ability of general practitioners to detect psychiatric illness 337
- ROBERTSON, N. C.
Variations in referral pattern to the psychiatric services by general practitioners 355
- KEMP, I. W.
Informing the consultant psychiatrist – the problems of communication 365
- BRIEF COMMUNICATIONS
- Genetic and physical studies of male children with psychological gender disturbances
G. A. REKERS, B. F. CRANDALL, A. C. ROSEN AND P. M. BENTLER 373
Tranylcypromine ("Parnate") overdose: measurement of tranylcypromine concentrations and MAO inhibitory activity and identification of amphetamines in plasma
M. B. H. YODIM, J. K. ARONSON, K. BLAU, A. R. GREEN AND D. G. GRAHAME-SMITH 377
- CONFERENCE REPORT
- The role of depot neuroleptics in the treatment of schizophrenic patients
J. LEVINE, N. R. SCHOOLER AND G. B. CASSANO 383
- BOOK REVIEWS 387
- NOTICE 400

© Cambridge University Press 1979

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

Bentley House, 200 Euston Road, London NW1 2DB

32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge