

ARTICLE

Recognizing Indigenous Persistence by Dating Extensive Low-Density Indigenous Occupations across the AD 1480–1630 Radiocarbon Plateau in Wellfleet, Massachusetts

Christa M. Beranek , Stephen A. Mrozowski, Dennis V. Piechota, and John M. Steinberg 

Andrew Fiske Memorial Center for Archaeological Research, University of Massachusetts, Boston, MA, USA

Corresponding author: Christa M. Beranek; Email: christa.beranek@umb.edu

(Received 16 November 2023; revised 25 June 2024; accepted 11 October 2024)

Abstract

Archaeologists have relied on the presence of European material on Indigenous New England sites as the main indicator that a site was occupied during the sixteenth or early seventeenth centuries—a span often characterized as the Contact period. The AD 1480–1630 span is particularly difficult to sequence because it lies on a radiocarbon calibration plateau. Here we report on a program of AMS dating from an Indigenous site on Great Island on Cape Cod in Massachusetts that highlights evidence of widespread activity during the sixteenth and early seventeenth centuries—absent European material culture. Furthermore, the archaeological evidence indicates that a previously excavated colonial tavern in the same area on Great Island was the last in a long-term occupation in which “European contact” was not a defining event. Instead, the evidence points to a continuous Indigenous presence extending from the Middle Woodland period. Later colonial period activities, including those associated with European material, were mapped onto a long-standing Indigenous task-scape.

Resumen

Los arqueólogos han dependido de la presencia de material europeo en los sitios indígenas de Nueva Inglaterra como el principal indicador de que un sitio fue ocupado durante los siglos XVI o XVII, un período que a menudo se caracteriza como el período de Contacto. El intervalo de 1480 a 1630 dC es particularmente difícil de secuenciar debido a que se encuentra en una meseta de calibración de radiocarbono. Aquí presentamos un programa de datación por espectrometría de masas con acelerador (AMS) realizado en un sitio indígena en Great Island, Cape Cod, Massachusetts, que destaca evidencia de actividad generalizada durante los siglos XVI y XVII, en ausencia de cultura material europea. Además, la evidencia arqueológica indica que una taberna colonial excavada previamente en la misma área de Great Island fue la última en una ocupación a largo plazo en la que el “contacto Europeo” no es un evento definitorio. En cambio, la evidencia sugiere una presencia indígena continua que se extiende desde el Middle Woodland. Las actividades posteriores al período colonial, incluidas las asociadas con material europeo, se integraron en un paisaje de tareas indígenas de larga tradición.

Keywords: coastal erosion; New England; Contact period; dating and periodization; AMS dating; Indigenous sites

Palabras clave: erosión costera; Nueva Inglaterra; período de Contacto; datación y periodización; datación por AMS; sitios indígenas

One of the most profound outcomes of collaborative archaeology is a fuller understanding of the significance of the connection between deeper Indigenous pasts and Indigenous futures (Atalay 2012; Colwell-Chanthaphonh and Ferguson 2008; Gould et al. 2020). The idea that New England Indigenous history ended with the arrival of Europeans denies the presence of thousands of Indigenous peoples living throughout the region today, including both federally and state-recognized tribal groups (Den Ouden and O'Brien 2013; Gould 2013a). Extensive radiocarbon dating of deposits that span the arrival of European colonists is one way to recognize the long-term persistence of Indigenous communities through this period.

The Wampanoag of Mashpee and Gay Head Aquinnah recognize Cape Cod, Massachusetts, as their ancestral homelands. European explorers and later colonists recorded the widespread presence of Indigenous people on Cape Cod starting in the sixteenth century. Paradoxically, very few sites from the sixteenth and seventeenth centuries have been identified on Cape Cod. The sites from this period that are recorded are mostly based on collectors' files and historical accounts. Before the present work on Great Island in Wellfleet, Massachusetts, no sites were assigned to the sixteenth and seventeenth centuries on the Lower Cape based on radiocarbon dates.

The lack of well-dated sites can be tied to several factors: (1) the reliance on the presence of European material culture—what Panich and Schneider (2019:660) call “index artifacts”—to assign sites to the fifteenth through seventeenth centuries; (2) the tendency to focus archaeological investigation (and radiocarbon dating) on more intensively used sites, leaving gaps in the spatial and temporal landscape of Indigenous persistence; and (3) the use of single AMS dates to place sites into periods (Watson 2020). Without an intensive program of AMS dating, the Great Island site, which was used repeatedly over nearly 2,000 years, may have been listed without a time period because of the lack of diagnostic artifacts; a single date may have assigned it to a single century, obscuring its long and continuous use.

These factors remove sites from the archaeological understanding of the sixteenth- and early seventeenth-century landscape, leaving an artificial gap or an appearance of discontinuity in the archaeological account of Indigenous history on the Cape. Other recent studies have also called attention to the way that uncritical periodization has led to the underrepresentation of Indigenous sites in archaeological accounts in the protohistoric period (Panich and Schnieder 2019) and the nineteenth century (Beaudoin 2016). Drawing on a program of AMS dating of extensive and mostly low-density deposits from Great Island (Figure 1; Table 1) that highlights the span AD 1480–1630—a plateau in the radiocarbon calibration curve—we found evidence of continuous Indigenous activity from this period, absent European material culture. Our results also show that a colonial tavern or whaling station on Great Island (Ekholm and Deetz 1970a, 1970b) was the last in a long-term occupation in which “European contact” was not the defining event. Instead, it seems that the later Euro-American activities were mapped onto a long-standing Indigenous task-scape linked to the collecting, capturing, and processing of marine resources as part of a larger economy that sustained year-round occupation of Indigenous homelands.

If the results at Great Island are at all representative of coastal New England sites, broad periodization of sites may only play a minor role in their assessment and characterization in the future. Furthermore, those periods might be better defined by the nature of the radiocarbon calibration curve. AMS dating can be used to document a continuum of activity that spans the period before and after European arrival in the New World, rather than imposing a break at a site with a much deeper past.

Cape Cod Archaeology

The archaeology of Cape Cod is best viewed against a backdrop of more than a century of research focusing on coastal New England and New York. A review of the literature reveals immensely varied archaeological deposits ranging from large, artifact-rich, stratigraphically complex, persistent places to short-term, much less dense occupation layers (Bernstein 1993, 2002, 2006; Bradley 2005; Byers and Johnson 1940; Ceci 1984, 1990; Chilton 2012; Chilton and Doucette 2002; Dunford and O'Brien 1997; Harrington 1909, 1924; Johnson 1942; Kerber 2002; Lightfoot 1985; Lightfoot and Cerrato




Figure 1. (Top left) Outline of Massachusetts with a triangle indicating the location of Great Island; (bottom left) map of the part of Cape Cod with the four towns of the Outer Cape labeled: Great Island Site 2 is indicated by the triangle, and the CACO park boundaries are outlined in red; (right) aerial color photo (MassGIS) of Wellfleet Harbor with a triangle showing the location of Great Island Site 2. (Color online)

1989; Moffett 1946, 1957; Ritchie 1969, 1980; Skinner 1909, 1919). Our work on Great Island relied heavily on the analysis and interpretation of sites located in and around the National Seashore that received continuous archaeological attention starting in the 1980s and 1990s (Bradley 2005; Bradley et al. 1982; McManamon 1984a, 1984b, 2011, 2015; McManamon and Bradley 1988). One of the noteworthy outcomes of the sampling strategies used by McManamon and his colleagues was a detailed picture of the variability in the density and artifact richness of Indigenous deposits across lower Cape Cod (McManamon 1984a, 1984b, 2011, 2015). These deposits suggest a general movement toward year-round habitation starting with shorter-term, more frequent occupations “among a set of locations” between 6,000 and 3,000 years ago, followed by the year-round occupation of the area as evidenced by a greater number of longer-term, more dense occupations starting some 2,000 to 1,000 years ago (McManamon 2015:97).

In making this argument, McManamon and his colleagues relied on the analysis of lithic, ceramic, and faunal material from a series of archaeological sites that surround Great Island. Among the most important is the Indian Neck Ossuary that sits directly east across the harbor. McManamon and Bradley (1986:25) link “communal ossuary burials and relatively settled village life” on Cape Cod for at least the last thousand years. Five radiocarbon dates were run on three unburned bone samples from the Ossuary, leading McManamon and Bradley (1986:18–19) to argue that the ossuary was used during the tenth and eleventh centuries AD. Updated modeling of these dates (with large ranges) suggests that it was in use for at least 275 years (and perhaps much longer) during the period in which Great Island Site 2 was used (Supplemental Text 1). This long span is reinforced by the recovery of a Levanna point and a piece of copper sheet metal in the shell midden that covered the older ossuary deposits.

Table 1. Radiocarbon Dates from Great Island Site 2 with Dates That Fall in the AD 1480–1630 Plateau or “Contact Period” in Gray.

Unit	Context	UMB Sample ID	AMS Lab-Number	Sample Material	$\delta^{13}\text{C}$ (‰)	Modern Fraction	D^{14}C (‰)	^{14}C Age (^{14}C yr BP $\pm 1\sigma$)
18005	22	UMB-2020-152	Beta-569733	Charred unknown seed	91.77 ± 0.34	0.9177 ± 0.0034	-82.31 ± 3.43	690 ± 30
18012	125	UMB-2020-121	Beta-565136	Wood (oak)	99.01 ± 0.37	0.9901 ± 0.0037	-9.91 ± 3.70	80 ± 30
18013	155	UMB-2018-59	UCI-212533	Wood (unknown)	-24.7 ± 0.1	0.9619 ± 0.0021	-38.1 ± 2.1	310 ± 20
18016	148	UMB-2020-131	Beta-565146	Wood (unknown)	96.33 ± 0.36	0.9633 ± 0.0036	-36.66 ± 3.60	300 ± 30
18016	148	UMB-2018-60	UCI-212534	Wood (unknown)	-26.6 ± 0.1	0.9569 ± 0.0018	-43.1 ± 1.8	355 ± 15
18018	167	UMB-2020-149	Beta-569730	Wheat Seed	98.03 ± 0.37	0.9803 ± 0.0037	-19.72 ± 3.66	160 ± 30
18018	167	UMB-2020-122	Beta-565137	Charred seed (Bayberry)	96.21 ± 0.36	0.9621 ± 0.0036	-37.86 ± 3.59	310 ± 30
18018	187	UMB-2020-123	Beta-565138	Wood (Oak)	89.85 ± 0.34	0.8985 ± 0.0034	-101.53 ± -3.36	860 ± 30
18018	187	UMB-2018-61	UCI-212535	Wood (Unknown)	-25.3 ± 0.1	0.8935 ± 0.0018	-106.5 ± 1.8	905 ± 20
18108	70	UMB-2020-124	Beta-565139	Wood (Pine)	96.57 ± 0.36	0.9657 ± 0.0036	-34.26 ± 3.61	280 ± 30
18112	77	UMB-2020-125	Beta-565140	Wood (Unknown)	85.70 ± 0.32	0.8570 ± 0.0032	-143.04 ± 3.20	1240 ± 30
18118	113	UMB-2020-126	Beta-565141	Wood (Pine)	86.34 ± 0.32	0.8634 ± 0.0032	-136.62 ± 3.22	1180 ± 30
18119	119	UMB-2020-151	Beta-569732	Pine	85.27 ± 0.32	0.8527 ± 0.0032	-147.30 ± 3.18	1280 ± 30
18120	130	UMB-2020-127	Beta-565142	Wood (Unknown)	92.00 ± 0.34	0.9200 ± 0.0034	-80.02 ± 3.44	670 ± 30
18158	222	UMB-2020-128	Beta-565143	Wood (Unknown)	83.38 ± 0.31	0.8338 ± 0.0031	-166.19 ± 3.11	1460 ± 30
18160	236	UMB-2020-153	Beta-569734	Hardwood	-97.30 ± 0.36	0.9730 ± 0.0036	-27.02 ± 3.63	220 ± 30
18301	511	UMB-2020-130	Beta-565145	Wood (Unknown)	93.03 ± 0.35	0.9303 ± 0.0035	-69.66 ± 3.47	580 ± 30
18301	511	UMB-2020-129	Beta-565144	Wood(Unknown)	92.92 ± 0.35	0.9292 ± 0.0035	-70.82 ± 3.47	590 ± 30
18302	514	UMB-2020-145	Beta-569726	Hardwood	89.62 ± 0.33	0.8962 ± 0.0033	-103.76 ± 3.35	880 ± 30
18302	515	UMB-2020-147	Beta-569728	Hardwood	86.99 ± 0.32	0.8699 ± 0.0032	-130.14 ± 3.25	1120 ± 30
18304	503	UMB-2020-133	Beta-565148	Pine cone	95.98 ± 0.36	0.9598 ± 0.0036	-40.25 ± 3.58	330 ± 30
18306	513	UMB-2020-143	Beta-569724	Hardwood	92.69 ± 0.35	0.9269 ± 0.0035	-73.13 ± 3.46	610 ± 30

Notes: Radiocarbon concentrations are given as fractions of the modern standard, D^{14}C , and conventional radiocarbon age, following the conventions of Stuiver and Polach (1977). All results have been corrected for isotopic fractionation, with $\delta^{13}\text{C}$ values measured on prepared graphite using the AMS spectrometer. The $\delta^{13}\text{C}$ values that are shown were from Gas Bench (charcoal and shell) aliquots measured to a precision of $<0.1\%$ relative to standards traceable to PDB, using a Thermo Finnigan Delta Plus stable isotope mass spectrometer (IRMS).

Periodizing Coastal New England Sites

The basic periodization of these southern coastal New England sites has been in place for some time (Borstel 1984; Braun 1974; Ritchie 1969). Archaeologists have argued that Indigenous use of Cape Cod largely began in the Early Archaic period (around 8000–5500 BC). The beginning of the Woodland period (Early Woodland: around 1050 BC–AD 350) is defined by the appearance of substantial shell midden deposits. The Middle Woodland, which started about AD 350, sees the appearance of several ceramic styles along with exotic lithic materials, often recovered from those shell midden deposits, with some evidence for year-round exploitation (e.g., Bernstein 1990; McManamon 2015). The Late Woodland period (variously defined as AD 1000–1600 [Chilton 2012], AD 950–1500 [Gillis and Herbster 2013], or AD 650–1500 [Bradley et al. 1986]) is largely undifferentiated from the Middle Woodland. The major Late Woodland change seems to be the appearance of Levanna-style projectile points (Boudreau 2008). Some researchers reference the Middle and Later Woodland periods without explicit temporal definitions (e.g., McManamon 2015), whereas others suggest abandoning the periods altogether (e.g., Duranleau 2009) because the sequence could be characterized by long-term continuity seen at many New England sites (Bernstein 2006; Watson 2020).

Against this long-term continuity, the arrival of Europeans in southern coastal New England is broadly considered a rupture between the “prehistoric” past and the “history” that started with European contact (Pauketat and Sassaman 2020:460). This characterization reflects how the notion of prehistory reinforces the idea that European exploration and colonization resulted in the effective end of Indigenous history (Gould et al. 2020; Mrozowski et al. 2015; Schmidt and Mrozowski 2013; Silliman 2005). Concepts such as “contact” and “prehistory” present epistemological and ontological challenges (Den Ouden and O’Brien 2013; Gould 2013a, 2013b; Mrozowski 2013). Instead, as advocated by Panich and Schneider (2019:663) and Birch and colleagues (2022), calendar-year dates derived from AMS samples have been used to identify fifteenth-century and later occupations of Great Island. These dates highlight the continuous use of this site spanning the periods before and after European arrival in the New World.

These fifteenth-century and later dates fall into what the Massachusetts Historical Commission (MHC) defines as the Contact period, running from 1500 to 1620 (Bradley et al. 1986). Because the term “Contact period” is so deeply embedded in the classification of Massachusetts sites, we cannot do away with it completely, despite its limitations; in addition, many of the sites assigned to this period are poorly defined and cannot be assigned specific calendar-year dates. For this work, we refer to the period after the European settlement of Eastham in the 1640s until AD 1775 as “colonial.”

For the Lower Cape (Figure 1), 30 sites have been identified either in the MHC’s site files or by Holmes and colleagues (1998) as having Contact period components. Many of these sites are known only from the work of early avocational archaeologists or collectors; hence, the collections from these sites lack good provenience and associated data and cannot always be used for the fine-grained dating needed to confidently identify sites to this short period. Other sites are the traditional or memorialized locations where early colonial encounters are supposed to have taken place, but there is no associated archaeology. Still other Cape Cod sites rely on the presence of European artifacts to identify Indigenous sites to the Contact period. Before this project, no sites in the lower Cape had been attributed to the sixteenth or seventeenth centuries solely based on radiocarbon dates.

Wellfleet and Great Island

The data presented in this article come from a project carried out in 2018 by the Andrew Fiske Memorial Center for Archaeological Research on Great Island in Wellfleet, Massachusetts, for the US National Park Service at the Cape Cod National Seashore (CACO; Steinberg et al. 2022). The Fiske Center’s project had multiple goals, including developing methods for efficiently assessing the sites, some of which are deeply buried by aeolian sand, and tracking coastal erosion that is actively destroying shell midden sites on Great Island. Wampanoag Tribal monitors worked as field crew on the project.

Great Island is part of a series of barrier islands that create Wellfleet Bay. These islands consist of glacial outwash, described as the Older Wellfleet Plain (Oldale 1968), covered by variably thick deposits of aeolian sand. The barrier islands are part of CACO (Figure 1, lower left). As late as the nineteenth

century, Great Island was still an island (Borden 1844), but it is now connected to the rest of Wellfleet by a sand deposit called “the Gut.” Clear-cutting of the forests of the Truro Highlands, just north of Great Island, freed the sand there to form dunes. Marine currents also captured and carried sediment south within Cape Cod Bay, where it was washed ashore to form the Gut (Berman 2011). The increased aeolian deposition that began in the late seventeenth century is also responsible for the deeply buried nature (they are under up to 5 m of wind-blown sand) of many of the archaeological sites on Great Island (Figure 2). These deeply buried deposits are exposed along Great Island’s coastal bluffs and are being lost to coastal erosion.

Great Island today is located in the town of Wellfleet, historically part of the town of Eastham. The area was acquired by a group from the Plymouth Colony through a 1644 purchase from Mattaquason of the Monomoyetts and the sachem of the Nausets (Echeverria 1993:12–13; Holmes et al. 1998:48). This “Nauset Purchase” was settled by families from Plymouth Colony and became the town of Eastham in AD 1651. Great Island was part of the common, undivided land of the town of Eastham until 1715. The common land, in general, was used for salt marsh hay for animal fodder, as a source of timber, and as grazing space for animals (Echeverria 1993:17–19). Great Island had a more specialized common use: English and Indigenous people would use the beaches as sites for building fires for trying (rendering) whale blubber from blackfish (pilot whales) caught near the shore and from larger whales hunted in the bay (Deetz 1996; Echeverria 1993:94).

Previous archaeological work on Great Island included excavations in 1969 and 1970 by James Deetz and Eric Eckholm (Bragdon 1981; Ekholm and Deetz 1970a, 1970b, 1971; Synenki and Charles 1984). They identified a large structure with stone foundations that dated to about 1690–1740 (Figure 3). Because of the amount of whalebone in the tavern deposits, Eckholm and Deetz linked the tavern to the shore-based whaling industry in which small whales would be driven into shallow water, killed, and processed on shore. Although previous scholarship had characterized the site as a tavern, it may have served multiple functions.

Initially, the tavern was characterized as lying between multiple Indigenous sites. These surrounding sites were surveyed in 2012 by a team from the Public Archaeology Laboratory (Pawtucket, Rhode Island) using wide-interval shovel test-pit transects (Gillis and Herbster 2013). On this section of Great Island, the team identified multiple sites (Great Island sites 2, 3, 4, 6, and 7), but the boundaries were difficult to determine. Gillis and Herbster (2013:60) suggested that the occupation area might be continuous, even though the deep sand deposits and limited excavation depths made the site appear discontinuous. Some sites were identified as Late Woodland period, although few diagnostic artifacts were excavated; shells from Great Island Sites 2 and 4 were radiocarbon dated to the Late Woodland and the Middle Woodland / Late Woodland boundary, respectively (Gillis and Herbster 2013:55).



Figure 2. Photo, looking north, of the cliff face of Great Island Site 2. The tavern site is in the trees on the west (left) side. The dark line, slightly descending to the east (right), is the original ground surface from which the Middle Woodland to Contact and colonial period deposits were recovered. White shell midden deposits can be seen eroding from the cliffside. Photograph by John M. Steinberg. (Color online)




Figure 3. Map of interventions and resulting radiocarbon dates at Great Island Site 2. The excavation unit numbers with AMS dates are indicated. Excavation units can have dates from multiple plateau periods. The boundaries of the 1969–1970 Ekholm and Deetz (1970a, 1970b) tavern excavation are outlined in yellow. The approximate location of the Gillis and Herbster (2013) shovel test pits is indicated by triangles. Inset shows the USGS topographic map of Great Island, with the location and dates from unit 18306 and the dimensions of the main map outlined in red.

The Fiske Center work in 2018 included a closer interval survey of the area surrounding Great Island Site 2 and the tavern to determine the site boundaries and to recover samples for AMS dating. The work focused on a large area (more than 250×75 m) extending along the coastal bluff with visible, eroding shell middens and included ground-penetrating radar transects and 58 excavation or coring locations. Additional samples for dating were taken from exposed cliff-face middens as hand samples. Throughout the site, there is a spatially continuous occupation layer, with shell middens located at multiple points across this buried surface. Artifact densities are not statistically different between the shell middens and occupation layers (Steinberg et al. 2022). Based on the low density of the lithics and ceramics in the artifact collection, Indigenous activity seemed to have been focused on gathering and cooking shellfish or marine mammals. This surface is relatively shallow at the western end of the site (40 cm bs) but is much deeper to the east, under deposits of wind-blown sand that were between 1 and 5 m thick.

The project revealed that the historic tavern was only the final stage of an extensive, long-term, repeated occupation of a substantial area. Modeling the dates (AMS results, artifacts, and events) and specific stratigraphic sequences reveals that the Great Island Site 2 is a long-term continuous occupation without obvious breaks. Most notably, the sixteenth century—a significant lacuna in Cape Cod sequences—makes up a substantial component of the Great Island Site 2 deposits and sequences, indicating direct, long-term continuity with the colonial period.

Fifteenth- through Seventeenth-Century Deposit Sequences at Great Island Site 2

AMS dates were obtained on 22 samples from 18 different contexts across 16 excavation units (Table 1). Only dates on wood and carbonized seeds are presented here. The dates were calibrated

and modeled using the OxCal 4.4 program (Bronk Ramsey 2009) with the IntCal20 atmospheric calibration curve (Reimer et al. 2020). The specific models can be found in the Supplemental Texts 2–3. Contexts in individual units were assigned to different periods based on their AMS dates, stratigraphic position, and artifact content.

Six of the radiocarbon dates from five units fall in the plateau between 1480 and 1630 (Figure 4; Table 1), which broadly corresponds to the span that the MHC defines as the Contact period. This plateau is a section of the radiocarbon calibration curve that is relatively flat, meaning that any radiocarbon date will yield a wide range of calendar dates (Thompson et al. 2018:182). The AD 1480–1630 plateau was critical in the original identification of the natural fluctuations in atmospheric ^{14}C (Grootes and van der Plicht 2022) that led to the calibration of radiocarbon dates. Without very exact stratigraphic control and constraints, any date that falls in this (or any) plateau cannot be refined. The AD 1480–1630 ^{14}C calibration curve plateau spans much of the period of European expansion and colonization.

The combination of the AMS date, the artifact content of the deposits, and the stratigraphic sequence in each excavation unit allowed their assignment to this 1480–1630 plateau on Great




Figure 4. Calibrated and modeled dates superimposed on the IntCal20 Calibration curve (Reimer et al. 2020). Dark-gray density curves are the modeled range, and light-gray curves show the full unmodeled range (see Supplemental Text 3 for the code).

Island Site 2. None of the 1480–1630 plateau deposits contain European material, nor for the most part do they contain temporally diagnostic Indigenous material. Three sequences include AMS dates on wood charcoal or burned seed samples (from EUs 18016, 18018, and 18108), with AD 1480–1630 plateau components overlain by later deposits that suggest good integrity.

EU 18013

The multicomponent EU 18013 sequence is similar to EU 18016, with an AD 1480–1630 deposit directly underlying a colonial deposit. The AD 1480–1630 period date is on a piece of unidentified wood charcoal from a thin shell midden (150–156 cm bs) that contained a single piece of quartz shatter and a single piece of Native ceramic. It was capped by a 10 cm thick aeolian sand layer (140–150 cm bs) overlain by a 10 cm thick colonial occupation layer (130–140 cm bs) that was also very low density, containing only two fragments of brick at the upper interface.

EU 18016

Two charcoal samples from Unit 18016, from the same occupation layer (95–105 cm bs) that contained cross-mending pieces of a decorated Native pottery vessel and two pieces of lithic chipping debris, were dated to the AD 1480–1630 period. Both charcoal samples are from unidentified wood. The two charcoal samples from the lowest occupation layer (148) in unit 18016 are not stratigraphically separated, but the dates are on different samples. Context 148 was the lower of two stratified occupation layers, and the upper layers (75–95 cm bs) contained one of the only significant concentrations of colonial period artifacts situated away from the tavern (contexts 140 and 141). There is a posthole (context 142) on the south side of the unit (Figure 5) that is undated because neither flotation sample yielded any charcoal. The combination of the AMS date, the Native ceramic vessel, and the stratigraphic position beneath a colonial surface, which itself was buried by about 0.75 m of aeolian sand, indicate an AD 1480–1630 occupation.

EU 18018

Four samples were dated from unit 18018 (Figure 6; Supplemental Text 2). Two samples were from flotation sample #30, which was taken from a feature (136–140 cm bs; 167) formed during the high-temperature burning of shell, probably to make mortar or plaster for the initial construction of the colonial tavern 50 m to the southwest. The sample from this context yielded two AMS dates: one from a charred bayberry seed that has an earlier date and one from a charred wheat seed with a more recent date. These two dates are separated by 150 uncalibrated radiocarbon years, and their 2 σ calibrated date ranges do not overlap. This suggests that the feature may have been fired during the colonial period but may have incorporated earlier (AD 1480–1630) material. The deposit was assigned to the colonial period based on the combination of these two dates and the presence of two nails and a spike. The two early dates from the shell midden (187) layer immediately underneath the burning feature suggest that the shell midden was occupied during the earlier part of the Late Woodland. The modeled sequence (Figure 7; Supplemental Text 2) suggests a continuous occupation or even contemporaneity between the Contact and colonial contexts (e.g., a median difference of 11 years). Conversely, the model suggests a substantial break of more than 200 years between the Late Woodland shell midden (187) and the Contact/colonial burning layer (167).

The date from context 70 in EU 18108 comes from a piece of pine charcoal found within a posthole (84–100 cm bs) that contained no artifacts. This posthole and one other at the same elevation cut through a pit feature containing only shell. The postholes and the pit feature were capped by a thin aeolian sand deposit, overlain by a colonial period shell midden containing bird shot, brick, and buff-bodied earthenware. The colonial period shell midden was overlain by about 65 cm of aeolian deposit.

EU 18304

This AD 1480–1630 date comes from a charred pinecone in a sample taken from an eroding shell midden visible along the cliff face. Because it does not come from an excavated context, there is no artifact data.



Figure 5. South wall of Unit 18016, showing stratified occupation layer and posthole. Photograph by Fiske Center for Archaeological Research. (Color online)

Location and Distribution of AMS Dates

The distribution of radiocarbon dates across Great Island Site 2 suggests that the entire site had been visited continuously for the past 1,500 years. Dates from the four plateau periods are distributed across the site (Figure 3). The oldest charcoal date, from unit 18119, is firmly in the Middle Woodland. This shell midden is just 6 m away from another shell midden deposit in unit 18120 (130) that dates to the Late Woodland. These two units are less than 15 m from unit 18108 where a posthole (70) yielded an AD 1480–1630 date that was overlain by a colonial deposit (67). All these units are less than 25 m away from the Great Island tavern deposits with a date range of about AD 1690 to 1740 (Synenki and Charles 1984). Thus, the tavern area saw a deep temporal occupation across the immediate area.

This same broad range of dates is also apparent 200 m northeast where there is an exposed shell midden on the cliff face. The earliest date in that area is from the bottom of cliff-face sample 18302 (515), which yielded a Middle Woodland date. In the same sample but higher up in the sequence (514), another piece of hardwood yielded a Late Woodland date. About 20 m to the northeast, two Late Woodland dates were obtained from a cliff-face sample 18301 (511). Just a few meters away, an AD 1480–1630 date was obtained on a piece of pinecone (18304; 503) removed from the cliff-face midden. Less than 20 m inland from the eroding cliff face, unit 18005 yielded a Late Woodland occupation layer (22) overlain by a colonial (21) layer (dated by a recovered pipe stem).




Figure 6. Profile of south and west wall from Unit 18018; context numbers are in brackets.

Dates on archaeological deposits in the AD 1480–1630 plateau are spatially and stratigraphically adjacent to deposits from a variety of time periods from the Middle Woodland to the colonial period, rather than restricted to a defined area. All these stratigraphically consistent and spatially variable dates suggest that, like the tavern area, the rest of the site hosted a long-term occupation.

Dating and Modeling

All the more recent Great Island Site 2 dates fall on plateaus in the radiocarbon calibration curve (Figure 4). Although a majority of the occupation span dates are found on various plateaus (e.g., Guilderson et al. 2005), this does not necessarily mean that occupation was periodic and that it did not occur during the steep parts of the radiocarbon calibration curve. What it does mean is that the calibrated dates fall into groups that are potential plateau periods. For Great Island Site 2, the four substantial plateau groups broadly correspond to the periods archaeologists have constructed based on the association of stylistically diagnostic artifacts and radiocarbon dates (Chilton 2012; Ritchie 1969; Watson 2020).

The most recent plateau group runs from AD 1630 forward, and it roughly corresponds to the colonial period. The next group is usually delimited as running from AD 1480 to 1630 (Manning et al. 2020)




Figure 7. Modeled radiocarbon dates for unit 18018. Dark-gray density curves are the modeled ranges, and light-gray curves show the full unmodeled range. The + indicates the median modeled value, and the bracket underneath denotes the modeled 95.4 range (derived from Code 1 in Supplemental Text 2).

and broadly corresponds to the Contact period. There are two preceding plateaus, that, when combined, correspond to the Late Woodland period. The more recent Late Woodland plateau runs from about AD 1275 to 1480, and the earlier one runs from AD 1030 to 1275. Although not strictly a plateau or reversal, the tightly spaced wiggles during the AD 500–1030 range, representing the Middle Woodland component at Great Island Site 2, make for substantial overlap of calibrated dates on widely spaced radiocarbon dates.

The AD 1480–1630 radiocarbon plateau spans much of the period of European expansion and colonization. Using a combination of Bayesian modeling of a robust set of radiocarbon dates with stratigraphic and material culture analysis, Birch, Manning, and their colleagues have been able to sequence a series of discrete, short-term, intense occupations from numerous sites in upstate New York and

southern Ontario (Birch et al. 2020; Manning 2020; Manning et al. 2019, 2020). They have also been able to establish that some occupation deposits precede the construction of Fort Orange in New York in 1624. Their analysis links Dutch/Indigenous interaction to a location on the Hudson River long used by Indigenous populations (Manning et al. 2021:208–209).

These successful models depend on the reasonable assumptions and conditions (for New York and Ontario) of short-term, intense, permanent occupations that can be bracketed with dendrochronology. The bracketed short-term occupations have allowed the distinct sites to be placed, using Bayesian statistics, in reasonable chronological order (Abel et al. 2019; Birch and Hart 2021; Birch et al. 2021; Hart and Lovis 2012; Manning et al. 2018).

For the area at the eastern tip of Great Island, there is almost an inverse set of circumstances from that in New York and Ontario. The Great Island deposits suggest long-term, repeated, low-intensity, extensive occupation. The commonality is that a program of radiocarbon dating and the concomitant Bayesian modeling suggest an important and substantial occupation span where European contact does not immediately and dramatically alter Indigenous land use.

Bayesian chronological modeling of radiocarbon dates is a statistical method that takes into account the uncertainties associated with radiocarbon dating and other sources of chronological information, such as artifact date, stratigraphy, and historical records, to constrain or expand the date of a radiocarbon sample or a group of samples in an unordered phase or ordered sequence (Bayliss 2015; Bronk Ramsey 2009). The Great Island Site 2 sequence was modeled in two ways: as a whole sequence (Supplemental Text 3) and by breaking the dates into sequential plateau phases that generally correspond to the MHC chronology and the radiocarbon plateaus—Middle Woodland, Late Woodland, Contact, and colonial periods (Figure 8; Supplemental Text 4).

For the sequential plateau phases, the dates are placed into phases based on their dates (Supplemental Text 4). The plateau-phase model is circular, assuring good agreement (Bronk Ramsey 1995) and violating basic assumptions of Bayesian statistics. This model uses the information from the AMS data itself in constructing the models (Buck and Meson 2015). In fact, the model splits two samples from the same context into the Contact and colonial phases; this situation is correctly modeled in Supplemental Text 2 and Figure 7. Using this plateau-period model to construct a new chronology or determine a new division would be disingenuous (see the Hamilton and Krus [2018] comment on Cook et al. [2015]). Instead, this model forces divisions between the plateaus that roughly correspond to the periods currently in use. In this unusual approach, this model is an attempt to make Bayesian phases, which are usually defined by archaeological relationships (Hamilton and Krus 2018), mimic traditional archaeological periods by creating breaks based only on the date. The boundaries between the phases assume that the dates are uniformly distributed through each plateau phase. Even in this situation, the distribution of dates, the lack of evidence for short-term occupations (as in the earlier New York example), and the smearing of the calibrations along the plateaus make any gap between the Contact and colonial periods negligible. That is, even when forcing the model to create a division, there does not seem to be a substantial break in activity at Great Island Site 2 between the Contact and colonial periods.

The plateau-phase models are written based on two assumptions: (1) that the dates directly reflect human activity and that (2) the dates on wood may be earlier than the targeted human activity (Supplemental Text 4). Most of the dates used to analyze the sequence at Great Island Site 2 are on wood ($n = 18$), whereas four are on seeds. Furthermore, only one of the Woodland period dates comes from a seed (Table 1). Old wood can make reconstructing occupational history difficult (Nolan 2012). The radiocarbon dates on seeds ($\mu = 372.5$ radiocarbon years BP, $s = 224.9$) tend to be more recent than the AMS dates on wood ($\mu = 666.39$ radiocarbon years BP, $s = 369.2$, $t = 2.07$, $df = 7.21$, $p = 0.08$). It is unlikely that the colonial period wood charcoal is intrusive because it is under at least 30 cm of aeolian sand and often much deeper sand deposits. Assuming the dated wood is old (which gives slightly greater plateau-phase gaps), the 95.4% hpd range of the forced boundary at the break between the first two plateaus is only 0–142 years, with a median of 65 years (Table 2 in Supplemental Text 4). The median modeled intervals for a potential Late Woodland–Contact break is 115 years, and the Middle–Late Woodland potential break is 159 years.




Figure 8. Modeled radiocarbon dates for all carbon Great Island Site 2. Dates of boundaries of phase plateaus are indicated. Dark-gray density curves are the modeled ranges (Table 2 in Supplemental Text 4), and light gray curves show the full unmodeled range (derived from Code 2 in Supplemental Text 4).




Figure 9. Kernel density and sum of dates from Great Island Site 2. Dates of boundaries of phase plateaus are indicated. (Bottom) Plot showing the output of the KDE model method (Bronk Ramsey 2017). The red crosses indicate the radiocarbon determination, the black crosses show the medians of the marginal posterior distributions for the unmodeled dates, and the light-gray crosses show the medians of the likelihood distributions from modeled dates; (top): sum distribution for reference (derived from Code 1 in Supplemental Text 3). (Color online)

The distribution of dates at Great Island Site 2, the lack of any temporally diagnostic material, and rigging the model to force the AMS dates into periods that are roughly consistent with the current periodization do not produce defined gaps. This all suggests that there is a continuous long-term

occupation and particularly no appreciable Woodland–colonial gap. The lack of a gap is all the more important because without the program of radiocarbon dating the substantial Contact plateau-phase occupation would not have been identified and a gap between the Woodland and colonial periods (without a Contact component) would have been assumed.

Discussion

Watson (2020) finds that when the number of radiocarbon dates associated with a single black earth and shell midden site in southern coastal New England (Martha's Vineyard) is increased, the calibrated dating sequence does not become more concentrated on a few decades of similar overlapping dates. Instead, it becomes spread out over hundreds, if not thousands, of years. Furthermore, calibrated dates from the same strata and even the same feature can differ by hundreds of years. The Great Island Site 2 dates follow a similar pattern where stratigraphically consistent layers from the Middle Woodland to the colonial period were deposited on a continuous surface that is today deeply buried and well preserved.

Sum and kernel density (KDE) plots are methods for formalizing the distribution of calibrated dates (Bronk Ramsey 2017). Although there are too few samples from Great Island Site 2 for a reliable assessment of the distribution of dates (Williams 2012), the two plots do go some way toward summarizing the distribution of dates (Figure 9; Supplemental Text 3). The limited number of dates from Great Island Site 2 follows the basic trend for there being more dates from more recent periods (Surovell and Brantingham 2007). Although the sum distribution suggests a few breaks, the KDE—which does smear the distribution (Bronk Ramsey 2017:1816)—hints at a broad continuity of occupation and increasing activity through time.

The present suite of radiocarbon dates, as well as work by Watson (2020), suggests that one or two dates on features or stratigraphic layers of a southern coastal New England site only represent that immediate feature or localized strata sample but might not characterize a broader area, let alone the site as a whole. At Great Island Site 2, the spatial and temporal radiocarbon date distribution resulted in a patchwork dispersal of dates, where the date on a shell midden in one pit was not at all consistent with the date from a shell midden in a neighboring excavation. This patchy nature was reinforced by the wide variety of dates that resulted from closely spaced strata in the same excavation unit, even though the dates are entirely consistent with stratigraphic integrity. If other southern coastal New England sites contain a wide range of occupation times from adjacent deposits, then much of the basic chronology of the Woodland period through seventeenth-century Indigenous sites should be reexamined.

Conclusion

Overall, the results of this work demonstrate the value of using radiocarbon dates, and not the presence of diagnostic or European artifacts, to identify Indigenous occupations between the fifteenth and seventeenth centuries in coastal Massachusetts. Furthermore, assessing the complete temporal span requires multiple dates from a variety of locations because of the extensive and repeated but sometimes low-intensity use. The methods that archaeologists have been using to assign dates to sites have not always been compatible with documenting continuity and thus affect the visibility of Indigenous sites in the centuries before and after European colonization in ways that can have contemporary implications (Beaudoin 2016; Panich and Schneider 2019). Failure to recognize the number and extent of fifteenth-, sixteenth-, and seventeenth-century sites in New England reduces the territorial scope and the sense of continuous occupation for Indigenous people on the landscape immediately before and well into the period of colonial settlement.

Extending this practice will do more than put sites on the map: it will also allow a better understanding of the full range of land uses by Indigenous people on the Cape. As Lightfoot and colleagues (2013) have argued, variations in Indigenous landscape management practices shaped how Native people interacted with colonizing groups. The radiocarbon dates show that Great Island was used for gathering shellfish until at least the early seventeenth century, and the documentary record suggests that, even after colonial settlement of the town of Eastham in 1651, Indigenous use of the areas around

Great Island continued well into the eighteenth century. Continuing long-standing land management practices—resource gathering over an extensive area—may be one way in which the Indigenous occupants of the Cape responded to English colonial encroachment while maintaining their residence in their homelands.

The continuous occupation, as identified archaeologically, puts early documents concerning Great Island, which the colonists designated as “common land,” into better context. Early eighteenth-century town records show that Indigenous and English colonial residents of Eastham used Great Island and the surrounding islands for whaling. The 1710 Eastham town records mention paying Native people for whaling expeditions conducted from Great Island (Echeverria 1993:96). Petitions to the governor of Massachusetts and the General Court (Massachusetts State Archives, 1622–1788, Colonial Period Collection, Vol. 113, pp. 606–608) written in 1711, opposing the division and privatization of Great Island, illustrate that the “Indians of Billingsgate” (the area surrounding and including Great Island) still relied on resources harvested from Great Island, specifically timber and access to swamps used for peeling bark, presumably to cover their houses. The petitions argued that the loss of access to this resource-gathering area would force them to leave this part of Cape Cod. Despite the petitions, the land was divided in 1715. This history, combined with recent archaeology, makes it clear that established, continuous, and economically important Indigenous activities coexisted with the English classification of Great Island as “common land.”

Both the archaeological record and documents suggest that when the Great Island Tavern was established in the late seventeenth century, Great Island was a multicultural space. Ekholm and Deetz’s interpretation of the tavern (Deetz 1996; Ekholm and Deetz 1971) began with the question of why it was established in such an isolated location. They did not consider the deeper history of the task-scape but instead attributed the tavern’s construction to the introduction of an English shore-based whaling industry in the 1690s. With the aid of AMS dating and well-controlled stratigraphic and spatial controls, it becomes clear that the location was part of an active and extensive Indigenous landscape starting more than 3,000 years ago that continued through the sixteenth and into the seventeenth centuries. The current site is extensive (11,870 m² in area) but may have been much larger in the past, given the high rate of coastal erosion since 1715 (see Steinberg et al. 2022).

The stratigraphic sequences identified at Great Island Site 2, as well as the broad spatial and temporal spread of radiocarbon dates, yield no appreciable break in activity and resource extraction at the eastern tip of Great Island corresponding with European exploration, contact, or initial settlement of the surrounding area. In fact, activity may have increased during the time of European exploration and colonization. This sequence is an example of how colonial processes are long-term entanglements, not short-term contacts or encounters (Silliman 2005). In three of the locations where there are AD 1480–1630 dates, there is both a Woodland layer below and an overlying colonial period layer above. This suggests that English colonists followed the same pattern of use, extracting marine resources and layering their activity onto the spaces used by Indigenous groups. The sequence at Great Island indicates that, even though colonialism did eventually change the Indigenous use of Great Island, that change was part of a long-term process that is much better understood with detailed radiocarbon dating. European contact did not result in an immediate break in Indigenous lifeways, particularly in the use of these extensive, low-intensity sites.

Acknowledgments. James M. Harmon of the US National Park Service (NPS) spearheaded the development of this cooperative project, and we thank him, along with James Nyman, William A. Griswold, Brian Carlstrom, and Leslie Reynolds, for their help. William “Bill” Burke, the CACO cultural resources program manager, was incredibly helpful as a liaison with the NPS, and we are grateful for his logistical and intellectual contributions. The crew included Grace Bello, Melissa Ritchey, Lauryn Poe Sharp, Ana Opishinski, Gary Ellis, Dr. Elizabeth DeMarrais, Nicholas Zeitlin, and Hartman Deetz, who also served as Native Monitor. Holly Herbst of the Public Archaeology Laboratory was incredibly helpful and provided detailed information on its earlier archaeological work. Brian Damiata was instrumental in identifying and dating the deposits. We also thank Andrea E. Chavez for writing the Spanish abstract.

Funding Statement. This work was made possible by a Cooperative Agreement between the US Department of the Interior and the University of Massachusetts Boston under the North Atlantic Coast Cooperative Ecosystems Studies Unit program (NAC-CESU). The project was titled “Inventory and Monitor Endangered Archeological Sites at Great Island and Great Beach Hill, Cape Cod National Seashore, Wellfleet, Massachusetts” and was conducted in cooperation with the CACO unit of the NPS.

Data Availability Statement. The AMS data supporting these findings are available in the article and Supplemental Texts 1–4. Additional data about the site are contained in the technical report on this work (Steinberg et al. 2022), which is available by request from the corresponding author.

Competing Interests. The authors declare none.

Supplemental Material. For supplemental material accompanying this article, visit <https://doi.org/10.1017/aaq.2024.80>.

Supplemental Text 1. Ossuary Radiocarbon Models, Including OxCal Runfiles, Resulting Multiplot Model, and a Table of Resulting Unmodeled and Modeled Dates.

Supplemental Text 2. Unit 18018, Including Chronological Model Code (OxCal runfiles) and Resulting Tables.

Supplemental Text 3. KDE, Sum, and Curve Model (OxCal Runfile) from Table 1 Modeled as a Continuous Phase Capped by Sand.

Supplemental Text 4. Plateau-Period Models: Radiocarbon Dates from Table 1, Divided into Sequential Phases That Roughly Correspond to the Current New England Periodization and to Plateaus and Wiggles of the Radiocarbon Calibration Curve.

References Cited

- Abel, Timothy J., Jessica L. Vavrasek, and John P. Hart. 2019. Radiocarbon Dating the Iroquoian Occupation of Northern New York. *American Antiquity* 84(4):748–761.
- Atalay, Sonya. 2012. *Community-Based Archaeology: Research with, by, and for Indigenous and Local Communities*. University of California Press, Berkeley.
- Bayliss, Alex. 2015. Quality in Bayesian Chronological Models in Archaeology. *World Archaeology* 47(4):677–700.
- Beaudoin, Matthew A. 2016. Archaeologists Colonizing Canada: The Effects of Unquestioned Categories. *Archaeologies* 12(1): 7–37.
- Berman, Gregory A. 2011. *Longshore Sediment Transport, Cape Cod, Massachusetts*. Woods Hole Sea Grant Program, Cape Cod Cooperative Extension, Woods Hole, Massachusetts.
- Bernstein, David J. 1990. Prehistoric Seasonality Studies in Coastal Southern New England. *American Anthropologist* 92(1):96–115.
- Bernstein, David J. 1993. *Prehistoric Subsistence on the Southern New England Coast: The Record from Narragansett Bay*. Academic Press, San Diego.
- Bernstein, David J. 2006. Long-Term Continuity in the Archaeological Record from the Coast of New York and Southern New England, USA. *Journal of Island and Coastal Archaeology* 1(2):271–284.
- Bernstein, David J. 2002. Late Woodland Use of Coastal Resources at Mount Sinai Harbor, Long Island, New York. In *A Lasting Impression: Coastal, Lithic, and Ceramic Research in New England Archaeology*, edited by Jordan E. Kerber, pp. 27–40. Praeger, Westport, Connecticut.
- Birch, Jennifer, and John P. Hart. 2021. Conflict, Population Movement, and Microscale Social Networks in Northern Iroquoian Archaeology. *American Antiquity* 86(2):350–367.
- Birch, Jennifer, Turner W. Hunt, Louis Lesage, Jean-Francois Richard, Linda A. Sioui, and Victor D. Thompson. 2022. The Role of Radiocarbon Dating in Advancing Indigenous-Led Archaeological Research Agendas. *Humanities and Social Sciences Communications* 9:228.
- Birch, Jennifer, Sturt W. Manning, Megan Anne Conger, and Samantha M. Sanft. 2020. Introduction: Why Are We Dating Iroquoia? Building Chronologies to Write Enhanced Archaeological Histories. *SAA Archaeological Record* 20(4):38–39.
- Birch, Jennifer, Sturt W. Manning, Samantha Sanft, and Megan Anne Conger. 2021. Refined Radiocarbon Chronologies for Northern Iroquoian Site Sequences: Implications for Coalescence, Conflict, and the Reception of European Goods. *American Antiquity* 86(1):61–89.
- Borden, Simeon. 1844. *Topographical Map of Massachusetts, Compiled from Astronomical, Trigonometrical, and Various Local Surveys Made by Order of the Legislature*. Engraved by George G. Smith, 1:158,400 scale. S. Borden, Boston.
- Borstel, Christopher L. 1984. Prehistoric Site Chronology: A Preliminary Report. In *Chapters in the Archeology of Cape Cod, I: Results of the Cape Cod National Seashore Archeological Survey, 1979–1981*, Vol. 1: Background, Stratigraphy, and Chronology, edited by Francis P. McManamon, pp. 231–300. Cultural Resources Management Study No. 8. Division of Cultural Resources, North Atlantic Regional Office, National Park Service, US Department of the Interior, Boston.
- Boudreau, Jeff. 2008. *A New England Typology of Native American Projectile Points*. Freedom Digital, Ashland, Massachusetts.
- Bradley, James W. 2005. *Archaeological Investigations at the Carns Site, Coast Guard Beach, Cape Cod National Seashore, Massachusetts*. Occasional Publications in Field Archaeology No. 3. Northeast Region Archaeology Program, National Park Service, US Department of the Interior, Lowell, Massachusetts.
- Bradley, James W., Francis P. McManamon, Thomas F. Mahlstedt, and Ann L. Magennis. 1982. The Indian Neck Ossuary: A Preliminary Report. *Bulletin of the Massachusetts Archaeological Society* 43(2):47–59.
- Bradley, James W., Peter Stott, Claire Dempsey, Leonard Loparto, Michael Steinitz, and Thomas Mahlstedt. 1986. *Historic and Archaeological Resources of Cape Cod and the Islands: A Framework for Preservation Decisions*. Massachusetts Historical Commission, Boston.
- Bragdon, Kathleen J. 1981. Occupational Differences Reflected in Material Culture. *Northeast Historical Archaeology* 10:27–39.
- Braun, David P. 1974. Explanatory Models for the Evolution of Coastal Adaptation in Prehistoric Eastern New England. *American Antiquity* 39(4):582–596.
- Bronk Ramsey, Christopher. 1995. Radiocarbon Calibration and Analysis of Stratigraphy: The OxCal Program. *Radiocarbon* 37(2):425–430.

- Bronk Ramsey, Christopher. 2009. Bayesian Analysis of Radiocarbon Dates. *Radiocarbon* 51(1):337–360.
- Bronk Ramsey, Christopher. 2017. Methods for Summarizing Radiocarbon Datasets. *Radiocarbon* 59(6):1809–1833.
- Buck, Caitlin E., and Bo Meson. 2015. On Being a Good Bayesian. *World Archaeology* 47(4):567–584.
- Byers, Douglas S., and Frederick Johnson. 1940. *Two Sites on Martha's Vineyard*. Papers Vol. 1, No. 1. Robert S. Peabody Foundation for Archaeology, Andover, Massachusetts.
- Ceci, Lynn. 1984. Shell Midden Deposits as Coastal Resources. *World Archaeology* 16(1):62–74.
- Ceci, Lynn. 1990. Radiocarbon Dating “Village” Sites in Coastal New York: Settlement Pattern Change in the Middle to Late Woodland. *Man in the Northeast* 39:1–28.
- Chilton, Elizabeth S. 2012. New England Algonquians: Navigating “Backwaters” and Typological Boundaries. In *The Oxford Handbook of North American Archaeology*, edited by Timothy R. Pauketat, pp. 262–272. Oxford University Press, New York.
- Chilton, Elizabeth S., and Dianna L. Doucette. 2002. Archaeological Investigations at the Lucy Vincent Beach Site (19-DK-148): Preliminary Results and Interpretations. In *A Lasting Impression: Coastal, Lithic, and Ceramic Research in New England Archaeology*, edited by Jordan E. Kerber, pp. 41–69. Praeger, Westport, Connecticut.
- Colwell-Chanthaphonh, Chip, and T. J. Ferguson (editors). 2008. *Collaboration in Archaeological Practice: Engaging Descendant Communities*. AltaMira Press, Lanham, Maryland.
- Cook, Robert A., Aaron R. Comstock, Kristie R. Martin, Jarrod Burks, Wendy Church, and Melissa French. 2015. Early Village Life in Southeastern Indiana: Recent Field Investigations at the Guard Site (12D29). *Southeastern Archaeology* 34(2):95–115.
- Deetz, James. 1996. In *Small Things Forgotten: An Archaeology of Early American Life*. Rev. ed. Anchor Books, New York.
- Den Ouden, Amy E., and Jean M. O'Brien. 2013. (editors). *Recognition, Sovereignty Struggles, and Indigenous Rights in the United States: A Sourcebook*. University of North Carolina Press, Chapel Hill.
- Dunford, Fred, and Greg O'Brien. 1997. *Secrets in the Sand: The Archaeology of Cape Cod*. Parnassus Imprints, Hyannis, Massachusetts.
- Duranleau, Deena Lynne. 2009. Flexible Sedentism: The Subsistence and Settlement Strategies of the Pre-Contact Residents of Coastal New England and New York. PhD dissertation, Department of Anthropology, Harvard University, Cambridge, Massachusetts.
- Echeverria, Durand. 1993. *A History of Billingsgate*. Wellfleet Historical Society, Wellfleet, Massachusetts.
- Ekholm, Eric, and James Deetz. 1970a. Preliminary Report: Excavations at C-9, Wellfleet, Massachusetts. Manuscript on file at Cape Cod National Seashore, Eastham, Massachusetts.
- Ekholm, Eric, and James Deetz. 1970b. The Great Island Tavern Site. Manuscript on file at Cape Cod National Seashore, Eastham, Massachusetts.
- Ekholm, Eric, and James Deetz. 1971. Wellfleet Tavern. *Natural History* 80(7):49–57.
- Gillis, Nichole, and Holly Herbster. 2013. *Endangered Archaeological Sites Project Archaeological Reconnaissance and Intensive Survey: Great Island and Great Beach Hill, Cape Cod National Seashore*. Report 2734. Submitted to the US National Park Service (Northeast Region). Copies available from the Public Archaeology Laboratory, Pawtucket, Rhode Island.
- Gould, D. Rae. 2013a. The Nipmuc Nation, Federal Acknowledgment, and a Case of Mistaken Identity. In *Recognition, Sovereignty Struggles, and Indigenous Rights in the United States: A Sourcebook*, edited by Amy E. Den Ouden and Jean M. O'Brien, pp. 213–233. University of North Carolina Press, Chapel Hill.
- Gould, D. Rae. 2013b. Cultural Practice and Authenticity: The Search for Real Indians in New England in the “Historical” Period. In *The Death of Prehistory*, edited by Peter R. Schmidt and Stephen A. Mrozowski, pp. 241–266. Oxford University Press, Oxford.
- Gould, D. Rae, Holly Herbster, Heather Law Pezzarossi, and Stephen A Mrozowski. 2020. *Historical Archaeology and Indigenous Collaboration: Discovering Histories That Have Futures*. University Press of Florida, Gainesville.
- Grootes, Pieter Meiert, and Hans van der Plicht. 2022. Hessel de Vries: Radiocarbon Pioneer from Groningen. *Radiocarbon* 64(3):419–433. <https://doi.org/10.1017/RDC.2021.63>.
- Guilderson, Tom P., Paula J. Reimer, and Tom A. Brown. 2005. The Boon and Bane of Radiocarbon Dating. *Science* 307(5708): 362–364.
- Hamilton, W. Derek, and Anthony M. Krus. 2018. The Myths and Realities of Bayesian Chronological Modeling Revealed. *American Antiquity* 83(2):187–203.
- Harrington, Mark Raymond. 1909. Ancient Shell Heaps Near New York City. In *The Indians of Greater New York and the Lower Hudson*, edited by Clark Wissler, pp. 167–179. Anthropological Papers Vol. 3. Trustees of the American Museum of Natural History, New York.
- Harrington, Mark Raymond. 1924. *An Ancient Village Site of the Shinnecock Indians*. Anthropological Papers Vol. 22, Part 5. Trustees of the American Museum of Natural History, New York.
- Hart, John P., and William A. Lovis. 2012. Reevaluating What We Know about the Histories of Maize in Northeastern North America: A Review of Current Evidence. *Journal of Archaeological Research* 21(2):175–216.
- Holmes, Richard D., Carolyn D. Hertz, and Mitchell T. Mulholland. 1998. *Historic Cultural Land Use Study of Lower Cape Cod: A Study of the Historical Archeology and History of the Cape Cod National Seashore and the Surrounding Region*. Prepared by the University of Massachusetts Archaeological Services, The Environmental Institute, Blaisdell House, Amherst Massachusetts. Prepared for the Archaeology Branch, Cultural Resources Center, Northeast Region, National Park Service, US Department of the Interior, Lowell, Massachusetts. Copies available from University of Massachusetts Archaeological Services, Amherst.
- Johnson, Frederick. 1942. The Hemenway Site, M42/42, Eastham, Massachusetts. *Bulletin of the Massachusetts Archaeological Society* 3(3):27–30.

- Kerber, Jordan E. 2002. Interpreting Diverse Marine Shell Deposits of the Woodland Period in New England and New York: Interrelationships among Subsistence, Symbolism, and Ceremonialism. In *A Lasting Impression: Coastal, Lithic and Ceramic Research in New England Archaeology*, edited by Jordan E. Kerber, pp. 13–26. Praeger, Westport, Connecticut.
- Lightfoot, Kent G. 1985. Shell Midden Diversity: A Case Example from Coastal New York. *North American Archaeologist* 6(4): 289–324.
- Lightfoot, Kent G., and Robert M. Cerrato. 1989. Regional Patterns of Clam Harvesting along the Atlantic Coast of North America. *Archaeology of Eastern North America* 17:31–46.
- Lightfoot, Kent G., Lee M. Panich, Tsim D. Schneider, Sara L. Gonzalez, Matthew A. Russell, Darren Modzelewski, Theresa Molino, and Elliot H. Blair. 2013. The Study of Indigenous Political Economies and Colonialism in Native California: Implications for Contemporary Tribal Groups and Federal Reconciliation. *American Antiquity* 78(1):89–104.
- Manning, Sturt W. 2020. Radiocarbon Dating, Bayesian Modeling, and American Archaeology. *SAA Archaeological Record* 20(4): 40–46.
- Manning, Sturt W., Jennifer Birch, Megan Anne Conger, Michael W. Dee, Carol Griggs, and Carla S. Hadden. 2019. Contact-Era Chronology Building in Iroquoia: Age Estimates for Arendarhonon Sites and Implications for Identifying Champlain's Cahiagué. *American Antiquity* 84(4):684–707.
- Manning, Sturt W., Jennifer Birch, Megan Anne Conger, Michael W. Dee, Carol Griggs, Carla S. Hadden, Alan G. Hogg, et al. 2018. Radiocarbon Re-Dating of Contact-Era Iroquoian History in Northeastern North America. *Science Advances* 4(12): eaav0280.
- Manning, Sturt W., Jennifer Birch, Megan Anne Conger, and Samantha Sanft. 2020. Resolving Time among Non-Stratified Short-Duration Contexts on a Radiocarbon Plateau: Possibilities and Challenges from the AD 1480–1630 Example and Northeastern North America. *Radiocarbon* 62(6):1785–1807.
- Manning, Sturt W., Paul R. Huey, Michael T. Lucas, and John P. Hart. 2021. Radiocarbon and Artifactual Evidence for Early 17th Century A.D. Dutch Activity at the Site of Fort Orange, Albany, New York, USA. *Journal of Field Archaeology* 46(3):192–209.
- McManamon, Francis P. 1984a. Types of Archaeological Deposits and Lithic Assemblage Analysis. In *Chapters in the Archaeology of Cape Cod, I: Results of the Cape Cod National Seashore Archeological Survey, 1979–1981*, Vol. 2: Other Specific Studies and Synthesis, edited by Francis P. McManamon, pp. 1–41. Cultural Resources Management Study No. 8. Division of Cultural Resources, North Atlantic Regional Office, National Park Service, US Department of the Interior, Boston.
- McManamon, Francis P. 1984b. Prehistoric Cultural Adaptations and Their Evolution on Outer Cape Cod. In *Chapters in the Archaeology of Cape Cod, I: Results of the Cape Cod National Seashore Archeological Survey, 1979–1981*, Vol. 2: Other Specific Studies and Synthesis, edited by Francis P. McManamon, pp. 339–418. Cultural Resources Management Study No. 8. Division of Cultural Resources, North Atlantic Regional Office, National Park Service, US Department of the Interior, Boston.
- McManamon, Francis P. 2011. *Chapters in the Archaeology of Cape Cod, IV. Faunal Analysis and Metallurgical Analysis from the Cape Cod National Seashore Archeological Survey*. Cape Cod National Seashore, National Park Service, US Department of the Interior, Wellfleet, Massachusetts.
- McManamon, Francis P. 2015. Scale in Archaeological Interpretation and Information Management: An Example from Cape Cod, Massachusetts. *Northeast Anthropology* 83–84:89–111.
- McManamon, Francis P., and James W. Bradley. 1986. The Indian Neck Ossuary and Late Woodland Prehistory in Southern New England. In *Chapters in the Archaeology of Cape Cod, V: The Indian Neck Ossuary*, edited by Francis P. McManamon, James W. Bradley, and Ann L. Magennis, pp. 3–47. Division of Cultural Resources, North Atlantic Regional Office, National Park Service, US Department of the Interior, Boston.
- McManamon, Francis P., and James W. Bradley. 1988. The Indian Neck Ossuary. *Scientific American* 258(5):98–104.
- Moffett, Ross. 1946. Some Shell Heaps in Truro, Massachusetts. *Bulletin of the Massachusetts Archaeological Society* 7(2):17–23.
- Moffett, Ross. 1957. A Review of Cape Cod Archaeology. *Bulletin of the Massachusetts Archaeological Society* 19(1):1–19.
- Mrozowski, Stephen A. 2013. The Tyranny of Prehistory and the Search for a Deeper History. In *The Death of Prehistory*, edited by Peter R. Schmidt and Stephen A. Mrozowski, pp. 220–240. Oxford University Press, Oxford.
- Mrozowski, Stephen A., D. Rae Gould, and Heather Law Pezzarossi. 2015. Rethinking Colonialism: Indigenous Innovation and Colonial Inevitability. In *Rethinking Colonialism: Comparative Archaeological Approaches*, edited by Craig N. Cipolla and Katherine Howlett Hayes, pp. 121–142. University Press of Florida, Gainesville.
- Nolan, Kevin C. 2012. Temporal Hygiene: Problems in Cultural Chronology of the Late Prehistoric Period of the Middle Ohio River Valley. *Southeastern Archaeology* 31(2):185–206.
- Oldale, Robert N. 1968. *Geologic Map of the Wellfleet Quadrangle, Barnstable County, Cape Cod, Massachusetts*. US Geological Survey, Washington, DC.
- Panich, Lee M., and Tsim D. Schneider. 2019. Categorical Denial: Evaluating Post-1492 Indigenous Erasure in the Paper Trail of American Archaeology. *American Antiquity* 84(4):651–668.
- Pauketat, Timothy R., and Kenneth E. Sassaman. 2020. *The Archaeology of Ancient North America*. Cambridge University Press, New York.
- Reimer, Paula J., William E. N. Austin, Edouard Bard, Alex Bayliss, Paul G. Blackwell, Christopher Bronk Ramsey, Martin Butzin, et al. 2020. The IntCal20 Northern Hemisphere Radiocarbon Age Calibration Curve (0–55 cal kBP). *Radiocarbon* 62(4):725–757.
- Ritchie, William A. 1969. *The Archaeology of Martha's Vineyard: A Framework for the Prehistory of Southern New England*. Natural History Press, Garden City, New Jersey.
- Ritchie, William A. 1980. *The Archaeology of New York State*. Rev. ed. Harbor Hill, Harrison, New York.
- Schmidt, Peter R., and Stephen A. Mrozowski (editors). 2013. *The Death of Prehistory*. Oxford University Press, Oxford.

- Silliman, Stephen W. 2005. Culture Contact or Colonialism? Challenges in the Archaeology of Native North America. *American Antiquity* 70(1):55–74.
- Skinner, Alanson. 1909. Archaeology of Manhattan Island. In *The Indians of Greater New York and the Lower Hudson*, edited by Clark Wissler, pp. 113–121. Anthropological Papers Vol. 3. Trustees of the American Museum of Natural History, New York.
- Skinner, Alanson. 1919. *Exploration of Aboriginal Sites at Throgs Neck and Clasons Point, New York City*. Contributions Vol 5, No. 4. Museum of the American Indian, Heye Foundation, New York.
- Steinberg, John M., Christa M. Beranek, Stephen A. Mrozowski, and Dennis V. Piechota. 2022. *Inventory and Monitoring Endangered Sites, Great Island, Cape Cod National Seashore, Wellfleet, Massachusetts*. Cultural Resource Management Study No. 87. Prepared by Andrew Fiske Memorial Center for Archaeological Research, University of Massachusetts, Boston. Prepared for National Park Service, Northeast Region Archaeology Program.
- Stuiver, Minze, and Henry A. Polach. 1977. Discussion: Reporting of 14C data. *Radiocarbon* 19(3):355–363.
- Surovell, Todd A., and P. Jeffrey Brantingham. 2007. A Note on the Use of Temporal Frequency Distributions in Studies of Prehistoric Demography. *Journal of Archaeological Science* 34(11):1868–1877.
- Synenki, Alan T., and Sheila Charles. 1984. *Archaeological Collections Management of the Great Island Tavern Site, Cape Cod National Seashore, Massachusetts*. ACMP Series No. 3. Division of Cultural Resources, North Atlantic Regional Office, National Park Service, US Department of the Interior, Boston.
- Thompson, Victor D., Richard W. Jefferies, and Christopher R. Moore. 2018. The Case for Radiocarbon Dating and Bayesian Analysis in Historical Archaeology. *Historical Archaeology* 53(1):181–192.
- Watson, Jessica E. 2020. An Updated History of Pre-Contact New England: New AMS Dates for the Hornblower II and Frisby-Butler Archaeological Sites. *Radiocarbon* 62(5):1437–1451.
- Williams, Alan N. 2012. The Use of Summed Radiocarbon Probability Distributions in Archaeology: A Review of Methods. *Journal of Archaeological Science* 39(3):578–589.