

## SUBJECT INDEX

- $\alpha$  effect 224,225,228,262,266,281,282,297,392,509  
 $\alpha$  tensor 228
- ACRIM** 506
- activity**  
  age relation 161,164  
  period relation 199,200,202  
  rotation relation see 'rotation'
- advection** 243
- advective effects** 301
- aerodynamic**  
  drag 54  
  lift 220
- Alfvén**  
  point 496,509  
  radius 429,452  
  surface 438,451  
  transit time 41,82,392  
  waves see 'waves'
- Alfvénic Mach number** 424
- Algonquin Radio Observatory** 371
- ambipolar**  
  diffusion 479–485  
  fluid 527
- angular momentum**  
  loss 135,165,235,337,419,429–434,438,439,449–453,  
  457,460,461,465,466,493,494,498,509  
  transport 438,450,485
- arch filament system** 54
- area covering factor**  
(see also 'filling factor' and  
'fractional area coverage')  
  magnetic 3,6–14,21,22,210,436  
  network 164
- Astronomical Institute at Utrecht** 113
- autocorrelation analysis** 117,124,126
- AXAF** 506
- Babcock technique** 4
- battery**  
  effect 240  
  generation 242  
  integral 239  
  mechanism 237

- Benard layer** 243  
**Benjamin-Ono equation** 61,63,66  
**Bessel functions** 340,386,404  
**Biermann-type battery** 237,238  
**bifurcation** 310  
   **Hopf** 309  
     **in chromospheric activity** 194  
     (see also 'H-K flux dichotomy')  
     **magnetic field** 270,453  
**Big Bear Solar Observatory** 364  
**bisector, spectral line** 149-152  
**Boussinesq**  
   **approximation** 270,506  
   **convection** 218  
   **fluid** 301,302  
**braking**  
 (see also 'rotation', 'wind')  
   **dynamo** 462,464  
   **magnetic** 229,429,430,434,459,462,463,479-484  
   **rotational** see 'rotational'  
   **time-scales** 429  
**bremsstrahlung** 363,366,387,388  
**bright ring** 69,71  
**Brunt-Väisälä frequency** 284,287,288,456  
   **magnetic** 284,285,288  
**buoyancy**  
   **magnetic** 45,47,54,55,219,220,222,226,228,245,266,269,  
   281,282,284,288,297,298,459,528,529  
   288  
   **thermal** 363  
**burst, solar radio** 363  
**butterfly diagram** 216,281  
  
**canopy, magnetic** 62,344,411  
**catastrophe, thermal** 397,399,400  
**CCD technology** 505  
**center-to-limb variation** 67,156  
**Chandrasekhar number** 43  
**chaotic**  
   **behaviour** 307-310,509  
   **solutions** 229  
**chi-square fit** 5  
**circumstellar**  
   **envelopes** 445  
   **lines** 420  
   **shell** 419,420,423  
   **winds** 445  
**closure approximations** 55  
**conductive**  
   **losses** 392  
   **thermal flux** 326,351,398  
**code**  
   **two-dimensional radiative transfer** 67  
   **two-dimensional time dependent** 67

contraction time scale	480,482
convection	
Boussinesq	218
compressible	221,248,251,252,265,301
global	218,219,249,269,529
granular	see 'granular'
helical structure	251
incompressible	251,253
magnetic	43,281
non-linear	247,250
thermosolutal	288
zone depth	143,187,189,190,194,250,268,459,505
convective	
collapse	44,45,71,73,75–77,79
downdraft	81,82,219,221
flux	46
instability	see 'instability'
overshoot motions	300,454
rolls	221,229,250,302
spectrum	52
transport	226
turn over time	143,218,246,258,266,268
updraft	219,221
coronal	
condensation	85,96
hole	85,90,95,96,163,216,277,323,338,346,347,395, 438,459,473–475,491,518,525,528
rain	397
transient	460,467–470
Cowling model	239
Crimean Astrophysical Observatory	23
critical points	475
cutoff frequency	48,51,52
cycle	
aperiodic	307,309
magnetic	251,255,256,262,264,267,270,318,517,528
mechanism	277
period	124,225,229,230,264,299
solar	101,102,111,113,117,118,121,122,213–217,219, 246,248,279,357,358,516,522
stellar	97,113,117,122,124,143,147,159,161,294,295, 502,503,509,521,522
time-scale	125,128–130
deconvolution	5,29,30
diamagnetism	220
differential rotation	214–222,227–229,236,247,253,257,258,260–262, 264–267,270,274,277,286,307,310,392,449,450, 457,528,529
amplitude	199,256
as energy source	216
contours	252,255

- equatorial acceleration 250,251,258,265,270
- magnetically induced change 226
- polynomial representation 106,107
- shearing 263
- solar surface 101–107,248,249,259,273,459,516
- stellar observations 130,155–159,501,502
- diffusion
  - anomalous 60
  - angular momentum 457
  - approximation 67
  - chemical element 241,450,457
  - coefficient 82,273–276,459
  - eddy 528
  - heat 282
  - Leighton 274
  - magnetic field see 'magnetic field'
  - molecular 284,301
  - ohmic 42
  - random walk 277
  - time scale 43,229,283,459,460
  - turbulent 55,59,217,224,301,529
- diffusivity
  - eddy 284
  - heat 281,285,287,289
  - magnetic 284
  - thermal 43,214,216,258,284,381
  - thermal 247,456
  - thermometric 252,253,257,258
  - turbulent 43,44,53,55,216,220,224,229,230,281,287,299,305,509
- DISCO 512
- disk/halo population 441
- dissipation
  - compressional 394
  - Joule 305,394
  - viscous 260,394
- Doppler imaging 506,512
- doubly-diffusive
  - instabilities see 'instabilities'
  - modes 289,299
  - processes 285,288
- downflows
  - in luminous stars 326
  - inside fluxtubes 59,60,77,235,305,333
  - role in atmospheric heating 330
  - transition region 313,337
- Durney–Stenflo result 429
- dynamo
  - $\alpha^2$  253,262
  - $\alpha - \omega$  190,199,217–220,226,227,253,255,299,307
  - $\omega$  289
  - action 244,251,270,506
  - cyclic 253,255,266,267,457

disc	226
distributed	190,192
efficiency	15,236
excitation	229
flux ejection	220
fluxtube	219,222,229,530
generation	324,337,338,430,431,453
helical	271
hybrid	265
hydromagnetic	226,247,251
kinematic	222,247,249,251,262,264,280
layer	221,222
mean-field	218,223,307
mechanism	109,130,298,451,493
mode	195
models	16,29,56,171,173,192,213–217,254–258,267,281, 300,383,392,459,509
non-linear	213,225,226,227,270,281,309
number	227,230,309,310
overshoot layer	219,225
period	264,266,269
single-mode	229
solar	214,222,297,502,529
spherical shell	248,282,288
stellar	95,133,143,167,174,193–195,199,213,230,279, 322,438,449,461,463,496,505,531
turbulent	193,214,235,253,528
two-sphere	227
wave	see 'waves'
<b>Eddington–Sweet circulation</b>	<b>237,239,283</b>
<b>Einstein Observatory</b>	<b>13,90,165,167–170,174–177,180,184,193,205,210, 293,313,314,321,369,370,387,505,512,523,530</b>
<b>Bragg Crystal Spectrometer (BCS)</b>	<b>180</b>
<b>Image Proportional Counter (IPC)</b>	<b>177,180,182,183,186,205,210,360</b>
<b>Objective Grating Spectrometer (OGS)</b>	<b>175,177,180,210</b>
<b>Solid State Spectrometer (SSS)</b>	<b>180–182,360,373</b>
<b>electrodynamic coupling</b>	<b>377,391,393,394,397,527</b>
<b>emerging flux regions</b>	<b>356</b>
<b>emission measure</b>	<b>363</b>
<b>differential</b>	<b>163</b>
<b>specific</b>	<b>208</b>
<b>enthalpy flux</b>	<b>326,330,361</b>
<b>entropy</b>	<b>81</b>
<b>gradient</b>	<b>284</b>
<b>ephemeral active regions</b>	<b>217,225,269</b>
<b>equilibrium</b>	
<b>dynamic</b>	<b>73,75</b>
<b>magnetohydrostatic</b>	<b>41,222,471,524,525</b>
<b>equipartition surface</b>	<b>340,342,343</b>
<b>equivalent electrodynamic circuit</b>	<b>277,278,385,397,509,527</b>

- European Southern Observatory (ESO)**  
   1.4 m Coudé Auxiliary Telescope (CAT) 156  
   Coudé Echelle Spectrometer (CES) 156  
   Image Handling Package (IHAP) 156  
   Reticon array 156  
**EUVE** 506  
**evaporation/condensation scenario** 397,398  
**Evershed flow** 109  
**EXOSAT** 506  
**expansion, differential** 420  
**expulsion**  
   of magnetized plasmas 467,511  
   turbulent 236  
**extended chromospheres** 421–423,425,437,445–447,490  
  
**faculae**  
   solar 6,59  
   stellar 22  
**facular points** 152,219  
**feedback** 258,262  
   electromagnetic 253  
   nonlinear 253  
**field aligned currents** 82  
**filling factor**  
 (see also 'area covering factor' and 'fractional area coverage')  
   coronal 184,208–210,359,361  
   magnetic 9,21,22,29,31,33,86,89,173,192,330,505  
   network 90  
   plage 89,90,153,163,331,333,338  
**First-Order-Smoothing Approximation** 217,222,224  
**flare**  
   compact 346  
   radio 438  
   RS CVn 318  
   solar 174,332,346,356,367,386,468,469,516,528  
   stellar 175,176,318,328,337,369–373,512,524  
   two-ribbon 346  
**fluctuation spectra**  
   kinetic 55  
   magnetic 55  
**force**  
   buoyancy 54,220,221,223,235,250,285,287,299  
   centrifugal 238  
   convective 43  
   Coriolis 219,227,250,258,260,262,282–287,299  
   drag 220,223,235,300  
   electromotive 216,224  
   Lorentz 79–83,215,217,225,226,237,280,305,307,309,310,468  
   magnetic curvature 223  
   viscous 215,258,283

<b>Fourier</b>	
reduction method	5,34,155–158,461
representation	80
series	340
shift theorem	32
<b>fractional area coverage</b>	
(see also 'area covering factor' and 'filling factor')	
magnetic	143,313,327
plage	318
various coronal structures	357,358
<b>fragmentation, dynamical</b>	221
<b>galactocentric orbit</b>	479
<b>geomagnetic reversals</b>	226
<b>giant cells</b>	218,219,224,248,501
<b>global circulation</b>	509
<b>granular</b>	
buffeting	66
convection	82,83,149,151,152
flow	79
life times	82
radii	81
updrafts	82
<b>granulation</b>	
layer	149
simulated	79
solar	219,411,526
<b>granule</b>	45,82,149,150,153,305,400
chromospheric	408
giant	400
<b>gravitational redshift</b>	111,150
<b>Griffin-type radial velocity spectrometer</b>	4,35
<b>gyrofrequency</b>	364
<b>gyroresonant</b>	
absorption	363,366
emission	363,364,389
<b>H<math>\alpha</math></b>	
fibrils	21,52,344,407–411,525
mottles	52
<b>Hale cycle</b>	27
<b>Hankel function</b>	404
<b>Harvard–Smithsonian Center for Astrophysics</b>	113
stellar X-ray survey	168–170
<b>Hayashi phase</b>	484
<b>heat cycle</b>	82
<b>heating</b>	
acoustic	139,187,197,314,350,377
Alfvén wave	377,447

- by collisionless tearing modes 353
- by current dissipation 350
- by resistive instabilities 377
- chromospheric 136,202,313,327,447
- coronal 59,172,345,346,349,350,356,360,375,376,393,  
395,471,509,527
- magnetic 139,188,339,341,345,350
- mechanical 340,351
- MHD wave 350,377,413
- non-compressional wave 445
- non-magnetic 339
- non-radiative 187,188,193,314,315,319,330
- non-resonant 173
- non-thermal 70,169
- rate 320,329,332,338,343,353,396
- resonant 394,397,399,400
- Heaviside step function 378
- helicity 16,222,24,229,251,253,262,266,269,270,281
- HELIOS spacecraft 475
- heliostrophic balance 250,260
- helium ignition 431
- helmet streamer 488,491
- Hertzsprung gap 431,465
- High Altitude Observatory (HAO) 468
  - coronagraph at Mauna Loa
- High Resolution Telescope Spectrograph (HRTS) 320,326
- high-quality resonator 380,383,394
- high-speed streams 425,475
- H-K 137,140,141
  - chromospheric ratio 115,123,127,130
  - dichotomy 90,206
  - excess 114–121,132,144,522,526,527
  - flux 123,128
  - function of  $B - V$  135,136,521
  - index 91,95,205,206,504
  - line-core 89,90,94,95
  - lower limit 490
- hybrid atmospheres 229,267
- hysteresis 490
- instability 456
  - baroclinic 300
  - buoyant 73,80,220
  - convective 222,283,284
  - double-diffusive 49
  - fire hose 455
  - $^3\text{He}$  298
  - interchange 382
  - Kelvin–Helmholtz 298
  - Kruskal–Schwarzschild 287
  - magnetostrophic mode



- Rayleigh–Taylor 298
- resistive MHD 82,377
- rotational 455,457
- shear 456
- Tokamak 82
- triple-diffusive 460
- intergranular lanes 79,81,82
- International Ultraviolet Explorer (IUE) 37,90,161,163,200,201,203,313–324,327,333,337,369–371,421,445,512,522,523,530
- interstellar cloud 479
- inverse cascade 226
- isochrones 442
- isorotation 238,255,509
- Kelvin–Helmholtz
  - instability 382
  - time scale 53
- kinematic groups 441
- kink mode 62
- Kitt Peak National Observatory 7,30,248,273–275
  - 4 m Mayall reflector 30
  - Fourier Transform Spectrometer (4 m) 30,34
  - Fourier Transform Spectrometer (McMath) 149–151
- Korteweg–de Vries equation 61,63,66
- Lick Observatory 11,18
  - 3 m telescope 36
  - Coudé double-pass
    - echelle spectrograph 9
    - data 11,18,37
    - image dissector scanner 9
- likelihood function 293
- limbshift 102
- line
  - asymmetries 156
  - blends 156
  - gap 70
  - shifts 156
- lithium
  - abundance 38
  - depletion 442,443
- loop
  - atmospheres 167,350,351
  - chromospheric footpoints 326,490
  - coronal 61–64,85,95,207–210,330,345,346,350,353,360,363–367,372,376–382,386,391,393,395–400,469,525
  - emerging 447
  - evacuation 397
  - in giant stars 487,488
  - models 186,208–210,345,351,352,361,378,393,394,399,471

- static 205
- structures 346–350,356,357,376
- LRC circuit 383,385,393,395,400
- luminosity function 290–296
- Luyten proper motion survey 191
  
- Magellanic Clouds 503
- magnetic field
  - curvature 361,473–475,477
  - diffusion 229,282,304
  - dissipation rate 263
  - drag 301,302,304
  - equipartition 34,43,173,215,218,506
  - evolution 273
  - fibril state 223,224,235
  - flux-rope state 223,224
  - intermittent 42,213,217,266,282,506
  - interplanetary 23–25,27
  - photospheric fluxtubes 41–79,512
  - polarity laws 216,248,281,517
  - polarity reversals 216,248,278
  - poloidal 215,216,222,237–241,251,254–258,261–264,266,269,270,307,528
  
  - primordial 191,192,214,215,222,236–238,529
  - regeneration 219
  - solar mean 23–27
  - stellar observations 3–22,29–39,506,520
  - stresses 350
  - toroidal 16,215,216,218,220,236–241,253–258,261–267,270,282,286,288,289,307,310,528
  
  - transport 273
  - transverse 4
- magneto-Boussinesq approximation 301
- magnetograph, solar 95,110,344,517,519
- magnetometer, chromospheric 95
- maser 390
- mass loss 165,235,419–427,432,433,436,445,447,449,450,457–461,465,487,489–491,496,512,524
  
- Maunder minimum 226,264,307–310,502,509,519
- maximum likelihood techniques 299
- Maxwell stresses 258,260
- mean field electrodynamics 56,213,216
- mean free path approximation 242
- mechanical energy flux 329
- meridional circulation 219,220,237–239,255,258,260,273–277,299,314,512
  
- mesogranule 400
- missing flux 52
- mixing length
  - formalism 67
  - models 221
  - theory 218,227,228,454,506

mixing	
of stellar interior	457
molecular weight gradient	237,240,242
Mount Wilson Observatory	23,86,111,515–517,521
60 inch telescope	503
Ca II H and K photometer	88,89,114,130,132,136–138,503,521
data	11,102
program for stellar activity cycles	113,114,118,132,530
multi-component	
atmosphere	32
temperature	182
Multiple Mirror Telescope (MMT)	187
Agassiz echelle spectrograph	188
Reticon detector	188
network	6,86
chromospheric	88,89,153,318,326,438,519
magnetic	85,95,526
supergranulation	162,164,273,326,339–344,407–411,523
neutrino flux	449,454,455,457,460,529
Noyes–Middelkoop calibration	126,127
$\omega$ effect	300
oblateness	459,460
ohmic	
decay time	214
diffusion	42
dissipation	214
Ohm's law	237,242
opacity broadening	163
oscillations	
5 min	216,248,455,506
11 year	102
adiabatic buoyancy	284
coronal	386
g modes	235
inertial, axisymmetric	262
longitudinal	410
overstable	284
solar	449,456,458,512
stellar	460
torsional (fluxtubes)	46
torsional (global sun)	101,102,104,106,111,216,217,248,262,264,310, 512,519
oscillator model	214–216
OSO 8	326,331,332
overshoot layer	213,219–222,225,235,236,282,284,286,288,289, 457,529
paleomagnetic variations	522
Pannekoek–Rosseland field	238
P Cygni-type profile	337,426

- Pedersen conductivity 305  
 phase  
   amplitude modulation 25,27  
   coherency 25  
 phase mixing 376,381,382  
 plage  
   solar 86,88,138,153,164,317,320,326,328,330–332,  
   338,400,506,517,523  
   stellar 163,313–317,320,328,338,371,526  
 polarimetry, broad-band 4  
 polarization  
   circular 4,364,387–389,520  
   linear 4  
 polar plumes 517  
 polytrope 469,471  
 power spectrum 23–25  
 Prandtl number 217,230,282,285,287  
   magnetic 43,257,258,260,263,271,282,288,378  
 prominence 437,468  
   eruptive 468  
   formation 351  
   stability 351  
 protostellar  
   angular velocity 483  
   formation 479  
   spindown 434,484  
  
 quadrupole moment, solar 455  
 quasars 438  
  
 radiative  
   cooling 82,425  
   damping 13,14,47  
   loss 11,46,203,327,329,332,340,351,392,397,399,  
   414,419,425  
   pressure 283  
 radio emission  
   gyroresonant 363,364,389  
   gyrosynchrotron 390  
   plasma 390  
   polarized 35,363  
 Ratan 600 Telescope 367  
 Rayleigh number 43  
 reconnection 50,219,244,318  
 relaminarization 300  
 relaxation time, thermal 59  
 resonance frequency 397–399,509  
 Reticon detector 4  
 (see also 'European Southern Observatory'  
 and 'Multiple Mirror Telescope')  
 Reynolds number 229,285,299,300,381,382,509  
   magnetic 16,43,55,219,258,270,271,302,379  
 Reynolds stresses 218,250,253,256,258,260,266

- Robinson technique 3–7,22  
 ROSAT 506  
 Rossby number 143,228,285  
 Rosseland mean optical depth 34  
 rotation  
   activity relation 113,116,125,126,137,180,193,195,196,279,280,  
   289,522,530  
   coefficients 102  
   cyclonic 220  
   differential see 'differential rotation'  
   equatorial rate 102,104  
   rigid 216,460  
   solar core 222,520  
   tracers 101,117  
 rotational  
   braking 428,429,461,465,493,494,496,509  
   discontinuity 465,491  
   instabilities 455,457  
   modulation 89,117,132,137,139,141,144,161,174,175,209,  
   210,313,320,324,502,504,522  
   splitting 216,449,455,456  
 rotator  
   magnetic 429  
   oblique 240  
   rapid 193–196,198,201,238,322,433,495,497  
   slow 21,193,194,198,322–324,432,466,495  
 Russel–Vogt theorem 3  
  
 Sacramento Peak Observatory 7,113,407  
   tower telescope 408  
 sausage mode 47,62  
 scaling laws  
   for coronal loops 33,171,186,207,345,349–353,357,360,361,376,  
   380,394,526  
   for stellar mass loss 424  
 Schmidt number 282,285,287–289  
 Schrödinger equation, nonlinear 66  
 Schwarzschild criterion 286  
 sector structure 23,27,216  
 seismology  
   solar 501  
   stellar 506  
 self-similar  
   flow 469  
   solution 471  
 shear  
   Alfvén waves 376  
   torsional velocity 102  
 sidelobe 155,156  
 Skumanich relation 429,432–434,443,451  
 Skylab 146,207,320,326,346,347,355,356,385,518  
   Apollo Telescope Mount (ATM) 504  
   SO54 experiment 207

- slab**
- geometry** 67
- magnetic** 62,63
- slip velocity** 224
- Solar Optical Telescope (SOT)** 333,504,511,519
- soliton** 49,61–66
- Alfvén** 66
- coronal** 66
- magnetoacoustic** 64
- MHD** 61,66
- torsional** 66
- tube** 64
- source surface** 460
- Space Telescope** 333,506
- speckle**
- imaging** 506
- interferometry** 447
- spectroscopy** 447
- spectroheliogram** 407–409
- spectroheliograph** 516
- spicule** 50,59,64,326,330,343,437
- spindown** 134,136,139,145,192,419,427,430,432,434,  
449–454,457–461,464,493,495,530
- spline, cubic** 80
- spots**
- solar** 34,62,153,225,338,363–366,389,390,400,506,  
515–517,519,523
- stellar** 6,22,313,316,317,338,506,522,523,526
- Stanford Observatory** 23
- stars**
- Algol type** 37,194
- Ap type** 5,237
- BY Dra type** 52,194,316,442,523
- cataclysmic variables** 429
- close binaries** 87,91,92,182,186,194,199,200,203,227,504,522
- eclipsing binaries** 369,437,512
- FK Com type** 92,94
- flare** 442
- Herbig Ae type** 92,94
- Hyades cluster** 130,162,193,443,444
- Hyades giants** 97,466,498
- hybrid** 321–323,338,421,423,524
- magnetic A type** 520
- OB type** 179–183
- peculiar** 86
- Pleiades cluster** 130,193,443,444
- RS CVn type** 29,30,35–39,52,134,181–183,186,193–201,204,  
227,298,299,316–324,332,338,369–372,423,  
491,523
- second crossing** 431,432,466,497,498
- solar neighborhood** 115,134,137,144,439,444
- synchronized spectroscopic binaries** 90,91

T Tauri type	15,92,94,162,163,164,165,191,192,194,320,321, 337,419,426,427,432,433,437
UMa group	443,444
W UMa type	922,94,196,323,429
61 Cyg group	442,444
$\lambda$ And	29–34,132,198,318,324,325,359–361
$\zeta$ And	207,208
$\alpha$ Aql (Altair)	186
$\delta$ Aql	157
$\alpha$ Aqr	323
UX Ari	39,318
$\alpha$ Aur (Capella)	175,177,210,324,325,337
$\iota$ Aur	323
RW Aur	162
$\alpha$ Boo (Arcturus)	153,323,338,342,421,445–447,466
$\xi$ Boo A	35,319,342
$\tau$ Boo	157
XI Boo A	4,7,9,13,18
XI Boo B	13
$\iota$ Cap	207,208
$\psi$ Cap	157
$\alpha$ Cen A	163,207–209,319,320,325,326,359
$\alpha$ Cen B	207–209,319,320,359
Proxima Centauri	318,319,328
$\alpha$ Cet	438
$\beta$ Cet	324,325
$\tau$ Cet	8,9
UV Cet	175–181,319,387,388,390
$\alpha$ CMa (Sirius)	430
YZ CMi	175,176,178,319
$\alpha$ Crv	157
31 Cyg	437
32 Cyg	437
61 Cyg A (see also 'HD 201091')	8,9,16,21,118,127,143,207,208,316
61 Cyg B	127,143,207,208,319,320
$\beta$ Dra	323–325,337,423
$\omicron$ Dra	200
$\sigma$ Dra	153
$\epsilon$ Eri	10,17,18,207,208,316,318,319,324
$\theta$ Her	36,37,323
$\mu$ Her	36,37
AR Lac	201,316,369–373
CN Leo	175,176
$\beta$ Lep	186
RU Lup	337

$\alpha$ Lyr (Vega)	186,430
AT Mic	319
AU Mic	319
$\xi$ Oph	157
70 Oph A	4,7-10,35,153,342
$\alpha$ Ori (Betelgeuse)	422,425,426,437,446,447
$\kappa$ Ori	186
$\chi^1$ Ori	161-164,207,208,387-389
$\gamma$ Pav	157
EQ Peg	175,176,179-181,319,387
II Peg	39,316,317,328,338
56 Peg	322
$\iota$ Per	8,9
$\omega$ Psc	157
33 Psc	200
$\eta$ Sco	157
$\tau$ Sco	178-182,186
$\beta$ Sct	36-38
$\gamma$ Ser	177
$\zeta$ Ser	157
$\alpha$ Tau	30-32,318,421,446
DF Tau	426,438
V 711 Tau	39
111 Tau	207,208,316
119 Tau	446
$\alpha$ TrA	322,323,423
6 Tri	207,208
$\alpha$ UMa	322
$\pi^1$ UMa	175-182,186,359
24 UMa	207,208
61 UMa	207,208
$\epsilon$ UMi	324
$\beta$ Vir	36,38
$\gamma$ VirN	415
$\mu$ Vir	157
EQ Vir	175,176,319,414,415
59 Vir	207,208
ER Vul	200
GL 867A	318
L726-8A	390
Wolf 630	175,177,387,388,442
HR 1099	175,177,316,318,328
HR 4280	36,37



HR 5110	35–37,39
HR 5553	13
HR 5999	94
HR 7275	39
HD 1835	144,338
HD 3651	122
HD 3795	120–122
HD 4628	116,117,122
HD 10476	122
HD 10700	132
HD 12235	122
HD 16160	122
HD 17925	207,208
HD 23249	139
HD 25998	144
HD 26965	122
HD 32147	122
HD 81809	118,122,132
HD 88230	319
HD 100180	122
HD 101501	120,121
HD 103095	122
HD 111456	207,108
HD 114378	139
HD 115383	139
HD 115404	122
HD 120136	118,119,122
HD 131156	122
HD 142373	120,121,132
HD 149661	122
HD 152391	122
HD 155886	122
HD 156026	121
HD 160346	118,119,122
HD 161239	122
HD 165341	122
HD 166620	122
HD 182572	122
HD 190007	122
HD 190406	121
HD 201091 (61 Cyg A)	118,119,122
HD 201092	122
HD 219834	122
<b>strange attractor</b>	<b>307,310,509</b>
<b>Strömgren–Perry catalog</b>	<b>115</b>
<b>subadiabatic gradient</b>	<b>288</b>
<b>superadiabatic gradient</b>	<b>285,286</b>
<b>superadiabaticity</b>	<b>44,45,48</b>

- supergranulation
  - boundaries 367
  - cell 163,235,339,340,519
  - motions 111
  - network see 'network'
- supergranule 45,223,400
- superposed epoch analysis 25
- synthesis map 365
  
- Taylor–Couette flows 299
- Taylor–Proudman
  - constraint 229,260
  - theorem 250
- thin-tube approximation 43,44,62,66,77
- tidal coupling 134,299
- Tokamak 46
- topological pumping 219,235,243
- torque-free condition 242
- turbulence, MHD 42,55,217,226
- turbulent
  - conductivity 267
  - diffusion see 'diffusion'
  - diffusivity see 'diffusivity'
  - dynamo see 'dynamo'
  - expulsion 236
  - flow 42
  - mixing 192
  - pressure 10
  - viscosity see 'viscosity'
- twisting velocity 353,357
- two-component
  - corona 360
  - stellar surface 5,31
  - temperature 181,182,186
  
- University of Hawaii
  - Mauna Kea Observatory 35–37
  - 2.2 m telescope 35
  
- Vaughan–Preston
  - gap 89,134,137,228,236,449,452,453,509,522
  - survey 236,439
- Very Large Array (VLA) 363,367,387–389,506,512
- viscosity
  - damping 381
  - eddy 215,218,247
  - kinematic 258
  - turbulent 219,226,288
- VLBA 506
- Vogt–Russel theorem 314,317
- vorticity 51,236,251,301,302

**waves**

- Alfvén** 3,11–14,21,46–51,215,327,377–385,390,405–411,423–427,437
- Alfvén–gravity** 386
- Alfvén surface** 379,381,393
- acoustic** 11–14,21,48–52,83,327,340,343
- body** 46,62,350,385
- compressive** 51
- cut off** 59
- dynamo** 217,229,280,307,308
- fast-mode** 11–14,46,50,83,327,377,385
- gravity** 343,460
- helical** 224
- hydrodynamic** 46,343
- inertial** 286,288
- linear** 62,64
- longitudinal sound** 62
- longitudinal tube** 21,47–49,52,411,413
- magnetoacoustic** 61–63,343,406
- magneto-atmospheric** 51
- magnetostrophic** 22,224,286
- MHD** 11,14,46,50,288,350,414,509
- nonlinear** 62,307,308,340
- nonlinear tube** 49,405
- shear Alfvén** 376,381
- shock** 50
- singular** 46
- slow-mode** 3,11–14,21,46,50,319,327,377,390
- solitary** 61
- surface** 46,62,350,377,411
- torsional Alfvén (fluxtube)** 47–52,401,402,405,406
- torsional (global sun)** 102,106,108,109
- transversal tube** 47–52,411,413
- Weber–Davis model** 429,431,433
- Wilson–Bappu**
  - effect** 413–415
  - parameter** 27
- Wilson depression** 21,34,67
- wind**
  - acceleration** 473
  - angular momentum transport** 452
  - braking** 430,434
  - circumstellar** 445
  - cool** 422,425,426
  - solar** 346,451,459,460,473
  - sonic point** 489,491
  - stellar** 419,449,450,461,493,496,509
  - thermally-driven** 424
  - torque** 222
  - wave-driven** 422–425,433
- X-ray bright points** 217,225,269,437,438,526

**Zeeman**

- multi-line analysis** 4
- broadening** 5,6,21,22,512
- splitting** 29,30,506,520
- effect** 4-9,35-38,111,515,517
- zonal velocities** 217