


Vol. 106, No. 442

JANUARY, 1960

THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF
G. W. T. H. FLEMING

WITH THE ASSISTANCE OF
Alexander Walk (Co-Editor)

L. C. Cook	F. L. Golla	T. F. Main
P. K. McCowan	A. Meyer	R. M. Norman
M. Partridge	W. Linford Rees	B. W. Richards
	W. Warren	

(The above constitute the Journal Committee)

AND

Lord Adrian	J. N. P. Moore
W. Ross Ashby	A. A. W. Petrie
Sir F. C. Bartlett	Derek Richter
Sir W. E. le Gros Clark	E. T. O. Slater

LONDON
J. & A. CHURCHILL, LTD

Published Four times Yearly Fifteen Shillings net.

THE JOURNAL OF MENTAL SCIENCE

Communications on general editorial matters, including MSS. for publication, books for review and other printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the Editor-in-Chief, Barnwood House, Gloucester.

Communications and enquiries regarding sales should be addressed to the Publishers, Messrs. J. & A. CHURCHILL, Ltd., 104 Gloucester Place, Portman Square, London, W.1; and those regarding Advertisements to Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.

Details of membership of the Royal Medico-Psychological Association are obtainable from the Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

FROM MESSRS. ADLARD & SON, LTD.,
Bartholomew Press, Dorking, Surrey.

Enquiry (History) Form, for use in Mental Hospitals. In three sizes. Prices and specimen forms on application.

FROM MESSRS. J. & A. CHURCHILL, LTD.,
104 Gloucester Place, W.1.

"The Journal of Mental Science." Published four times a year. Price 15/-. Postage extra.

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.

Vol. 3, 1959. Pp. 404. Price 50/-.


FROM MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2.

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

FROM THE SECRETARY, 11 Chandos Street, W.1.

The Charter and By-Laws of the Association. Price 2/-, Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 }
Vol. 3 1959 } (at special price to members of R.M.P.A.)



stelazine* in acute schizophrenia

'In those who had lost it, insight
returned at a very early stage'.

Brit. med. J., (1959) *i*, 550

*FORMULA: 2-trifluoromethyl-10-(3'[{1''-methyl piperazinyl-4''}-
propyl] phenothiazine dihydrochloride*

Smith Kline & French Laboratories Ltd, Welwyn Garden City, Herts

*'Stelazine' (trade mark) brand of trifluoperazine

SZ:PA20

A new advance in the treatment of all kinds of depression

NARDIL

TRADE MARK

phenelzine

a notably safe and effective monoamine oxidase inhibitor
which compares in scope and effect with E.C.T.

Nardil is a major advance in psychological medicine, presenting the possibility of replacing E.C.T. in the treatment of depression.

Nardil modifies the biochemical basis of depression by regulating the enzyme which destroys 5-hydroxytryptamine. This is in contrast to the amphetamine-like substances which merely mask the symptoms without influencing the underlying cause. Nardil is indicated for all potential E.C.T. patients; for patients not responding to, or unsuitable for, E.C.T. and for those who have relapsed after E.C.T.

In clinical trials involving many thousands of patients, excellent results have been obtained with minimal side effects: and most important, with no toxic effects on blood or liver.

Response to Nardil is seen within the first week, and often within the first few days. Nardil abolishes symptoms in from 2 to 5 weeks and recovery is maintained for long periods after treatment has ceased.

Dosage schedule is simple and flexible—for inpatients one tablet three times a day and one at bedtime; for outpatients, one tablet three times a day.

Nardil is now available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine. Comprehensive technical information available on request.



Bibliography

Amer. J. Physiol. (1953) 175, 157. *J. Physiol.* (1954) 126, 596.
5-hydroxytryptamine, Proc. (1957) discussion p. 60. Pergamon Press.
4 papers presented at a conference on Amine Oxidase
Inhibitors, New York Academy of Sciences, November 1956.
Dis. nerv. Syst. (1959) 22, 197. *Amer. J. Psychiat.* (1959) 116, 71.

NARDIL

 a safe, effective anti-depressant


an original discovery of Warner Research

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HANTS.

NAR431

to relieve anxiety and tension . . .
to calm the psychoneurotic . . .
to control the acute psychotic . . .

Fentazin

PERPHENAZINE

the broad-span phenothiazine

and unsurpassed anti-emetic



FENTAZIN (perphenazine) is remarkably effective in a wide range of psychiatric disorders. Virtually free from side-effects, it is eminently suitable for the routine management of minor anxiety and tension states.

FENTAZIN is several times more active than older phenothiazines, and offers rapid control of even acute psychoses.

In addition, FENTAZIN is unsurpassed as an anti-emetic.

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg. perphenazine. Supplied in bottles of 50 and 500 tablets of each strength.


FENTAZIN INJECTION contains 5mg. perphenazine in each 1 c.c. Supplied in ampoules of 1 c.c. in boxes of 5 ampoules.

FENTAZIN is a trade mark



ALLEN & HANBURYS LTD LONDON E2

AH85



1. senile and presenile depression
2. parkinsonism
3. to counteract parkinsonoid symptoms produced by neuroplegics in the treatment of chronic and acute schizophrenia

DISIPAL^{regd.}

orphenadrine hydrochloride

"With the aid of the blocking substance orphenadrine the side effects of reserpine treatment can be greatly reduced and partially obviated, without an adverse influence, being exerted on the clinical effect. In addition, the sedative effect of reserpine is enhanced by orphenadrine . . . While, up to now, the most important use of reserpine was in the treatment of chronic psychoses, because of its delayed action, phenothiazine or convulsive treatment were preferred in acute cases with a stormy course. Now treatment with reserpine in combination with orphenadrine also seems possible in these forms of disease."
(Scheurle, G., Deut. med. Wochschr. **82**, 2227 (1957))

Also indicated in vertigo and psychasthenia

Packs of 100 and 250 tablets/Prescribable on E.C. 10




U.K. patent numbers:
607.258 and 743.495

Manufactured and distributed in England by

CAMDEN CHEMICAL CO. Ltd., London W.C.1
for

N.V. Koninklijke Pharmaceutische Fabrieken v/h.
BROCADES - STHEEMAN & PHARMACIA
Amsterdam-Holland

of established
value in
psychiatry...



PRESENTATIONS
Tablets of 10, 25, 50 and 100 mg.
Syrup containing 25 mg. Chlorpromazine Hydrochloride BP. in each 3.6 ml. (approx. one teaspoonful).
1 per cent solution in ampoules of 5 ml.
2.5 per cent solution in ampoules of 1 ml. and 2 ml.
Suppositories containing 100 mg. base.

MANUFACTURED BY

In Psychoses—

for rapid reduction of psychomotor over-activity without clouding of consciousness or dulling of intellect.

In Psychoneuroses—

for relief of tension, leaving the patient active but composed.

In Prolonged-Sleep Treatments—

for enhancing and prolonging the action of sedatives and hypnotics, allowing safer and easier treatment without confusion.

In the Management and Rehabilitation of Drug Addicts—

for suppressing withdrawal symptoms in those addicted to alcohol or narcotics.

Detailed information is available on request

MAY & BAKER LTD



An M&B Brand Medical Product

MA6841/85

Distributors: PHARMACEUTICAL SPECIALITIES · (MAY & BAKER) LTD · DAGENHAM



Out of the shadows

Dartalan

SAFE AND EFFECTIVE IN

PSYCHOSES Particularly Schizophrenia ^{1 & 2}

NEUROSES Tension states and patients with obsessional traits

GENERAL MEDICINE Agitated states in the elderly ³

1. Am.J.Psychiat. 1958, **114**, 1034.

2. A.M.A. Arch. Neurol.Psych. 1958, **80**, 481.

3. Internat. Assoc. Gerontology, October, 1958.

SEARLE

HIGH WYCOMBE, BUCKS.



Niamid exhibits an anti-depressant effect in all psychiatric conditions in which depression is a component. Patients take a renewed interest in other people, they begin to participate in group activities and to enjoy company, they show increased cheerfulness and hope.

For many months Niamid has been the subject of clinical trial throughout the world. These studies have confirmed the therapeutic value of Niamid in the management not only of depression, but also of angina pectoris, certain types of mental defect, inoperable malignant states and other conditions associated with chronic intractable pain. In all, over 5000 patients undergoing Niamid therapy have been the subject of detailed biochemical and clinical study. *Yet in all these cases there has been no single instance in which serious side effects of any kind have been recorded.*

Investigators have testified to the outstanding safety, lack of toxicity and negligible side effects encountered during Niamid therapy.

AVAILABILITY

25 mg. tablets in bottles of 30, 100 and 500

100 mg. tablets in bottles of 30 and 100

Niamid[†] *brand of nialamide*

Further information concerning this new compound is available in the Harvey monograph "Niamid", forwarded on request

Marketed in the United Kingdom by

HARVEY PHARMACEUTICALS

a department of Pfizer Ltd., Folkestone

Trade Mark

3596



BARBEVITE ELIXIR

FOR NEURASTHENIA AND ANXIETY STATES

This pleasantly flavoured elixir contains Phenobarbitone together with Vitamins B1, B2, B6 and Nicotinamide. Ideally suited for the treatment of various conditions associated with the B complex deficiencies such as general fatigue, anorexia, gastro-intestinal disturbances, tachycardia, irritability and depression. **FORMULA:** Phenobarbitone B.P. $\frac{1}{2}$ grain, Aneurin Hydrochloride B.P. 1.5 mgm., Riboflavine B.P. 1.0 mgm., Pyridoxine Hydrochloride B.P.C. 0.17 mgm., Nicotinamide B.P. 10 mgm., Glycerin B.P. 42 minims, Alcohol B.P. 9 minims, Colour and flavour a sufficiency, Base to 1 fluid drachm.

POISON

S1

S4

Available in bottles containing 5, 20, 80 fl. ozs. Basic N.H.S. prices 3/9, 14/4, 51/4.

Also available in tablet form to the above formula. Bottles containing 250 tablets. Basic N.H.S. price 7/9.


Manufactured in the laboratories of

JAMES WOOLLEY, SONS & CO. LTD., VICTORIA BRIDGE - MANCHESTER 3.

'ECTONUSTIM'

E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'

—E.C.T. apparatus

'ECTRON'

—E.C.T. apparatus

'ECTRON'

—Rubber Mouth Gag

'ECTRONOLYTE'


—Electrolyte Powder

Write for full details to: **ECTRON LTD**

REELEK WORKS · BALDOCK · HERTS · ENGLAND

Telegrams: "Reelek" Baldock

Telephone: Baldock 3276



Isolation — no longer necessary for the epileptic patient

Clinical experience has clearly shown that with proper treatment and understanding the majority of epileptics are able to play a part second to none in the community. To achieve this the selection of an appropriate drug is most essential.

Evidence of the efficacy of 'Mysoline' continues to pour in from all parts of the world. It has been found that it not only reduces the frequency and severity of attacks but also has a beneficial effect on the general condition and outlook of the patient. Mental alertness replaces former dullness, and there is a renewed interest in normal activities, together with a general

improvement in sociability. For these reasons, when an improvement in performance is desirable, it is often advantageous to use 'Mysoline' in cases already controlled by other drugs.

'Mysoline' combines high activity with low toxicity and display a wide margin of safety and absence of hypnotic effect during established treatment.

Available in tablets of 0.25 G. and as a palatable oral suspension.

Mysoline

TRADE MARK
PRIMIDONE B.P.



IMPERIAL CHEMICAL INDUSTRIES LIMITED Pharmaceuticals Division Wilmslow Cheshire

WYKE HOUSE, ISLEWORTH

MIDDLESEX Tel. ISLeworth 7000

A Private Home for the individual treatment and care of all forms of Nervous and Mental Illness. Voluntary, temporary, or certified admission. The number of patients is limited to twenty-five and all modern treatments are given, including deep insulin. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

Further particulars from the Resident Physicians:

H. Pullar-Strecker, M.D.

G. W. Smith, O.B.E., M.B.



La Métairie NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: *Apply to Dr. W. SEMADENI, Chief Doctor*
Telephone 9.65.91

BARNWOOD HOUSE

GLOUCESTER

A REGISTERED HOSPITAL (outside the National Health Service), for the **CARE and TREATMENT** of **LADIES and GENTLEMEN** suffering from **NERVOUS and MENTAL DISORDERS**. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Voluntary Patients of both sexes are also received for treatment. Special accommodation is also provided at two villa residences, both of which stand in their own grounds and are entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

HEIGHAM HALL, NORWICH

PRIVATE MENTAL HOME for Nervous and Mental illness. All types of treatment carried out. Accommodation for Alcoholics and Addicts available. Special Geriatric Unit now open.

Fees from 8 gns. per week upwards according to requirements.

Apply to Dr. J. A. SMALL.

Telephone: Norwich 20080.

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. Telephone: Burnham 624

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Hospital two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 10 Guineas per week.

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER

CLINICAL PSYCHOLOGISTS

(MASTER'S DEGREE)

required for

PROVINCIAL MENTAL HEALTH SERVICES BRITISH COLUMBIA

Write for full particulars re existing vacancies, salaries and working conditions, etc., to:

Competition No: 59:607 B.C. Civil Service Commission, Essondale, B.C. Canada

Enquiries regarding advertising in

JOURNAL OF MENTAL SCIENCE

should be addressed to:—

Advertisement Manager

ALDRIDGE PRESS LTD

27 Chancery Lane London WC2

Telephone: HOLborn 8655

Telegrams: Presreps, Holb. London

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism and Geriatrics. All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west of London. Easily accessible by Metropolitan train from Baker Street to Pinner — 22 minutes. Ten minutes walk from Pinner Station. Fees twenty guineas a week inclusive of Medical Treatment. Resident and Visiting Physicians.

Medical Director, Douglas Macaulay, M.D., D.P.M.


INDEX TO ADVERTISERS

	PAGE
Allen & Hanbury Ltd.	iii
Camden Chemical Co. Ltd.	iv
Civil Service Commission, Canada	xii
Ectron Ltd.	viii
Imperial Chemical Industries Ltd.	ix
Lederle Laboratories Ltd.	xiv
Eli Lilly & Co. Ltd.	Cover 3
Pfizer Ltd.	vii
Pharmaceutical Specialities (May & Baker) Ltd.	v
G. D. Searle & Co. Ltd.	vi
Smith, Kline & French Laboratories Ltd.	i
Vitamins Ltd.	xvi
William R. Warner & Co. Ltd.	ii
James Woolley, Sons & Co. Ltd.	viii

Nursing Homes:

Barnwood House, Gloucester	xi
Chiswick House, Pinner	xiii
Heigham Hall, Norwich	xii
Hitcham Place, Burnham, Bucks.	xii
Hume Towers, Bournemouth	xi
La Métairie, Nyon, Switzerland	x
Northumberland House, Finchley, N.3	xiii
Springfield House, Bedford	xii
Wyke House, Isleworth	x

**PATIENTS
KEYED UP
TO A HIGH
PITCH**



need **Miltown**^{*}
MEPROBAMATE *REGD. TRADEMARK OF CARTER PRODUCTS INC

**relaxes emotional and muscular tension
without clouding the consciousness**

in 2 presentations

- Capsules** 200 mg. and 400 mg. Each capsule contains 200 mg. or 400 mg. meprobamate. Packing and basic N.H.S. cost: 200 mg. bottles of 50 6/6, 250 £1. 4. 0., 400 mg. bottles of 50 9/-, 250 £1. 18. 8.
- Tablets** 400 mg. Each scored tablet contains 400 mg. meprobamate. Packing and basic N.H.S. cost: 400 mg. bottles of 50 9/-, 250 £1. 18. 8.



LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2



INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent direct to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must not be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



When high-potency Vitamin B is indicated . . .

PARENTROVITE and OROVITE



Standard Reference Cards

Factual information on all our products is available. Produced in accordance with A.B.P.I. Specifications, cards can be obtained from our representatives or from Vitamins Ltd.

Parentrovite—massive dose of injectable B complex with C for restoring consciousness and rational behaviour in toxic states due to drugs and infective agents . . .
and Orovite—high dosage vitamin B complex for oral use— for rapid restoration of glucose metabolism.

VITAMINS LIMITED

Upper Mall, London, W.6.