VOL. IX.—1895.

THE

JOURNAL OF LARYNGOLOGY.

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

Condon:

THE REBMAN PUBLISHING COMPANY, LIMITED, Successors to F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,

JOHN MACINTYRE, M.B. Glasgow,

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (Cork), DR. MILLIGAN (Manchester),

AND WITH THE CO-OPERATION OF

DRS. BARON (Bristol), R. BOTEY (Barcelona),

CARTAZ (Paris), BRYSON DELAVAN (New York),

DRAISPUL (St. Petersburg), GRAZZI (Florence), GUYE (Amsterdam),

HICGUET (Brussels), MIDDLEMASS HUNT (Liverpool),

VALERIUS IDELSON (Berne), JOAL (Paris), KARWOWSKI (Warsaw),

A. B. KELLY (Glasgow), LACOARRET (Toulouse),

LAKE (London), LICHTWITZ (Bordeaux), JOHN N. MACKENZIE (Baltimore),

PROF. MASSEI (Naples), MEYJES (Amsterdam), E. MEYER (Ferlin),

MICHAEL (Hamburg), HOLGER MYGIND (Copenhagen)

W. PORTER (St. Louis), ROBERTSON (Newcastle), SAJOUS (Philadelphia),

SENDZIAK (Warsaw), SOTA (Seville), ST. CLAIR THOMSON (London), AND

DR. ZIEM (Dantzic).

CONTENTS.

Original Articles—	PAGE
Operative and Dietetic Treatment of Suppurations of the Accessory Cavities of the Nose (concluded). By Dr. Ziem	855
Complications of Empyema of the Accessory Cavities of the Nose. By Dr. Lichtwitz.	
(Abstracted.)	862
Adenoid Vegetations. By Dr. Arslan	864
Statistics of Ear Diseases. By Dr. Heiman	865
Otitic Cerebellar Abscess. By Dr. HEIMAN	867
Thorner's Mastoid Retractor.	869
Proceedings of the Laryngological Society of London—Syphilis of Palate and Larynx, Roper—Syphilis of Larynx and Nose, Potter—Cicatricial Obstruction of Nares, Spicer—Tubercular Ulceration of Nasal Septum, Symonds—Tubercular Disease of Septum, Symonds—Cicatricial Stenosis of Left Cord, Symonds—Frontal Sinus Disease, Hill—Laryngeal Carcinoma, Kanthack—Pharyngeal Carcinoma, Kanthack—Laryngeal Hyperplasia, Kanthack—Typhoid Necrosis, Kanthack—Specimens, Semon Pages 870 t	o 876
Proceedings of the British Laryngological Association — President's Address, Stoker—Clinical Cases, Stoker—Double Antral Disease, Law——Regeneration of Tissue after Turbinectomy, Hill—Cases, Grant—Treatment of Ménière's Disease, Grant—Keratosis Obturans, Lake ————————————————————————————————————	:o`89;
Proceedings of the French Society of Laryngology and Otology—Adenoiditis, Helme—Persistent Nasal Suppuration, Grant—Dry Laryngitis, Molinié—Employment of Chloride of Zinc, Fauvel—Chancriform Ulcerative Tonsillitis, Mendel—Acute Ulcerative Tonsillitis, Moure—Remarks on Rare Cases, Castex—Tamponning the Meatus, Fongeray—Nasal Polypi and Sarcoma, Bonain—Subglottic Polypi, Wagnier—Anosmia cured by Carbonic Acid, Ipal—Electrization in Auricular Affections, Mounier—Primary Chancre of the Septum, Garel—Acute Affections of Accessory Cavities. Moll—Assepsis, Helme and Lermoyee—Lipoma of the Tonsil, Onedi—Perichondritis, Moure—Vocal Nodes, Poyel—The Curette in Nasal Stenoses, Astier—Crico-arytenoid Paralysis, Onedi—Orbital Tumour, Combe and Dubousquet-Laborderie——Pages 895	to 904
Proceedings of the New York Academy of Medicine—Section on Laryn-Gology—New Instruments, Delavan, Gleitsmann—Laryngeal Syphilitic Neoplasms, or Sarcoma, Chappell—Address, Delavan—Cure of Septal Deviation, Mayer, etc	0 912
Review— Diphtheria and its Associates, By Lennox Browne	912
Note - The Meyer Memorial	914
GUIDE TO ADVERTISEMENTS.	
Processing	
Allen & Hophurus iv., v.	
Allen & Hanburys iv., v. Bullock & Co. ix.	
Burroughs, Wellcome & Co	
Central London Throat Hospitalxiv.	
Ingram & Royle ix., xiii.	
Lambert Pharmacal Co	
Mayer & Meltzer xii. Rebman Publishing Company ix., xi.	
Resuman Fublishing Company	

ANTI-DIPHTHERITIC SERUM.

(B. W. & Co.).

This valuable therapeutic agent has proved eminently successful in the treatment of Diphtheria. None of the diagreeable sequelæ attributed to the new treatment have followed the use of Serum issued by us, or by reliable institutions. The great danger that menaces the advance of this most valuable method of medication lies in the fact that many unreliable and worthless Serums have been placed on the market, with the result that in many cases physicians have been disappointed. Prescribers should, therefore, be careful as to the source of their supply. With the aid of a distinguished London bacteriologist, who is thoroughly conversant with everything relating to the discovery, we were the first firm in England to prepare the liquid Serum, and the first in the world to produce a dried Serum of full potency. Having spent large sums of money in experiments and in the fitting of a properly equipped

bacteriological laboratory, we request physicians who have Serum treatment with negative clearly, when reporting cases to of their supply, so that the may be clearly distinguished

The discovery in our of preparing a scale Serum of great boon on physicians and objections to the application Diphtheria in private practice of the injection which has been formidable size and appearance operation. Patients, who may antitoxin, not at all seldom alter syringe and the bulk of liquid



think it not unreasonable to tried the Anti-Diphtheritic or unsatisfactory results to state the medical journals, the source manufacturers of reliable Serums from those less successful.

laboratories, of the method full potency has conferred a patients alike. One of the chief of the Serum treatment of has always been the large size considered necessary, and the of the syringe required for the have consented to the use of their minds when they see the which it is proposed to inject.

This real difficulty is entirely overcome by the use of the dried Serum. It is readily soluble in three times its weight of water, and then forms a Serum of full potency. It keeps perfectly, and may be used with a comparatively small syringe, and seems to be less liable to cause a rash than the ordinary liquid Serum. Owing to the fact that the dried Serum will keep indefinitely, general practitioners find it possible to keep by them sufficient not only to provide against emergencies, but also to meet any calls that may be made upon them. In making up the solution, add the dried Serum to the water, previously sterilized, rather than the water to the Serum, and shake up for a few seconds until completely dissolved.

A Special Syringe for the injection of the Serum is supplied. Price 20s.

This can be easily taken to pieces and sterilized.

Supplied to the Medical Profession, in either the liquid or lamellar form, at a uniform price of One Shilling per Tube, or Phial containing one therapeutic dose of 600 units (Behring).

BURROUGHS, WELLCOME & Co.,

SNOW HILL BUILDINGS, LONDON, E.C.

Cable and Telegraphic Address: "BURCOME, LONDON."