

CONTENTS OF No. 338, MARCH 1982

| | <i>page</i> |
|--|-------------|
| A. LIVINGSTONE and D. L. BISH: On the new mineral theophrastite, a nickel hydroxide, from Unst, Shetland, Scotland | 1 |
| R. A. MASON, J. V. SMITH, J. B. DAWSON, and S. B. TREVES: A reconnaissance of trace elements in anorthoclase megacrysts | 7 |
| A. R. WOOLLEY: A discussion of carbonatite evolution and nomenclature, and the generation of sodic and potassic fenites | 13 |
| G. D. PRICE: Exsolution in titanomagnetites as an indicator of cooling rates | 19 |
| D. TAYLOR: Phase diagrams: the composition of the material being instantaneously abstracted from the liquid during equilibrium crystallization in binary systems with solid solution between the end members | 27 |
| G. M. CORRIGAN: Supercooling and crystallization of plagioclase, olivine, and clinopyroxene from basaltic magmas | 31 |
| T. F. EMMETT: The petrography and geochemistry of corona-bearing dolerites from the Jotun Nappe, central southern Norway | 43 |
| S. A. WILLIAMS: Theisite, a new mineral from Colorado | 49 |
| R. E. BEVINS, S. TURGOOSE, and P. A. WILLIAMS: Namuwite, $(\text{Zn,Cu})_4\text{SO}_4(\text{OH})_6 \cdot 4\text{H}_2\text{O}$, a new mineral from Wales | 51 |
| J. D. SILLS: The retrogression of ultramafic granulites from the Scourian of NW Scotland | 55 |
| N. J. FORTEY and B. BEDDOE-STEPHENS: Barium silicates in stratabound Ba-Zn mineralization in the Scottish Dalradian | 63 |
| H. R. ROLLINSON: Evidence from feldspar compositions of high temperatures in granite sheets in the Scourian complex, NW Scotland | 73 |
| B. A. CRESSEY, E. J. W. WHITTAKER, and J. L. HUTCHISON: Morphology and alteration of asbestiform grunerite and anthophyllite | 77 |
| E. MURAD: Iron oxide mineralogy of a hydrothermal assemblage on Santorini Island, Aegean Sea | 89 |
| M. FIEREMANS and P. DE PAEPE: Genesis of tourmalinites from Belgium: petrographical and chemical evidence | 95 |
| J. A. GAMBLE: The mineral chemistry of dolerites and gabbros from the central complex of Slieve Gullion, NE Ireland | 103 |
| M. H. HEY: The determination of ferrous and ferric iron in rocks and minerals; and a note on sulphosalicylic acid as a reagent for Fe and Ti | 111 |
| R. S. W. BRAITHWAITE and B. V. COOPER: Childrenite in SW England | 119 |
| M. J. GOLE: A banded iron-formation assemblage containing clinopyroxene, andradite, babingtonite, and cronstedtite | 127 |
| B. BEDDOE-STEPHENS and K. SECHER: Barian wölsendorfite from East Greenland | 130 |
| F. I. ROBERTS: A dendritic-type arrangement of pyrite from the Kangiara deposit, SE Australia | 132 |
| C. J. STANLEY and R. A. IXER: Mineralization at Le Pulec, Jersey, Channel Islands; No. 1 Lode | 134 |
| G. MASCOLO and O. MARINO: Lattice parameters and composition limits of mixed Mg-Al hydroxy structures—a discussion | 136 |
| Book reviews | 139 |

UNIVERSITY PRESS, OXFORD, ENGLAND