




Journal of  
MATERIALS RESEARCH

FOCUS ISSUE  
Instrumented Indentation



VOLUME 27 • NO 1  
JANUARY 14, 2012

A publication of the

**MRS** MATERIALS RESEARCH SOCIETY  
*Advancing materials. Improving the quality of life.*

CAMBRIDGE  
UNIVERSITY PRESS



# Indentation Scratch Wear

Nanovea Mechanical Testers provide unmatched multi-function Nano and Micro/Macro modules on a single platform. Both the Nano and Micro/Macro modules include indentation, scratch and wear tester modes providing the widest range of testing in the industry on a single module. Within each mode of testing an endless list of material properties can be studied, for example yield strength in indentation mode, adhesion failure in scratch mode, wear resistance/loss in wear mode and many others. Nanovea's unmatched range is an ideal solution for determining the full range of mechanical properties of thin/thick coatings and substrates. Applications range from low loads to measure hardness and elastic modulus of biomaterials to high loads required to test the fracture toughness of hard coatings in the tooling industry or the low level wear and friction testing needed for medical implants. Nanovea indentation, scratch and wear tester modes use depth versus load curves during indentation, independent force & depth sensors to obtain plastic and elastic deformation during scratch testing and friction coefficient and wear rate during pin-on-disk or linear wear testing. Additionally, force feedback controlled loops insure high precision load control during indentation, scratch and wear tester modes. Several optical imaging options including a 3D non-contact profiler and AFM module for high resolution 3D imaging of indentation, scratch and wear track in addition to other optical measurements such as roughness and general metrology. With the unique and superior capability of multiple testing modes on a single module, along with the most competitive pricing in the industry, Nanovea's Mechanical Testers have quickly become the choice by users spanning across all industries. For more information please visit our website for brochure download, application notes, news and more.

Today's Standard For Tomorrow's Materials.

[nanovea.com](http://nanovea.com)

# Journal of MATERIALS RESEARCH

**Editor-in-Chief:** Gary L. Messing, *The Pennsylvania State University*

**Associate Editor, Biomaterials:** Adrian Mann, *Rutgers University*

**Associate Editor, Metallic Materials:** Jürgen Eckert, *IFW Dresden, Germany*

**Associate Editor, Polymers and Organic Materials:** Howard E. Katz, *Johns Hopkins University*

**Guest Editors for Focus Issue: Instrumented Indentation**

Dongil Kwon, *Seoul National University, Korea*

M. Munawar Chaudhri, *University of Cambridge, United Kingdom*

Yang-Tse Cheng, *University of Kentucky*

Oliver Kraft, *Karlsruhe Institute of Technology (KIT), Germany*

**Editorial Office:** Eileen Kiley Novak, *Director of Communications, Materials Research Society, Warrendale, PA*

Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*

Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*

Lorraine K. Wolf, *JMR Publishing Assistant, Materials Research Society, Warrendale, PA*

**2012 Principal Editors:**

Robert C. Cammarata, *Johns Hopkins University*

Edwin A. Chandross, *MaterialsChemistry LLC*

Ping Chen, *Dalian Institute of Chemical Physics, China*

Yang-T. Cheng, *University of Kentucky*

Franz Faupel, *Universität Kiel, Germany*

David S. Ginley, *National Renewable Energy Laboratory*

Amit Goyal, *UT-Battelle/Oak Ridge National Laboratory*

Mikko P. Haataja, *Princeton University*

Himanshu Jain, *Lehigh University*

Suk-Joong L. Kang, *Korean Advanced Institute of Science and Technology, Republic of Korea*

C. Robert Kao, *National Taiwan University, Taiwan*

Koichi Kugimiya, *Osaka University, Japan*

Sharvan Kumar, *Brown University*

Edson Roberto Leite, *Universidade Federal de São Carlos, Brazil*

Yadong Li, *Tsinghua University, China*

Scott T. Misture, *Alfred University*

Paul Murali, *Ecole Polytechnique Federale de Lausanne, Switzerland*

Michelle Oyen, *Cambridge University, United Kingdom*

Nitin P. Padture, *The Ohio State University*

Ian M. Reaney, *The University of Sheffield, United Kingdom*

Joan M. Redwing, *The Pennsylvania State University*

Clifford L. Renschler, *Sandia National Laboratories*

Mototsugu Sakai, *Toyohashi University of Science and Technology, Japan*

Dale Schaefer, *University of Cincinnati*

Winston Schoenfeld, *University of Central Florida*

Christopher A. Schuh, *Massachusetts Institute of Technology*

Don W. Shaw, *The University of Texas at Dallas*

Jay A. Switzer, *Missouri University of Science and Technology*

Mauricio Terrones, *The Pennsylvania State University; and Shinshu University, Japan*

Terry M. Tritt, *Clemson University*

Yoshihisa Watanabe, *National Defense Academy, Japan*

William J. Weber, *University of Tennessee/Oak Ridge National Laboratory*

Sam Zhang, *Nanyang Technological University, Singapore*

Yanchun Zhou, *Aerospace Research Institute of Materials and Processing Technology, China*

Cover: Verification of Knoop indentation model for various stress directionalities. [M-J. Choi, S-K. Kang, I. Kang, and D. Kwon: Evaluation of nonequibiaxial residual stress using Knoop indenter. p. 121.]

# Journal of MATERIALS RESEARCH

Volume 27, Number 1, January 14, 2012

## INSTRUMENTED INDENTATION

- 1            **Introduction**  
Dongil Kwon,  
M. Munawar Chaudhri,  
Yang-Tse Cheng, Oliver Kraft

## REVIEWS

- 3–11        **Indentation creep revisited**  
In-Chul Choi, Byung-Gil Yoo,  
Yong-Jae Kim, Jae-il Jang
- 12–19      **Original in situ observations of creep during indentation and recovery of the residual imprint on amorphous polymer**  
Thibaud Chatel, Hervé Pelletier,  
Vincent Le Houérou,  
Christian Gauthier, Damien Favier,  
Robert Schirrer
- 20–27      **Characterization of homogenous and plastically graded materials with spherical indentation and inverse analysis**  
Charbel Moussa, Olivier Bartier,  
Gérard Mauvoisin, Philippe Pilvin,  
Guillaume Delattre
- 28–38      **Introduction of the real tip defect of Berkovich indenter to reproduce with FEM nanoindentation test at shallow penetration depth**  
Joël Krier, Jacques Breuils,  
Leandro Jacomine, Herve Pelletier

## ARTICLES

- 39–44      **Relationship between yield point phenomena and the nanoindentation pop-in behavior of steel**  
Tae-Hong Ahn, Chang-Seok Oh,  
Kyooyoung Lee, Easo P. George,  
Heung Nam Han
- 45–52      **Assessment of elastic anisotropy and incipient plasticity in Fe<sub>3</sub>C by nanoindentation**  
Jon Alkorta, Javier Gil Sevillano
- 53–63      **Microscale deformation of (001) and (100) rutile single crystals under spherical nanoindentation**  
Sandip Basu, Omar A. Elshrief,  
Robert Coward, Babak Anasori,  
Michel W. Barsoum
- 65–75      **Instrumented nanoindentation investigation into the mechanical behavior of ceramics at moderately elevated temperatures**  
Vineet Bhakhri, Jianye Wang,  
Naeem Ur-rehman,  
Constantin Ciurea, Finn Giuliani,  
Luc J. Vandeperre
- 76–84      **Influence of sample thickness and experimental device configuration on the spherical indentation of AISI 1095 steel**  
Philippe Brammer,  
Gérard Mauvoisin, Olivier Bartier,  
Xavier Hernet, Simon-Serge Sablin
- 85–90      **Nanoindentation investigation of ion-irradiated Fe–Cr alloys using spherical indenters**  
Andrew J. Bushby,  
Steve G. Roberts,  
Christopher D. Hardie
- 91–99      **Application of spherical nanoindentation to determine the pressure of cavitation impacts from pitting tests**  
Davide Carnelli, Ayat Karimi,  
Jean-Pierre Franc
- 100–112    **Predation versus protection: Fish teeth and scales evaluated by nanoindentation**  
Po-Yu Chen, Jeffrey Schirer,  
Amanda Simpson, Richard Nay,  
Yen-Shan Lin, Wen Yang,  
Maria I. Lopez, Jianan Li,  
Eugene A. Olevsky,  
Marc A. Meyers

(Continued)

- 113–120 **Extended JKR theory on adhesive contact of a spherical tip onto a film on a substrate** Seung Tae Choi
- 121–125 **Evaluation of nonequibiaxial residual stress using Knoop indenter** Min-Jae Choi, Seung-Kyun Kang, Ingeun Kang, Dongil Kwon
- 126–131 **Implications of the idea of effective tip shape on nanoindentation unloading curves: AFM measurements and FE simulation** Karim R. Gadelrab, Matteo Chiesa, Flavio A. Bonilla
- 132–140 **An expanding cavity model incorporating pile-up and sink-in effects** Xavier Hernot, Olivier Bartier
- 141–151 **Fracture modes in micropillar compression of brittle crystals** Philip R. Howie, Sandra Korte, William J. Clegg
- 152–160 **Indentation: A simple, nondestructive method for characterizing the mechanical and transport properties of pH-sensitive hydrogels** Yuhang Hu, Jin-Oh You, Debra T. Auguste, Zhigang Suo, Joost J. Vlassak
- 161–166 **Insights on uniaxial compression of WS<sub>2</sub> inorganic fullerenes: A finite element study** Estelle Kalfon-Cohen, David Barlam, Ofer Tevet, Sidney R. Cohen
- 167–176 **High temperature microcompression and nanoindentation in vacuum** Sandra Korte, Robert J. Stearn, Jeffrey M. Wheeler, William J. Clegg
- 177–181 **Stored elastic energy influence on the elastic–plastic transition of GaAs structures** Eric Le Bourhis, Ludovic Largeau, Gilles Patriarche
- 182–191 **Effective Poisson's ratio from combined normal and lateral contacts of single crystals** J.H. Lee, Y.F. Gao, G.M. Pharr
- 192–196 **Measurements of mechanical properties of  $\alpha$ -phase in Cu–Sn alloys by using instrumented nanoindentation** Yang Li, Kang He, Chengwei Liao, Chunxu Pan
- 197–213 **Nonlinear indentation of fibers** Quinn P. McAllister, John W. Gillespie, Jr. Mark R. VanLandingham
- 214–221 **Experimental determination of the effective indenter shape and  $\epsilon$ -factor for nanoindentation by continuously measuring the unloading stiffness** Benoit Merle, Verena Maier, Mathias Göken, Karsten Durst
- 222–228 **Chemomechanical effects of long-chain alcohols during nanoindentation** Bedabibhas Mohanty, Adrian B. Mann
- 229–237 **Analysis of nanoindentation of soft materials with an atomic force microscope** Jacob Notbohm, Benny Poon, Guruswami Ravichandran
- 239–244 **A contribution to understanding of low-load spherical indentation—Comparison of tests on polymers and fused silica** Jiří Nohava, Jaroslav Menčík
- 245–255 **Size effects in indentation of hydrated biological tissues** Michelle L. Oyen, Tamaryn A.V. Shean, Daniel G.T. Strange, Matteo Galli
- 256–265 **Contact-area-based FEA study on conical indentation problems for elastoplastic and viscoelastic-plastic bodies** Mototsugu Sakai, Shun Kawaguchi, Norio Hakiri
- 266–277 **Mechanical assessment of ultrafine-grained nickel by microcompression experiment and finite element simulation** Ruth Schwaiger, Matthias Weber, Benedikt Moser, Peter Gumbsch, Oliver Kraft

(Continued)



- 278–283 **Scratch resistance of Al/SiC metal/ceramic nanolaminates** Danny R.P. Singh, Nikhilesh Chawla
- 284–293 **Rotation field in wedge indentation of metals** Narayan Sundaram, Yang Guo, Tejas G. Murthy, Chris Saldana, Srinivasan Chandrasekar
- 294–301 **Use of an atomic force microscope for the metrological verification of the reference standards of instrumented indentation tests** Satoshi Takagi
- 302–312 **Quantifying plasticity-independent creep compliance and relaxation of viscoelastoplastic materials under contact loading** Matthieu Vandamme, Catherine A. Tweedie, Georgios Constantinides, Franz-Josef Ulm, Krystyn J. Van Vliet
- 313–319 **Effects of mechanical properties on the contact profile in Berkovich nanoindentation of elastoplastic materials** Jiangting Wang, Peter D. Hodgson, Chunhui Yang
- 320–329 **Analysis of onset of dislocation nucleation during nanoindentation and nanoscratching of InP** Kilian Wasmer, Rémy Gassilloud, Johann Michler, Christophe Ballif
- 330–338 **A finite element study on the hardness of carbon nanotubes-doped diamond-like carbon film** Chehung Wei, Jui-Feng Yang
- 339–348 **Elastic anisotropy of Cu and its impact on stress management for 3D IC: Nanoindentation and TCAD simulation study** Kong Boon Yeap, Ehrenfried Zschech, Ude D. Hangen, Thomas Wyrobek, Lay Wai Kong, Aditya Karmakar, Xiaopeng Xu, Iuliana Panchenko
- 349–355 **Understanding the effect of impurities and grain boundaries on mechanical behavior of Si via nanoindentation of (110)/(100) direct Si bonded wafers** Khaled Youssef, Xuegong Yu, Mike Seacrist, George Rozgonyi
- 356–367 **Orientation informed nanoindentation of  $\alpha$ -titanium: Indentation pileup in hexagonal metals deforming by prismatic slip** Claudio Zambaldi, Yiyi Yang, Thomas R. Bieler, Dierk Raabe
- 368–377 **Indentation experiments and simulation of ovine bone using a viscoelastic-plastic damage model** Yang Zhao, Ziheng Wu, Simon Turner, Jennifer MacLeay, Glen L. Niebur, Timothy C. Ovaert
- 378–388 **Use of spherical indentation technique for measurement of property variations of  $\gamma$ TiAl** Alfred Cornec, Mohammad Rizviul Kabir, Norbert Huber

# Journal of MATERIALS RESEARCH

**JOURNAL OF MATERIALS RESEARCH (JMR)** is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

**JMR** publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

**Manuscripts** must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

**Articles** are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

**Commentaries and Reviews:** *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

**Color policy:** It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

**Copyright © 2012**, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center <http://www.copyright.com>, email: [info@copyright.com](mailto:info@copyright.com).

---

## **Journal of Materials Research Subscription Prices (2012)**

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$236.00	\$289.00	\$100.00
Institutions	\$1445.00	\$1551.00	\$1373.00

---

*Journal of Materials Research* (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

**Subscriptions, renewals, address changes, and single-copy orders** should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

**Reprints** of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

**Individual member subscriptions are for personal use only.**