Abernathyite as linked OH ₄ (water) tetrahedra, representation of the interlayer structure of after 72 Absorption bands, v(OH) and v(OD), pleochroism of 301 spectra of clay samples 161 Activation energies, apparent, of ion mobility in montmorillonite pellets 242 Adsorbed cations and layer charge in degraded muscovite 250 Alkalis in stilpnomelane, presence of 61 Allophane removal from kaolins 384 Aluminum octahedra, bond lengths and interatomic distances of 12 octahedral layers 13 Amine reagents, new, for X-ray determina- tion of expandable clays 411 Amines 416 influence of 416 primary normal aliphatic 413 secondary normal aliphatic 416	Atomic contents and sites for pyrophyllite in C2/m subcell 77 co-ordinates in subcell of pyrophyllite 79 parameters of margarite 9 of stilpnomelane 59 of xanthophyllite 4 Atoms, assignment of, to unit cell 36, 37 Attapulgite coatings and aggregates 208 and montmorillonate coatings 208 and sepiolite, occurrence of, in the calcareous zone of a soil near Las Cruces, New Mexico 193 Atterberg limits, Ca-montmorillonite 356, 360, 363 Authigenic kaolinite and mica as evidence for phase equilibria at low temperatures, by R. W. Rex 95
tertiary normal aliphatic 414 Ammonia atmosphere, expansion and electrical conductivity of montmorillonite in 231 clay systems, infrared studies of 238 degraded, undried, muscovite 256 effect of relative pressure of, on the (001) spacing of montmorillonite 234-6 infrared spectra of Na- and Mg-montmorillonite in one atmosphere of 237 and montmorillonite, conductance cell and conductivity measurements using 232 Anion exclusion by hydrobiotite, effect of lattice collapse on 345 Argillizing system, geochemistry of 112 Astrophyllite 23 Athabasca Silt, Brown Recorder and magnetic tape output for after 128	Bailey, S. W. (with R. A. Eggleton): The crystal structure of stilp- nomelane. Part I. The subcell 49 Ball clay from Dorset, England, analysis of 400 exchangeable cations in 401 particle-size analysis of 401 Basal reflections first order, of a Texas bentonite 229 first order, of a Wyoming bentonite 229 Basal spacings increase for a Texas bentonite 226 layer silicate 56 of tri-n-alkyl ammonium formate- montmorillonite complexes 414, 415 Bauer, W. R. (with R. W. Rex): New amine reagents for X-ray deter- mination of expandable clays in dry samples 411

Beidellite Brown, Thomas E. (with Vance C. and montmorillonite, rehydration of KENNEDY): Experiments with a sodium-ion electrode as a means 220 series 214 of studying cation-exchange rates 351 Beidellites and montmorillonites, synthetic, effect of humidity on expansion of Brydon, J. E. (with H. Kodama): Interstratified montmorillo-Bentonite nite-mica clays from subsoils Texas of the Prairie Provinces, Western apparent basal spacing increase for 226 Canada 151 first order basal reflections of 229 BURNHAM, CHARLES W. (with E. W. Wyoming, first order basal reflection of RADOSLOVICH): Refinement of the 229 crystal structures of coexisting Bentonites muscovite and paragonite 27 cereal, effects of 370, 377 foundry molding sand, thermal stability of 367 c'-axis, twofold operations and rotations heat treatment of 369, 370, 378 around the 19 viscosity tests of 370, 379 Calcium hydroxide treated kaolinite Berea sandstone after 339 Berea, Ohio, clay fraction of 100 Calcium⁺⁺, immobilization of 361 electron micrographs after 104 Calcium-montmorillonite Biotite gneiss Atterberg limits 356, 360, 363 average weight per cent kaolin in cation exchange capacity 356 weathered 136 exchange properties of 357 frequency per cent of abrasion pH heat treatment 355, 357 modification of, by low-temperature heat treatment 353 values in the weathering profile of 135 proportion per cent of the gibbsite surface adsorption studies of 356 endothermic peak as a function of water retention of 360, 362 pH in 137 X-ray diffraction of 355 Bond lengths X-ray diffraction data of 359 bond angles and interatomic distances Calculations in margarite 9 free energy data used in, for clays and bond angles and interatomic distances shales 114 in xanthophyllite 7 for the muscovite formula 115 in Ca-octahedra 12 Cation exchange and interatomic distances of aluminum capacities and products of hydrooctahedra 12 thermal synthesis 214 and interatomic distances in pyrophyllite capacity, Ca-montmorillonite 356 80 of stilpnomelane 59 capacity and glycerol with total po-Brindley, G. W.: Nomenclature and tassium content of clay samples, Liaison Committee of the Clay relationships of 166 Minerals Society, 1963-4 429 rates, experiments with a sodium-ion Brindley, G. W. (with M. E. HARWARD): electrode as a means of studying Swelling properties of synthetic smectites in relation to lattice Cations orientation in octahedral positions substitutions 209 relatively to the OH-group 266 Brittle micas, structures of 1 Cell content and composition of stilpnomelane 52 Brown, G. (with J. H. RAYNER): Struc-Central piedmont of Georgia, kaolinite ture of pyrophyllite 73 stability in 131 Brown Recorder Centrosymmetry, N(z) test for 52 and magnetic tape outputs for selected Cereal, effects on bentonites 370, 377 clays after 128

Canima	
Cesium	minerals
desorption studies of 346 effect of potassium on sorption of 347,	comparison of the chemical composi- tion of clay fractions studied with
348	101
fixation by hydrobiotite 345	expandable 67
from hydrobiotite, desorption of 346	expandable, and the torbernite
Chemical	minerals, possible structural rela-
analyses	tionships between 69
of clay samples 165	interlayer structure of 68
of illites 35	quantitative estimation of 157
analysis	plates, schematic diagram showing
of disordered kaolinite 148	progressive rearrangement of 401
of interstratified montmorillonite-	plugs, conductivity studies of 240
mica clays 154	polyethylene
of kaolins 387	fractorial design coefficients, electron-
composition of clay fractions studied	irradiated 330
with other clay minerals, com-	gamma irradiation of 319
parison of 101	mixtures, electron-irradiated, sol
formulae for clay sample, calculation of	fractions of 324
168	residue, Brassfield red, photomicro-
Chloride exclusion by hydrobiotite 343	graph of after 110
Chlorites, Mg-rich infrared curves for 269	sample, calculation of chemical formu-
Classification of laver silicates and misfit index. D 22	lae for 168
,,,	samples chemical analyses of 165
and nomenclature of phyllosilicates 430 Clay	chemical data of 164
ball	differential thermal data of 162
from Dorset, England, analysis of	glycerol adsorption of 166
400	relationship of glycerol and cation
exchangeable cations in 401	exchange capacity with total potas-
particle-size analysis of 401	sium content of 166
content of southern Wisconsin soils 181	summary of chemical formulae for 169
fraction	thermal analysis of 163
of Berea sandstone, Berea, Ohio 100	thermogravimetric analysis curves of
of the St. Peter sandstone, Klondike,	163
Mo 98	sodium-saturated, extracted from
mineral	crushed samples, elemental analysis
$(Si_2O_5)n^2n$ - tetrahedral layers of, and	of 196
an extended hexagonal layer of	soil powders, randomly oriented, com-
water molecules, relationship be-	pared with reference clays, X-ray
tween after 72	diffraction patterns of 198–200
composition of extracted soil clays	surfaces, table of 327
205	suspensions, microphotographs of after
from Concepcion de Buenos Aires,	394 water content of 403
Jalisco, Mexico, electron microscopy of after 150	Clays expandable, new amine reagents for
data, summary of 170	X-ray determination of 411
weathering in southern Wisconsin	extracted from the Roubidoux sand-
soils developed in loess and in	stone, Rolla, Mo. 99
shale-derived till, by D. S.	extracted from the St. Peter sandstone,
Fanning and M. L. Jackson 175	Klondike, Mo. 102
mineralogy	infrared absorption curves of 161
of southern Wisconsin soils 181–4	interstratified montmorillonite-mica,
X-ray diffraction automation and its	from subsoils of the Prairie Pro-
use in 123	vinces, Western Canada 151

Clays (cont.)	Crystallite-size
long-term settling characteristics of 395	determination of interstratified mont- morillonite-mica clays 156
surface-modified, preparation of 328 CLOOS, P. (with M. M. MORTLAND):	of the interstratified montmorillonite- mica 157
Expansion and electrical con- ductivity of montmorillonite in ammonia atmosphere 231	Crystallization, evaluation of energy of 425
Cobalt ⁺⁺ -montmorillonite film, infrared spectra of 238	
Color and morphology of interstratified montmorillonite-mica clays 154	Data, crystal, of brittle micas 3 DE PABLO, LIBERTO: A disordered kaolinite from Concepcion de
Column studies in ion fixation by hydro- biotite 347	Buenos Aires, Jalisco, Mexico 143
Component hexagonal ring of ideal	Density
tetrahedral layers 15 Composition and cell content of stilpno-	differential as function of temperature 376
melane 52	riddled, water range required to reduce
Concepcion de Buenos Aires, Jalisco, Mexico	377 structural charge 223
disordered kaolinite from 143	Desorption 223
electron microscopy of the clay mineral from after 150	of cesium from hydrobiotite 346 studies of cesium 346
geology and location of 144 Conductance	Deuterated CH ₃ COOK-kaolinite complex,
cell and conductivity measurements	progressive drying of 300 Deuteration
using montmorillonite and ammonia 232	and expanded kaolinite, preparation of 294
specific, of montmorillonite pellets 241	and infrared spectra of hydrazine- kaolinite complex 304
Conductivity and conductance cell measurements	selective, of hydrazine-halloysite com- plex at room temperature 310
using montmorillonite and am- monia 232	of LiNO ₃ -treated muscovite at room temperature 312
measurements on montmorillonite pel-	Deuteroxyl stretching frequencies of kao-
lets, system used to make 233 studies of clay plugs 240	linite, intensities of 306 Dickite
Configurations of octahedral layers 12	and kaolinite, stretching frequencies of 293
of tetrahedral layers in layer silicates 21	muscovite, and pyrophyllite, average octahedral distances in Å in 82
of tetrahedral layers in the layer	Differential
silicates of type III 23 Copper ⁺⁺ -montmorillonite film, infrared	imbibitional swelling in deformed on deposited kaolinite—illite clay 399
spectra of 239	swelling of test piece
Crystal	made by filtration 406
data of brittle micas 2, 3 structure	made by rolling 404 thermal
of stilpnomelane. Part I. The	analyses of illites 46
subcell, by R. A. Eggleton and	analysis of kaolins 385
S. W. BAILEY 49	data of clay samples 162
of the torbernite minerals 66 structures of coexisting muscovite and	properties of some montmorillonites 275
paragonite, refinement of 27	trace of montmorillonite 92

Diffraction

and electron miscoscopy, early reaction determination in two hydroxidekaolinite systems by 331

traces

Beavers Bend-oriented aggregates
40

Fithian-oriented aggregates 43 "Grundite"-oriented aggregates 44

< 2μ -oriented aggregates, natural state 39

Marblehead illite 41

Rock Island-oriented aggregates 42 Dioctahedral

mica layers, symmetry of 17

micas, layer corrugations in the structures of 11

minerals 271

Driven collimator slit assembly on goniometer after 128

Drying curves of samples of glycerolsaturated clays 165

EADES, J. L. (with H. E. GAUDETTE and R. E. GRIM): The nature of illite 33

Early reaction determination in two hydroxide-kaolinite systems by electron microscopy and diffraction by Richard L. Sloane 331

Edge lengths of oxygen hexagons in some trioctahedral layers 16

Effect of impurities on the Rheology of two kaolins by R. B. Langston, E. A. Jenne, and J. A. Pask 381

Eggleton, R. A. (with S. W. Balley): The crystal structure of stilpnomelane. Part I. The subcell 49

Electrical conductivity and expansion of montmorillonite 231

Electrode, sodium-ion, experiments with 351

Electron

density of pyrophyllite projected on (010) 78

irradiated clay-polyethylene

fractorial design coefficients 330 mixtures, sol fractions of 324, 325

irradiation

of polyethylene-clay 321

preparation and labelling of samples for 329

micrograph

of mica needles and a cluster of small

hexagonal kaolinite crystals from the Mirador sandstone after 104

of a mica triplet twin lying on (001) after 104

from the Mirador sandstone, Colombia after 104

micrographs

from the Berea sandstone after 104 of kaolins after 394

from Roubidoux sandstone after 104 of Stanford endellite after 110

microscopy

of clay mineral from Concepcion de Buenos Aires, Jalisco, Mexico after 150

and diffraction, early reaction determination in two hydroxide-kaolinite systems by 331

of disordered kaolinite 149

and X-ray diffraction powder techniques used for precision unit-cell parameter determination of layer silicates 105

Elemental analysis

and derived anhydrous structure formulae of Na-saturated soil and reference clays 202

of Na-saturated clay extracted from crushed samples 196

Endellite

geological implications of 117 in Kentucky 107

and mudstones, mineralogy of 109 occurrence, stratigraphy at 107 Stanford

and associated parent residuum, analyses of 111

Kentucky, X-ray diffractogram of 110

photomicrograph of partly endellitized parent residuum of after 110

Endellites, Kentucky and Indiana, similarity between 118

Energy

of crystallization, evaluation of 425 exothermic, contributions of product phases to 426

England, Dorset, analysis of ball clay from 400

Exchange properties of Ca-montmorillonite 357

Exchangeable cations in ball clay 401
Exothermic energy, contributions of product phases to 426

Expandable clay minerals 67

Expansion and electrical conductivity of montmorillonite in ammonia atmosphere, by P. Cloos and M. M. Mortland 231

Expansion of potassium-depleted muscovite, by A. D. Scott and M. G. Reed 247

Expansion

on solvation 216

of synthetic beidellites and montmorillonites 217

of test-pieces made by filtration 405

Experiments with a sodium-ion electrode as a means of studying cation-exchange rates, by Vance C. Kennedy and Thomas E.

Brown 351

Fanning, D. S. (with M. L. Jackson):
Clay mineral weathering in
southern Wisconsin soils developed in loess and in shalederived till 175

Filtration

differential swelling of test piece made by 406

expansion of test-pieces made by 405 test-piece made by after 410

Formation of stilpnomelane 62

Fourier

analysis, one-dimensional, X-ray diffraction intensities used for 159 transforms

of ethylene glycol-solvated K-montmorillonite 88

of glycerol-solvated K-montmorillonite 88

by MacEwan's method 159

of K-montmorillonite, peaks from 89

of the (001) reflections of the interstratified montmorillonite—mica in glycerol-solvated specimens 160

Free energy data

apparent, correlation of, with geological environment for clay mineral precipitations 116

used in calculations for clays and shales
114

Gamma-alumina and mullite, coexistence of after 428

Gamma irradiation of clay-polyethylene 319

Garrels, equations for phase equilibria used by 97

GAUDETTE, H. E. (with J. L. EADES and R. E. GRIM): The nature of illite 33

Gels and theoreticalf, ormulae of clay products anticipated, compositions of 212

Geochemistry of the argillizing system
112

Geological

environment, correlation of apparent free energy data with, for clay mineral precipitations 116

implications of endellite 117

Geology and location of Concepcion de Buenos Aires, Jalisco, Mexico 144 Georgia, kaolinite stability in the central piedmont of 131

Gibbsite

endothermic peak

as a function of pH in biotite gneiss, proportion per cent of 137

as a function of pH in granitic rocks, proportion per cent of 137

and halloysite, infrared spectra of 311 Glycerol

adsorption of clay samples 166

and cation exchange capacity with total potassium content of clay samples, relationship of 166

effects and KTPB 251

saturated clays, drying curves of samples of 165

solvated specimens, Fourier transforms of the (001) reflections of the interstratified montmorillonitemica 160

Goniometer

driven collimator slit assembly on after 128

mounting base and alignment jig after 128

Granitic rocks

average weight per cent kaolin in weathered 136

frequency per cent of abrasion pH values in the weathering profile of

proportion per cent of the gibbsite endothermic peak as a function of pH in 137

Granodiorite of the main terrace, Steamboat Springs, Nevada, hydrothermal clay minerals in 121 439

INDEX GRANT, WILLARD H.: Kaolinite stability in the central piedmont of Georgia 131 GRIM, R. E. (with H. E. GAUDETTE and J. L. EADES): The nature of illite 33 Hallovsite 121 and gibbsite, infrared spectra of 311 interplanar distances for 147 HANDY, R. L. (with CLARA Ho): Modification of Ca-montmorillonite by low-temperature heat treatment 353 HARWARD, M. E. (with G. W. BRINDLEY): Hydroxyl Swelling properties of synthetic groups smectites in relation to lattice substitutions 209 HAYES, JOHN B. (with JOHN H. MOSSLER): Ordovician K-bentonites of Iowa Heat treatment of bentonites 369, 370, 378 of Ca-montmorillonite 357 195 HEUVEL, RICHARD C. VANDEN: The Illite occurrence of sepiolite and attapulgite in the calcareous zone of a soil near Las Cruces, New nature of 33 Mexico 193 Ho, CLARA (with R. L. HANDY): Modifi-

cation of Ca-montmorillonite by low-temperature heat treat-

ment 353 Humidities, relative, expansion of fractionated montmorillonite at 225

Humidity, effect of, on expansion of synthetic montmorillonites beidellites 219

Hydration

montmorillonite. structural charge density as indicated by 223 and saturation, potassium 218

Hydrazine

halloysite complex at room temperature, selective deuteration of 310 kaolinite complex, infrared spectra of,

and its deuteration 304

Hydrobiotite

cesium fixation by 345 chloride exclusion by 343 desorption of cesium from 346 effect of lattice collapse on anion exclusion by 345

use of negative sorption in studies of ion fixation by 341

Hydrogen-O bonds in some micas and other phyllosilicates, infrared absorption of 263

Hydrothermal clay minerals in granodiorite of the main terrace, Steamboat Springs, Nevada by ROBERT SCHOEN and E. WHITE

Hydrothermal synthesis, products of, and cation exchange capacities 214

Hydrous layer silicates, tobernite minerals as model compounds for 65

Hydroxide-kaolinite systems, early reaction determination in 331

infrared studies of 289 instruments used for study of 295 stretching frequencies of kaolinite, intensities of 306

Ignition loss determinations and X-ray spectrography of New Mexico soils

compositions of, as plotted in the KR+3-R+3-R+2 system 30

one-dimensional structural projections of 45

Illites

chemical analyses of 35 differential thermal analyses 46 structural formulae of 37

X-ray diffraction analysis of 38 Immobilization of calcium⁺⁺ 361

Impurities, effect of, on the rheology of two kaolins 381

Indiana and Kentucky endellites, similarity between 118

Infrared

absorption

analysis of interstratified montmorillonite-mica clays 153 curves of clays 161

of montmorillonite 234

spectra of disordered kaolinite 148 bands of pyridine on acid solids 280 curves

for muscovite and lithium-micas 270 for samples from phlogopite-lepidomelane system 264 for two Mg-rich chlorites 269

29

Infrared (cont.)	Canada by H. Kodama and J. E
properties of some montmorillonites	Brydon 151
275	Ion
spectra	fixation by hydrobiotite, use of negative
of Co++-montmorillonite film 238	sorption in studies of 341
of Cu++-montmorillonite film 239	mobility in montmorillonite pellets
of halloysite and gibbsite 311	apparent activation energies of 242
of hydrazine-kaolinite complex and	Iowa, Ordovician K-bentonites of 141
its deuteration 304	Iron
of Li++-montmorillonite film 239	oxide removal from kaolins 384
of pyridine 281, 283, 285	in Varna clay and fine silt fractions 186
of Na- and Mg-montmorillonite in one	·
atmosphere of NH ₃ 237	JACKSON, M. L. (with D. S. FANNING):
studies of ammonia-clay systems 238	Clay mineral weathering in
vacuum cell cut-away of 279	southern Wisconsin soils devel-
and X-ray spectra	oped in loess and in shale-
of CH ₃ COOK-kaolinite complex and	derived till 175
its deuteration 298	JACOBS, DONALD G.: Use of negative
of kaolinite and potassium acetate	sorption in studies of ion fixa-
295	tion by hydrobiotite 341
Infrared absorption of O-H bonds in	JENNE, E. A. (with R. B. Langston and
some micas and other phyllo-	J. A. Pask): Effect of impurities
silicates by Per Jorgensen 263	on the rheology of two kaolins
Infrared studies of the hydroxyl	381
groups in intercalated kaolinite	Johns, W. D. (with Rodney Tetten-
complexes by Robert L.	HORST): Interstratification in
LEDOUX 289	montmorillonite 85
Infrared study of pyridine adsorbed on	Jonas, Edward C. with Herman E.
montmorillonite surfaces by A.	Roberson): Structural charge
R. Swoboda and G. W. Kunze 277	density as indicated by
Intensities of hydroxyl and deuteroxyl	montmorillonite hydration 223
stretching frequencies of kaoli-	Jorgensen, Per: Infrared absorption
nite 306	of O-H bonds in some micas and other phyllosilicates 263
Interatomic distances and bond lengths of aluminum octahedra 12	and other phynosineates 203
for pyrophyllite 80	Kaolin
Interlayer	average weight per cent
distances $2\pi\mu_R$ and relative intensities	in biotite gneiss as a function of pH
$I/\Theta/F_l/^2$ for potassium-treated	136
montmorillonite 88	in granitic rocks as a function of pH
structure	136
of abernathyite as linked OH ₄ tetra-	distribution 135
hedra, representation of after 72	formula in shales and clays, calculations
of clay minerals 68	for 113
Interplanar distances	particle-size measurements 138
computed for disordered kaolinite 146	suspensions
for kaolinite, disordered kaolinite, and	apparent viscosity of 389
halloysite 147	plastic viscosity of 386
Interstratification in montmorillonite	yield point of 388
by Rodney Tettenhorst and	Kaolinite
W. D. Johns 85	Brown Recorder and magnetic tape
Interstratified mineral, origin of 170	output for after 128
Interstratified montmorillonite-mica	calcium hydroxide treated after 339
clays from subsoils of the	complexes, intercalated, infrared studies
Prairie Provinces, Western	of the hydroxyl groups in 289

and dickite, stretching frequencies of 293

disordered

chemical analysis of 148 from Concepcion de Buenos Aires, Jalisco, Mexico 143

electron microscopy of 149

infrared absorption spectra of 148 infrared absorption spectroscopy 147 interplanar distances computed for

146, 147

X-ray diffraction of 144 expanded, and deuteration, preparation

of 294

illite clay, deformed or deposited, particle arrangements and differential imbibitional swelling in 399

intensities of hydroxyl and deuteroxyl stretching frequencies of 306

interplanar distances for 147

and mica, authigenic, as evidence for phase equilibria at low temperatures

mullite transformation series, detailed study of 420

and potassium acetate, infrared and X-ray spectra of 295

K-mica-K-feldspar, fractionation of 97 and products, thermodynamic data for

projection of the structure of 290 sample for experiment 294 sodium hydroxide treated after 339 stability, pH measurements of 133 suspensions, numbers of layers formed

397

thermodynamics of transformations of 419

X-ray diffraction traces for 145 Kaolinite stability in the central piedmont of Georgia by WILLARD H. Grant 131

Kaolins

allophane removal from 384 chemical analysis of 387 differential thermal analysis of 385 effect of impurities on the rheology of 381

electron micrographs of after 394 iron oxide removal from 384 organic matter extraction from 383 rheological measurements of 387 X-ray diffraction of 384

KELLER, W. D. (with PRESTON McGRAIN,

A. L. REESMAN and N. M. SAUM): Observations on the origin of endellite in Kentucky, and their extension to "indianaite" 107

Kennedy, Vance C. (with Thomas E Brown): Experiments with a sodium-ion electrode as means studying of cationexchange rates 351

Kentucky and Indiana endellites, similarity between 118

KODAMA, H. (with J. E. BRYDON): Interstratified montmorillonitemica clays from subsoils of the Prairie Provinces, Western Canada 151

Kunze, G. W. (with A. R. Swobada): Infrared study of pyridine adsorbed on montmorillonite surfaces 277

LANGSTON, R. B. (with E. A. JENNELL and J. A. Pask): Effect of impurities of the rheology of two kaolins 381

Lattice

collapse on anion exclusion by hydrobiotite, effect of 345

minerals, three-layer, particle-size classification and removal of 384

substitutions, swelling properties of synthetic smectites in relation to 209

Layer

charge

and absorbed cations in degraded muscovite 250

distribution for adjacent clay layers, schematic representation of 91 of muscovite 249

silicate basal spacings 56

silicates

classification of, and misfit index, D

configurations of tetrahedral layers in

precision unit-cell parameter determination of 105

of type III, configurations of tetrahedral layers in 23

LEDOUX, ROBERT L.: Infrared studies of the hydroxyl groups in intercalated kaolinite complexes 289

Lithium	Microphotographs of clay suspensions
micas 269	after 394
infrared curves for 270	Microstructures
Lithium+montmorillonite film, infrared	investigation of 403, 405
spectra of 239	of plastically deformed test-pieces 405
Lithium and potassium absorption,	Mineral associations, mixed-layer, in
differential thermal, and infra-	muscovite-celadonite and musco-
red properties of some mont-	vite-chlorite joins 29
morillonites by Leonard G.	Mineralogy
Schultz 275	of endellite and mudstones 109
Loess	of southern Wisconsin soils, bar graph
and shale-derived till, clay mineral	illustrating the differences in 188
weathering developed in 175	Minerals
Wisconsin soils developed in 181	clay, interlayer structure of 68
	dioctahedral 271
MacEwan, Fourier transforms method	expandable clay 67
159	torbernite
Magnesium	crystal structure of 66
and Na-montmorillonite in one atmo-	as model compounds for the hydrous
sphere of NH _a , infrared spectra of	layer silicates 65
237	trioctahedral 263
rich chlorites, infrared curves for 269	Mirador sandstone
Magnetic tape output and Brown Recorder	Colombia, electron micrograph from
record illustrations after 128	after 104
Manganpyrosmalite 23	electron micrograph of mica needles
Map of distribution of loess in southern	and a cluster of small hexagonal
Wisconsin 176	
	kaolinite crystals from after 104 Mixed-layer mineral associations in
Ų.	
atomic parameters of 9	muscovite-celadonite and mus-
bond lengths, bond angles and inter-	covite-chlorite joins by B.
atomic distances in 9	VELDE 29
structure of 8	Modification of Ca-montmorillonite
McCaleb, Stanley B.: X-ray diffraction	by low-temperature heat treat-
automation and its use in clay	ment by CLARA Ho and R. L.
mineralogy 123	Handy 353
McGrain, Preston (with W. D. Keller,	Montmorillonate and attapulgite coatings
A. L. REESMAN, and N. M. SAUM):	208
Observations on the origin of	Montmorillonite
endellite in Kentucky, and their	in ammonia atmosphere, expansion and
extension to "indianaite" 107	electrical conductivity of 231
Metakaolin, possible transformations of	and ammonia, conductance cell and
421	conductivity measurements using
Mica	232
layers, dioctahedral, symmetry of 17	and beidellite, rehydration of 220
structure, discussion of 265	complex, pyridine-acid, spectra of
triplet twin lying on (001), electron	water adsorbed on 286
micrograph of after 104	differential thermal trace of 92
Micas	effect of relative pressure of NH ₃ on the
brittle	(001) spacing of 234-6
crystal data of 3	experimental procedures using 232
structures of 1	fractionated, expansion of 225
	hydration, structural charge density as
dioctahedral, layer corrugations in the	, , , , , , , , , , , , , , , , , , ,
structures of 11	indicated by 223
infrared absorption of O—H bonds in	(001) intensity as function of tri-n-
some 263	hexyl ammonium formate con-

Montmorillonite (cont.) centration 417 interstratification in 85 mica, interstratified mica-clays, interstratified chemical analysis of 154 crystallite-size determination of 156 infrared absorption analysis of 153 from subsoils of the Prairie Provinces, Western Canada 151 thermal analysis of 154 X-ray diffraction patterns of oriented	formula, calculations for 115 infrared curves for 270 orientation of the O—H bond in 18 and paragonite, coexisting, refinement of the crystal structures of 27 potassium-depleted, expansion of 247 pyrophyllite, and dickite, average octahedral distances in Å in 82 undried NH ₄ -degraded 256 Na-degraded 253
specimens of 155	NAMES DAME C . Ordenceleve handed
pellets	NAHIN, PAUL G.: Organoclays bonded
apparent activation energies of ion	to polyethylene by ionizing
mobility in 242	radiation 317
specific conductance of 241	Nature of illite by H. E. GAUDETTE,
system used to make conductivity	J. L. Eades, and R. E. Grim 33
measurements on 233	Negative sorption, use of 341
preparation of samples of 412	New Mexico
series 214	Las Cruces, occurrence of sepiolite and
surfaces, infrared study of pyridine	attapulgite in the calcareous zone
adsorbed on 277	of a soil near 193
X-ray diffraction studies of 234	soils, ignition loss determinations and
Montmorillonites	X-ray spectrography of 195
	Nomenclature and Liaison Committee
and beidellites, synthetic, effect of	of the Clay Minerals Society,
humidity on expansion of 219	1963–4 by G. W. Brindley 429
lithium and potassium absorption,	Nomenclatures and classification of phyl-
differential thermal, and infrared	losilicates 430
properties of 275	
and synthetic beikellites, expansion of	Ob
217	Observations on the origin of endellite
Morphology and color in interstratified	in Kentucky, and their extension to "indianaite" by W. D. KELLER,
montmorillonite-mica clays 154	
MORTLAND, M. M. (with P. CLOOS):	Preston McGrain, A. L. Reesman
Expansion and electrical con-	and N. M. Saum 107
ductivity of montmorillonite in	Occurrence of sepiolite and attapulgite
ammonia atmosphere 231	in the calcareous zone of a soil
Mossler, John H. (with John B. Hayes): Ordovician K-bentonites of	near Las Cruces, New Mexico
Iowa 141	by Richard C. Vanden Heuvel 193
	Octahedra, aluminum, bond lengths and
Mudstones and endellite, mineralogy of 109	interatomic distances of 12
	Octahedral
Mullite and γ -alumina, coexistence of	0
after 428	distances, average, in A in pyrophyllite,
Muscovite 271	muscovite and dickite 82
celadonite	layers, configurations of 12
composition join at 2 kb pressure,	Order-disorder in stilpnomelane 52
phase relations in 31	Ordovician K-bentonites of Iowa by
and muscovite-chlorite joins, mixed-	John H. Mossler and John B.
layer mineral associations in 29	HAYES 141
chlorite composition join, proposed	Organic matter extraction from kaolins 383
phase relations in 32	Organo-montmorillonite-polyethylene
degraded, layer charge and adsorbed	compositions, tensile test and re-
cations in 250	sults 320

Peaks from Fourier transforms of K-Organoclays bonded to polyethylene by ionizing radiation by PAUL montmorillonite 89 G. Nahin 317 pН Orientation of the O-H bond in muscoaverage weight per cent kaolin in biotite gneiss as a function of 136 vite in granitic rocks as a function of 136 Origin of interstratified mineral 170 Oxygen in biotite gneiss, proportion per cent of the gibbsite endothermic peak as a configurations and arrangements of function of 137 O-H bonds around potassium, measurements of kaolinite stability 133 comparison of 20 contacts, interlayer, in pyrophyllite and particle-size distribution of samples of southern Wisconsin soils 178 edge lengths of, in some aluminum values octahedral layers 14 abrasion, in the weathering profile of tetrahedral cations and edge length biotite gneiss, frequency per cent of in some trioctahedral layers, edge abrasion, in the weathering profile of lengths of 16 granitic rocks, frequency per cent hydrogen of 134 bonds in some micas and other Phase phyllosilicates, infrared absorption equilibria at low temperatures, authiof 263 genic kaolinite and mica as evigroup, cations orientation in octadence for 95 relations hedral positions relatively to 266 in the muscovite-celadonite composition join at 2 kb pressure 31 proposed, in muscovite-chlorite com-Palvgorskite 23 position join 32 Paragonite and muscovite, coexisting, Phlogopite-lepidomelane system 263 refinement of the crystal structures infrared curves for samples from 264 Photomicrograph Particle arrangements and differential of Brassfield red clay residue after 110 imbibitional swelling in deof partly endellitized parent residuum of Stanford endellite after 110 formed or deposited kaoliniteillite clay by Richard E. Tress-**Phyllosilicates** LER and WILLIAM O. WILLIAMSON classification and nomenclatures of 430 399 infrared absorption of O-H bonds in Particle-size 263 analysis of ball clay 401 trioactahedral 268 classification and removal of three-Physical properties of stilpnomelane layer lattice minerals 384 Plastic viscosity of kaolin suspensions 386 distribution and pH of samples of Pleochroism of the $\nu(OH)$ and $\nu(OD)$ southern Wisconsin soils 178 absorption bands 301 PASK, J. A. (with R. B. LANGSTON and Polyethylene-clay, electron irradiation of E. A. JENNE): Effect of impuri-321 ties on the rheology of two Potassium kaolins 381 acetate Patterson projection, hhl, of stilpnokaolinite complex, deuterated, promelane 56 gressive drying of 300 Peak and kaolinite, infrared and X-ray spectra of 295 migration curves for a random mixture of 10 Å and 18 Å units 87 X-ray diffraction patterns of 297, position of the (001) reflections of the 299 interstratified montmorillonitebentonites, Ordovician, of Iowa 141 mica 158 comparison of oxygen configurations

and arrangements of O-H bonds around 20 content. total. of clay samples, re-

content, total, of clay samples, relationship of glycerol and cation exchange capacity with 166 depleted muscovite, expansion of 247 depletion

effect of, on X-ray diffractometer tracings 254

and layer charge of muscovite 249 and lithium absorption, differential thermal, and infrared properties of some montmorillonites 275

mica-kaolinite-K-feldspar fractionation of 97

montmorillonite

ethylene glycol-solvated, Fourier transform of 88

glycerol-solvated, Fourier transform of 88

peaks from Fourier transforms of 89 saturated Varna fractions, X-ray diffraction patterns of 185

saturation and hydration 218

on the sorption of cesium, effect of 347, 348

tetraphenylboron

and glycerol effects 251

removal, treatments for 250

 $(UO_2AsO_4) \cdot 3H_2O$ structure on (100), projection of 72

Prairie Provinces, Western Canada description of soil samples of 152 interstratified montmorillonite—mica clays from subsoils of the 151

Precision unit-cell parameter determination of layer silicates by use of electron and X-ray diffraction powder techniques by Malcolm Ross 105

Pressure, effect of relative, of NH₃ on the (001) spacing of montmorillonite, 234-6

Pyridine

acid montmorillonite complex, spectra of water adsorbed on 286 on acid solids, infrared bands of 280 adsorbed on montmorillonite surfaces, infrared study of 277 infrared spectra of 281, 283, 285

Pyrophyllite atomic co-ordinates in subcell of 79 interlayer oxygen contacts in 82 reciprocal space representation of X-ray diffraction from 75 reflections, nature of 76 structure of 73 symmetry of 76 X-ray patterns of, description of 76

Quantitative estimation of the clay minerals 157

Radiation, ionizing, organoclays bonded to polyethylene by 317

RADOSLOVICH, E. W. (with CHARLES W. BURNHAM): Refinement of the crystal structures of coexisting muscovite and paragonite 27

Ratio, mixing, of the interstratified montmorillonite-mica 158

RAYNER, J. H. (with G. Brown): Structure of pyrophyllite 73

Reaction product, new-phase, tentative identification of 337

Reed, M. G. (with A. D. Scott): Expansion of potassium-depleted muscovite 247

REESMAN, A. L. (with W. D. KELLER, PRESTON McGrain, and N. M. SAUM): Observations on the origin of endellite in Kentucky and their extensions to "indianaite" 107

Refinement of the crystal structures of coexisting muscovite and paragonite by Charles W. Burnham and E. W. Radoslovich 27

Rehydration of beidellite and montmorillonite 220

REX, R. W.: Authigenic kaolinite and mica as evidence for phase equilibria at low temperatures 95

REX, R. W. (with W. R. BAUER): New amine reagents for X-ray determination of expandable clays in dry samples 411

Rheological measurements of kaolins 387 Rheology of two kaolins, effect of impurities on 381

ROBERSON, HERMAN E. (with EDWARD C. JONAS): Structural charge density as indicated by montmorillonite hydration 223

Ross, Malcolm: Precision unit-cell parameter determination of layer silicates by use of electron and X-ray diffraction powder techniques 105

Ross, Malcolm: The torbernite minerals as model compounds for the hydrous layer silicates 65

Roubidoux sandstone

electron micrographs from after 104 Rolla, Mo., clays extracted from 99

RUOTSALA, A. P. (with T. J. TOBIAS): Long-term settling characteristics of some clays 395

St. Peter sandstone, Klondike, Mo. clay fraction of 98 clays extracted from 102 Sample changer with magazine,

automated analyses after 128 Sand

density, riddled 376 foundry molding, thermal stability of bentonites in 367

Saturation and hydration, potassium 218 SAUM, N. M. (with W. D. KELLER, PRESTON McGRAIN, and A. L. REESMAN): Observations on the origin of endellite in Kentucky and their extension to "indianaite" 107

Schematic representation of layer charge distribution for adjacent clay layers 91

Schieltz, N. C. (with M. R. Soliman):
Thermodynamics of the various high temperature transformations of kaolinite 419

Schoen, Robert (with E. White):
Hydrothermal clay minerals in
granodiorite of the main terrace,
Steamboat Springs, Nevada
121

Schultz, Leonard G.: Lithium and potassium absorption, differential thermal, and infrared properties of some montmorillonites 275

Scott, A. D. (with M. G. Reed): Expansion of potassium-depleted muscovite 247

Sepiolite

aggregates and coatings in solution channel 208

and attapulgite, occurrence of, in the calcareous zone of a soil near Las Cruces, New Mexico 193 fibers 208

Shale-derived till, soil developed in 184 Shales and clays, calculations for the kaolin formula in 113

Silica

equations for various phase transitions of 422

temperatures and heats of transitions of different phases of 422

"Silicate relics", production of after 339 Silicates

hydrous layer, torbernite minerals as model compounds for 65

tetrahedral layer, corrugation of 11
SLOANE, RICHARD L.: Early reaction
determination in two hydroxidekaolinite systems by electron

microscopy and diffraction 331

Smectites, synthetic, swelling properties of, in relation to lattice substitutions

Sodium

degraded muscovite, undried 253 hydroxide treated kaolinite after 339 ion electrode, experiments with 351 and Mg-montmorillonite in one atmosphere of NH₃, infrared spectra of

237 saturated

clay extracted from crushed samples, elemental analysis of 196

soil and reference clays, elemental analysis and derived anhydrous structure formulae of 202

soil and reference clays, weight loss of 202

Soil

clays, extracted, clay mineral composition of 205

developed in shale-derived till 184 samples, description of, Prairie Provinces, Western Canada 152

Sol fractions of 1:1 electron-irradiated clay-polyethylene mixtures 324,

SOLIMAN, M. R. (with N. C. Schieltz):
Thermodynamics of the various
high temperature transformations of kaolinite 419

Solubility in toluene 323 Solvation, expansion on 216

Sorption of cesium, effect of potassium on 347	Structures of brittle micas by Y. TAKEUCHI 1
Spectra	Subsoils
infrared absorption, of disordered kao- linite 148	of the Prairie Provinces, Western Canada, interstratified montmo-
of water adsorbed on pyridine-acid	rillonite-mica clays from 151
montmorillonite complex 286 Spectroscopy, infrared absorption, for disordered kaolinite 147	X-ray analysis of interstratified mont- morillonite-mica clays from 153, 154
Steamboat Springs, Nevada, hydrother- mal clay minerals in granodiorite	Surface adsorption studies of Ca-montmorillo-
of the main terrace 121	nite 356
Stilpnomelane	modified clays, preparation of 328
bond lengths of 59	Swelling
cell dimensions, comparative 51	measurement of 403
composition and cell content of 52	promotion of 402
crystal structure of 49	Swelling properties of synthetic
description of the structure of 57	smectites in relation to lattice
final atomic parameters of 59 formation of 62	substitutions by M. E. Harward and G. W. Brindley 209
hhl Patterson projection of 56	SWOBADA, A. R. (with G. W. KUNZE):
hOl precession photograph of 64	Infrared study of pyridine ad-
order–disorder in 52	sorbed on montmorillonite sur-
physical properties 50	faces 277
powder pattern of 52	Symmetry
presence of alkalis in 61	N(z) test for centrosymmetry 52
structure determination of 54	of pyrophyllite 76
subcell structure, diagram of 58 tetrahedral sheet of 60	System K ₂ O-Al ₂ O ₃ -SiO ₂ -H ₂ O, stability relations of some phases in 96
triclinic subcell of, and Gruner's mono-	1
clinic unit cell, relation between 50	
Stratigraphy at endellite occurrence 107	TAKEUCHI, Y.: Structures of brittle
Strengths, green compression, water con-	micas 1
tent effects on 372, 375	Tama and Varna soils, clay mineralogy of
Structural charge density as indicated	182
by montmorillonite hydration	Temperatures and heats of transitions of
by Edward C. Jonas and Herman	different phases of silica 422
E. Roberson 223	Tensile test and results or organo-
Structural	montmorillonite-polyethylene com-
formula, calculation of 167	positions 320
formulae of illites 37	Tetrahedra linked OH ₄ (water), idealized
projections of illite, one-dimensional 45	arrangement of after 72
relationships, possible, between the	Tetrahedral
torbernite minerals and the ex-	basal oxygens, maximum deviations in
pandable clay minerals 69	z-parameters of 17
Structure of pyrophyllite by J. H.	cations and edge length l_t of oxygen
RAYNER and G. Brown 73	hexagons 15
Structure	layers
of margarite 8	component hexagonal ring of 15
of stilpnomelane 49	in layer silicates, configurations of 21
of subcell of pyrophyllite, determination	in the layer silicates of type III,
of 77	configurations of 23
of xanthophyllite 5	sheet of stilpnomelane 60

TETTENHORST, RODNEY (with W. minerals 263 [OHNS]: Interstratification phyllosilicates 268 montmorillonite 85 Thermal analysis Unit cell of clay samples 163 assignment of atoms to 36, 37 of interstratified montmorillonite-mica parameter determination of layer siliclays 154 cates 105 Thermal stability of bentonites in Use of negative sorption in studies of foundry molding sand by ion fixation by hydrobiotite by GEORGE I. VINGAS and ARTHUR H. DONALD G. JACOBS 341 Zrimsek 367 Thermodynamic data for kaolinite and products 420 Varna Thermodynamics of the various high temperature transformations of clay and fine silt fractions, iron in 186 kaolinite by N. C. Schieltz and clay mineralogy of 184 fractions, potassium saturated, X-ray M. R. SOLIMAN 419 diffraction patterns of 185 Thermogravimetric analysis curves of clay and Tama soils, clay mineralogy of 182 samples 163 VELDE, B: Mixed-layer mineral as-Till, shale-derived sociations in muscoviteand loess, clay mineral weathering celadonite muscoviteand developed in 175 chlorite joins 29 soil developed in 184 VINGAS, GEORGE J. (with ARTHUR H. ZRIMSEK): Thermal stability of TOBIAS, T. J. (with A. P. RUOTSALA). Long-term settling characterbentonites in foundry molding istics of some clays 395 sand 367 Toluene, solubility in 323 Viscosity Torbernite minerals plastic, of kaolin suspensions crystal structure of 66 tests of bentonites 370, 379 and the expandable clay minerals, possible structural relationships between 69 Water Torbernite minerals as model comadsorbed on pyridine-acid montmorillopounds for the hydrous layer nite complex, spectra of 286 silicates by Malcolm Ross 65 content Transformations of kaolinite, thermoof clay 403 dynamics of 419 effects on green compression strengths TRESSLER, RICHARD E. (with WILLIAM O. 372, 375 WILLIAMSON): Particle arrangemolecules, extended hexagonal layer of, ments and differential imbibiand the (Si₂O₅)_n²n- tetrahedral tional swelling in deformed or layers of a clay mineral, relationdeposited kaolinite-illite clay ship between after 72 399 retention of Ca-montmorillonite 360, Tri-n-alkyl ammonium formate-montmo-362 rillonite complexes, basal spacings Weathering of 414 clay mineral, in southern Wisconsin Tri-n-hexyl ammonium formate concensoils 175 tration, montmorillonite (001) indifference in southern Wisconsin soils tensity as a function of 417 187 Trioctahedral profile layer silicates, corrugation of tetraof biotite gneiss, frequency per cent of hedral layers in 11 abrasion pH values in 135 layers, edge lengths of oxygen hexagons of granitic rocks, frequency per cent in 16 of abrasion pH values in 134

449 Weight loss of Na-saturated soil and intensities used for one-dimensional reference clays 202 Fourier analysis 159 WHITE, of kaolins 384 E. (with ROBERT SCHOEN): Hydrothermal clay minerals in patterns of CH₃COOK 297, 299 patterns of oriented specimens of granodiorite of the main terrace montmorilloniteinterstratified Steamboat Springs, Nevada mica clays 155 patterns of potassium-saturated WILLIAMSON, WILLIAM O. (with RICHARD Varna fractions 185 E. Tressler): Particle arrangepatterns of randomly oriented soil ments and differential imbibiclay powders compared with reftional swelling in deformed or erence clays 198-200 deposited kaolinite-illite clay patterns of Wisconsin soils 182 399 from pyrophyllite, reciprocal space Wisconsin soils representation of 75 developed in loess 181 studies of montmorillonite 234 southern traces for kaolinite 145 bar graph illustrating the differences X-ray diffraction automation and its in mineralogy of 188 use in clay mineralogy by clay content of 181 STANLEY B. McCaleb 123 clay mineralogy of 181 X-ray diffractogram of Stanford, Kendifference in weathering in 187 tucky, endellite 110 particle-size distribution in 180 diffractometer tracings 257, 258 particle-size distribution and pH of effect of K depletion on 254 samples of 178 and electron diffraction powder tech-X-ray diffraction patterns of 182, 183 niques used for precision unit-cell parameter determination of layer silicates 105 Xanthophyllite 3 fluorescence analyses for zirconium 189 atomic parameters of 4 and infrared spectra bond lengths, bond angles and interof CH₃COOK-kaolinite complex and atomic distances in xanthophyllite its deuteration 298 of kaolinite and potassium acetate structure of 5 X-ray patterns of pyrophyllite, description of analysis of interstratified montmorillonite-mica clays from subsoils 153, X-ray emission spectrography and ignition 154 loss determinations of New Mexico determination soils 195 of clay, preparation of reagents for of expandable clays in dry samples, Zeophyllite 23 new amine reagents for 411 Zirconium, X-ray fluorescence analyses diffraction for 189 analysis of illites 38 ZRIMSEK, ARTHUR H. (with GEORGE J. VINGAS): Thermal stability of of Ca-montmorillonite 355 data of Ca-montmorillonite 359 bentonites in foundry molding

sand 367

of disordered kaolinite 144