

BULLETIN
OF
ENTOMOLOGICAL RESEARCH

**ISSUED BY THE IMPERIAL
BUREAU OF ENTOMOLOGY.**

EDITOR: THE DIRECTOR.

VOL. IX.

LONDON:

1918-1919.

IMPERIAL BUREAU OF ENTOMOLOGY.

Honorary Committee of Management.

VISCOUNT HARCOURT, *Chairman.*

- Lieutenant-Colonel A. W. ALCOCK, C.I.E., F.R.S., London School of Tropical Medicine.
- Major E. E. AUSTEN, D.S.O., Entomological Department, British Museum (Natural History).
- Dr. A. G. BAGSHAWE, C.M.G., Director, Tropical Diseases Bureau.
- Major-General Sir J. ROSE BRADFORD, K.C.M.G., F.R.S., Secretary, Royal Society.
- Major-General Sir DAVID BRUCE, K.C.B., F.R.S., A.M.S.
- Mr. J. C. F. FRYER, Entomologist to the Ministry of Agriculture and Fisheries.
- Dr. S. F. HARMER, F.R.S., Director, British Museum (Natural History).
- Professor H. MAXWELL LEFROY, Imperial College of Science and Technology.
- Hon. E. LUCAS, Agent-General for South Australia.
- Dr. R. STEWART MACDOUGALL, Lecturer on Agricultural Entomology, Edinburgh University.
- Sir JOHN MCFADYEAN, Principal, Royal Veterinary College, Camden Town.
- Sir PATRICK MANSON, G.C.M.G., F.R.S., Late Medical Adviser to the Colonial Office.
- Sir DANIEL MORRIS, K.C.M.G., Late Adviser to the Colonial Office in Tropical Agriculture.
- Professor R. NEWSTEAD, F.R.S., Dutton Memorial Professor of Medical Entomology, Liverpool University.
- Professor G. H. F. NUTTALL, F.R.S., Quick Professor of Protozoology, Cambridge.
- Professor E. B. POULTON, F.R.S., Hope Professor of Zoology, Oxford.
- Lieutenant-Colonel Sir DAVID PRAIN, C.M.G., C.I.E., F.R.S., Director, Royal Botanic Gardens, Kew.
- Sir H. J. READ, K.C.M.G., C.B., Colonial Office.
- The Honourable N. C. ROTHSCHILD.
- Dr. HUGH SCOTT, Curator in Entomology, Museum of Zoology, Cambridge.
- Dr. A. E. SHIPLEY, F.R.S., Master of Christ's College, Cambridge.
- Mr. R. A. C. SPERLING, C.M.G., Foreign Office.
- Sir STEWART STOCKMAN, Chief Veterinary Officer, Board of Agriculture.
- Mr. F. V. THEOBALD, Vice-Principal, South Eastern Agricultural College, Wye.
- Mr. C. WARBURTON, Zoologist to the Royal Agricultural Society of England.

The Chief Entomologist in each of the Self-governing Dominions is an *ex officio* member of the Committee.

General Secretary.

Mr. A. C. C. PARKINSON (Colonial Office).

Director and Editor.

Dr. GUY A. K. MARSHALL.

Assistant Director.

Dr. S. A. NEAVE.

Head Office.—British Museum (Natural History), Cromwell Road, London, S.W. 7.

Publication Office.—88, Queen's Gate, London, S.W. 7.

CONTENTS.

ORIGINAL ARTICLES.

	PAGE
ARCHIBALD, MAJOR R. G., and KING, HAROLD H.	
A Note on the Occurrence of a Coleopterous Larva in the Urinary Tract of Man in the Anglo-Egyptian Sudan	255
BAGNALL, RICHARD S.	
On Two Species of <i>Physothrips</i> (Thysanoptera) injurious to Tea in India	61
On the Rubber Thrips (<i>Physothrips funtumiae</i> , Bagn.) and its Allies	65
BEZZI, PROF. M.	
Notes on the Ethiopian Fruit-flies of the Family Trypaneidae, other than <i>Dacus</i> (s.l.), II	13
New Ethiopian Fruit-flies of the Genera <i>Tridacus</i> and <i>Dacus</i>	177
Two New Ethiopian Lonchaeidae, with Notes on other Species.....	241
BRAIN, CHAS. K.	
The Coccidae of South Africa, II & III	107, 197
BODKIN, G. E., and CLEARE, L. D., Jnr.	
An Invasion of British Guiana by Locusts in 1917, with a complete Illustrated Account of the Life-history of the Species.....	341
DISTANT, W. L.	
Descriptions of some Capsidae from the Belgian Congo	71
DUKE, Dr. H. LYNDBURST.	
Some Observations on the Bionomics of <i>Glossina palpalis</i> on the Islands of Victoria Nyanza	263
FROGGATT, JOHN L.	
An Economic Study of <i>Nasonia brevicornis</i> , a Hymenopterous Para- site of Muscid Diptera	257
GEDOELST, L.	
Inventaire d'une Collection d'Oestrides africains	333
GOUGH, DR. L. H.	
On the Effects produced by the Attacks of the Pink Bollworm on the Yield of Cotton Seed and Lint in Egypt	279
(632) Wt.P4/140. 1,000. 2.20. B. & F., Ltd. Gp. 11.	▲

HADWEN, S., and CAMERON, A. E.	PAGE.
A Contribution to the Knowledge of the Bot-flies, <i>Gastrophilus intestinalis</i> , De G., <i>G. haemorrhoidalis</i> , L., and <i>G. nasalis</i> , L. . .	91
JOHNSON, W. B.	
Domestic Mosquitos of the Northern Provinces of Nigeria	325
LAMB, C. G.	
On a Parasitic <i>Drosophila</i> from Trinidad	157
LODGE, OLIVE C.	
An Examination of the Sense-reactions of Flies	141
MARSHALL, DR. GUY A. K.	
Some New Injurious Weevils from Asia	273
TOTHILL, JOHN D.	
Some New Species of Tachinidae from India	47
Some Notes on the Natural Control of the Oyster-shell Scale, <i>Lepidosaphes ulmi</i>	183
TRÄGÅRDH, DR. IVAR.	
On a new Method of ascertaining the Parasites of the respective Host Insects in a mixed Infestation	75
TURNER, R. E.	
On Braconidae parasitic on <i>Diatraea saccharalis</i> in Demerara	81
WATERSTON, JAMES.	
On the Mosquitos of Macedonia	1
Notes on some Blood-sucking and other Arthropods (except Culicidae) collected in Macedonia in 1917	153
WILLIAMS, C. B.	
The Sugar-cane Froghopper in Grenada	83
A Froghopper on Sugar-cane in British Guiana	163

MISCELLANEOUS.

Collections received	89, 175, 271, 359
--------------------------------	-------------------

PLATES.

	PAGE.
I. Wings of African Trypanidae	46
II. Canadian Bot-flies	106
III.-VII & XII.-XVI. South African Coccidae	140, 240
VIII-XI. Views to illustrate an Examination of Sense-reactions of Flies	152
XVII. Injurious Asiatic Curculionidae	278
XVIII. <i>Gelechia gossypiella</i> and its early Stages	324

MAPS.

	PAGE.
Grenada	87
Levels of Lake Victoria recorded at Entebbe	270

ILLUSTRATIONS IN THE TEXT.

Details of :—	PAGE.
<i>Anopheles maculipennis</i> , <i>A. palestinensis</i> , and <i>A. sinensis</i> , ♂ ♂	6
<i>Ochlerotatus dorsalis</i> , ♀	7, 8
<i>Taeniorhynchus richiardii</i> , ♀	8, 9
<i>Theobaldia longiareolata</i> , ♀	8, 9
<i>Physothrips setiventris</i> , Bagn., sp. n., ♂ ♀	62
" <i>lefroyi</i> , ♂ ♀	63
" <i>marshalli</i> , Bagn., sp. n., ♂ ♀	67
" <i>funtumiae</i> , ♂ ♀	68
" <i>kellyanus</i> , ♂ ♀	69
<i>Lepidosaphes ulmi</i> , ♂ ♀	183
<i>Monieziella angusta</i>	186
 Wings of :—	
<i>Tephrella rufiventris</i> , Bezzi, sp. n.	23
<i>Trypanea aucta</i> , Bezzi, var. <i>repleta</i> , nov.	45
<i>Tridacus stylifer</i> , Bezzi, sp. n.	177
<i>Dacus trigonus</i> , Bezzi, sp. n.	179
" <i>macer</i> , Bezzi, sp. n.	181
<i>Gymnochaeta immsi</i> , Tothill, sp. n., head, ♀, 47 ; wing	48
<i>Servillia transversa</i> , Tothill, sp. n., head, ♂, 49 ; wing	50
" <i>ursinoidea</i> , Tothill, sp. n., ♂, head and wing	51
<i>Gonia himalensis</i> , Tothill, sp. n., ♀, head, 52 ; wing	53
<i>Paraphania fuscipennis</i> , Tothill, sp. n., ♂, head, 54 ; wing	55
<i>Chaetoplagia asiatica</i> , Tothill, sp. n., ♀, head, 55 ; wing	56
<i>Frontina kashmiri</i> , Tothill, sp. n., ♂, head, 57 ; wing	58
<i>Lophosia excisa</i> , Tothill, sp. n., ♂, head and wing	59
<i>Lycidocoris modestus</i> , Dist., sp. n.	71
" <i>thoracicus</i> , Dist., sp. n.	72
<i>Chamus bellus</i> , Dist., sp. n.	73
Diagrams showing percentages of parasites bred from host insects in cones	76-78
<i>Gastrophilus intestinalis</i> , egg, 92 ; larva	95
" <i>nasalis</i> , egg, 93 ; larva	95
" <i>haemorrhoidalis</i> , egg, 94 ; larva	96
Leather nose-fringe for protecting lips of horse	103, 104
<i>Drosophila paradoxa</i> , Lamb, sp. n., terminal segments, 157 ; dorsum, 159 ; head, 160 ; wing	161
Sketch-map of British Guiana coast showing distribution of <i>Tomaspis flavilatera</i>	163
Head and thorax of <i>Tomaspis flavilatera</i>	166
Sweep-net for catching froghoppers	170
<i>Hemisarcoptes malus</i> , Shimer, ventral view	185
Apple twig showing extermination of oyster-shell scale by <i>Hemisarcoptes</i> ..	190

	PAGE.
Over-crowding of oyster-shell scales on an apple twig	192
Nymph of <i>Gamasus</i> sp., which sometimes hibernates under mussel scales ; dorsal view of <i>Bdella brevitarsus</i> , Banks, a mite that sometimes hiber- nates under mussel scales	196
<i>Lonchaea plumosissima</i> , Bezzi, sp. n., ♀, 241 ; lateral view of head ..	247
„ <i>mochii</i> , Bezzi, sp. n., ♀, lateral view of head	243
„ <i>pendula</i> , Bezzi, nom. nov., ♂, lateral view of head	249
A Coleopterous larva found in the urinary tract of man	255
Fluctuations in humidity and weight of cotton	289, 290, 298, 299
Bud, flower, green boll and ripe boll curves for the Gemmeiza experimental cotton-field	307
Diagram to show increase of <i>Gelechia</i> attack per province in Egypt	310
Sketch-map of British Guiana showing coast area infested by locusts in 1917	344
<i>Scelio venezuelensis</i> , Marsh., parasitic on eggs of <i>Schistocerca</i>	348
<i>Schistocerca</i> sp., nymphal stages, 350-353 ; adult ♀	353

ERRATA.

Page	15, line	9, for	Nyalasand	read	Nyasaland.
„	17, „	39, „	<i>hynia</i>	„	<i>hysia</i> .
„	21, „	14, „	<i>R. P. Wood</i>	„	<i>R. C. Wood</i> .
„	41, „	5, „	<i>helianthe</i>	„	<i>helianthi</i> .
„	67, fig.	1, „	<i>marshall</i>	„	<i>marshalli</i> .
„	66, line	6, „	<i>bona-non</i>	„	<i>bona-nox</i> .
„	71, „	14, „	<i>C. O. Gowdey</i>	„	<i>C. C. Gowdey</i> .
„	75, „	38, „	vine	„	pine.
„	107, „	8, „	<i>Cissococcus</i>	„	<i>Cissococcus</i> .
„	118, „	24, „	<i>G. osmanthi</i>	„	<i>C. osmanthi</i> .
„	142, „	3, „	<i>Phormi</i>	„	<i>Phormia</i> .
„	157, „	7, „	cacao	„	<i>Casuarina</i> .
„	162, „	12, „	Changunda	„	Changuinola.
„	162, „	16, „	the same	„	another species of
„	186, fig.	3, „	<i>Moneziella</i>	„	<i>Monieziella</i> .
„	200, line	38, „	poeny	„	peony.
„	220, „	7, „	<i>Trichelia</i>	„	<i>Trichilia</i>
„	242, „	17, „	d. 378	„	p. 378.
„	243, „	21, „	third	„	thin.
„	249, „	18, „	1926	„	1826.
„	250, „	30, „	<i>ploita</i>	„	<i>polita</i> .
„	252 (footnotes)	2, for	Howard	„	Houard.
