

BULLETIN
OF
ENTOMOLOGICAL RESEARCH

ISSUED BY THE IMPERIAL
BUREAU OF ENTOMOLOGY.

EDITOR: THE DIRECTOR.

VOL. VIII.

LONDON:

SOLD BY

DULAU & Co., LTD., 37, SOHO SQUARE, W. 1.

1917-1918.

IMPERIAL BUREAU OF ENTOMOLOGY.

Honorary Committee of Management.

VISCOUNT HARCOURT, *Chairman.*

- Lieutenant-Colonel A. W. ALCOCK, C.I.E., F.R.S., London School of Tropical Medicine.
- Mr. E. E. AUSTEN, Entomological Department, British Museum (Natural History).
- Dr. A. G. BAGSHAWE, C.M.G., Director, Tropical Diseases Bureau.
- Sir J. ROSE BRADFORD, K.C.M.G., F.R.S., Secretary, Royal Society.
- Surgeon-General Sir DAVID BRUCE, C.B., F.R.S., A.M.S.
- Mr. J. C. F. FRYER, Entomologist to the Board of Agriculture and Fisheries.
- Dr. S. F. HARMER, F.R.S., Keeper of Zoology, British Museum (Natural History).
- Professor H. MAXWELL LEFROY, Imperial College of Science and Technology.
- The Hon. Sir JOHN MCCALL, M.D., Agent-General for Tasmania.
- Dr. R. STEWART MACDOUGALL, Lecturer on Agricultural Entomology, Edinburgh University.
- Sir JOHN MCFADYEAN, Principal, Royal Veterinary College, Camden Town.
- Sir PATRICK MANSON, G.C.M.G., F.R.S., Late Medical Adviser to the Colonial Office.
- Sir DANIEL MORRIS, K.C.M.G., Late Adviser to the Colonial Office in Tropical Agriculture.
- Professor R. NEWSTEAD, F.R.S., Dutton Memorial Professor of Medical Entomology, Liverpool University.
- Professor G. H. F. NUTTALL, F.R.S., Quick Professor of Protozoology, Cambridge.
- Professor E. B. POULTON, F.R.S., Hope Professor of Zoology, Oxford
- Lieutenant-Colonel Sir DAVID PRAIN, C.I.E., C.M.G., F.R.S., Director, Royal Botanic Gardens, Kew.
- Sir H. J. READ, K.C.M.G., C.B., Colonial Office.
- The Honourable N. C. ROTHSCHILD.
- Mr. HUGH SCOTT, Curator in Entomology, Museum of Zoology, Cambridge.
- Dr. A. E. SHIPLEY, F.R.S., Vice-Chancellor, Cambridge University.
- Mr. R. SPERLING, Foreign Office.
- Sir STEWART STOCKMAN, Chief Veterinary Officer, Board of Agriculture.
- Mr. F. V. THEOBALD, Vice-Principal, South Eastern Agricultural College, Wye.
- Mr. C. WARBURTON, Zoologist to the Royal Agricultural Society of England.

The Chief Entomologist in each of the Self-governing Dominions is an *ex officio* member of the Committee.

General Secretary.

Mr. A. C. C. PARKINSON (Colonial Office).

Director and Editor.

Dr. GUY A. K. MARSHALL.

Assistant Director.

Dr. S. A. NEAVE.

Head Office.—British Museum (Natural History), Cromwell Road, London, S.W.7.

Publication Office.—89, Queen's Gate, London, S.W.7.

CONTENTS.

ORIGINAL ARTICLES.

	PAGE
ARROW, GILBERT J. Some Melolonthid Beetles injurious to Cacao plants in the Belgian Congo	111
BEZZI, PROF. M. New Ethiopian Fruit-flies of the genus <i>Dacus</i>	63
Notes on the Ethiopian Fruit-flies of the Family Trypanecidae, other than <i>Dacus</i> (s.l.), with descriptions of new genera and species (Dipt.)	215
BODKIN, G. E. Notes on the Coccidae of British Guiana	103
DAVIDSON, CAPT. J. Some practical methods adopted for the control of flies in the Egyptian Campaign	297
d'EMMEREZ DE CHARMOY, D. Notes relative to the importation of <i>Tiphia parallela</i> , Smith, from Barbados to Mauritius for the control of <i>Phytalus smithi</i> , Arrow..	93
DISTANT, W. L. Some Coreid Bugs injurious to Cacao plants in the Belgian Congo ..	118
GAHAN, C. J. Some Longicorn Beetles injurious to Cacao plants in the Belgian Congo	117
GOWDEY, C. C. A list of Uganda Coccidae, their food-plants and natural enemies ..	187
(C481) Wt. P.3/130. 1,000 12.18. B.&F.,Ltd. Gp.11/1.	A2

	PAGE.
INGRAM, DR. A., and MACFIE, DR. J. W. SCOTT.	
Notes on some distinctive points in the Pupae of West African mosquitos	73
The early stages of certain West African Mosquitos.....	135
JACK, RUPERT W.	
Natural transmission of Trypanosomiasis (<i>T. pecorum</i> group) in the absence of Tsetse-fly	35
KEILIN, DR. D.	
On the supposed first stage larva of <i>Leptohylemyia coarctata</i> , Fall. ..	121
MACGREGOR, MALCOLM EVAN.	
A summary of our knowledge of Insect Vectors of Disease.....	155
MARSHALL, DR. GUY A. K.	
Some Weevils injurious to Cacao plants in the Belgian Congo	112
A new Weevil pest of Sweet Potatoes in Jamaica	269
NEWSTEAD, PROF. R.	
Observations on Scale-insects (Coccidae).—IV, V.	1, 125
SAMPSON, LT.-COL. F. WINN.	
A new Scolytid injurious to dried Sweet Potatoes in Jamaica	295
SCHWETZ, DR.	
The western and northern limits of <i>Glossina morsitans</i> in Northern Katanga	165
Preliminary note on the Tsetse-flies of the Kabalo-Albertville (Lualaba Tanganyika) Railway.....	169
SIMPSON, DR. JAMES J.	
Bionomics of Tsetse and other parasitological notes in the Gold Coast	193
TETLEY, H.	
The structure of the mouth-parts of <i>Pangonia longirostris</i> in relation to the probable feeding-habits of the species	253
THEOBALD, FRED, V.	
African Aphididae.—Part III.	273
TURNER, ROWLAND E.	
On a Braconid parasite of <i>Glossina</i>	177

CONTENTS.

v

WATERSTON, JAMES.	PAGE.
A new species of <i>Paraphelinus</i> , Perk., from British Guiana, with a discussion of the genus and the allied <i>Aphelinus</i> , Dalm.	43
Chalcidoidea bred from <i>Glossina</i> in the Northern Territories, Gold Coast	178
WILLIAMS, C. B.	
A new Thrips damaging Orchids in the West Indies.....	59

MISCELLANEOUS.

Collections received.....	119, 191, 311
---------------------------	---------------

PLATES.

	PAGE.
I. to IV. Views in West Africa showing early stages of certain Mosquitos and their haunts	<i>facing</i> 154
V. Wings of African Trypanidae	„ 252
VI. Mouth-parts of <i>Pangonia longirostris</i> , Hardw.	„ 268

MAPS.

	PAGE.
I. Map showing the northern and western limits of <i>Glossina</i> <i>morsitans</i> in the southern Belgian Congo	<i>to face</i> 168
II. Map showing the distribution of <i>Glossina</i> along the Lualaba- Tanganyika Railway	„ 175

ILLUSTRATIONS IN THE TEXT.

Details of scale-insects :—	PAGE.
<i>Monophlebus</i> ? <i>hirtus</i> , Brain, ♀	3
<i>Aspidoproctus neavei</i> , Newst., sp. n., ♀	4
<i>Palaeococcus cajani</i> , Newst., sp. n., ♀	8
<i>Icerya nigroareolata</i> , Newst., sp. n., ♀	9
„ <i>sulfurea</i> var. <i>pattersoni</i> , Newst., nov., ♀	10
<i>Margarodes buxtoni</i> , Newst., sp. n., ♀, 11, ♂	12
<i>Stictococcus intermedius</i> , Newst., sp. n., ♀ and larva	13
„ <i>multispinosus</i> , Newst., sp. n., ♂ and larva	14
<i>Lecaniodiaspis tarsalis</i> , Newst., sp. n., ♀	16
<i>Pulvinaria africana</i> , Newst., sp. n., ♀	23
„ <i>aristolochiae</i> , Newst., sp. n., ♀	19
„ <i>elongata</i> , Newst., sp. n., ♀	20
„ ? <i>flavicans</i> , Mask., ♀	21
„ <i>subterranea</i> , Newst., sp. n., ♀	22
<i>Ceroplastes bipartitus</i> , Newst., sp. n., ♀	26
„ <i>destructor</i> , Newst., ♂ antenna and puparium	27
„ <i>egbarum</i> , Ckll., ♂ pupa	28
„ <i>vuilleti</i> , Marchal, ♀ antennae and derm glands	31
„ <i>zonatus</i> , Newst., sp. n., ♀	32
<i>Inglisia theobromae</i> , Newst., sp. n., ♀	33
Sketch-map showing the position of the Gatooma tsetse area	38
Sketch-map showing the position of the fly areas in the Sebungwe District	39
<i>Paraphelinus perkinsi</i> , Waterston, sp. n., details of ♀, 47, 48, 55 ; ♂ antenna and forewing, 54 ; left mandible of ♂	55
„ <i>tomaspidis</i> , How., ♀ antenna, 48 ; ♀ wings	57
„ <i>xiphidii</i> , Perk., details of ♀, 47, 48, 50, 55 ; ♂ antenna	54
<i>Physothrips xanthius</i> , Williams, sp. n., adult ♀	59
Wings of :—	
<i>Tridacus d'emmerezi</i> , Bezzi, sp. n.	64
<i>Dacus annulatus</i> , Becker	65
„ <i>blepharogaster</i> , Bezzi, sp. n.	69
„ <i>erythraeus</i> , Bezzi, sp. n.	70
„ <i>hamatus</i> , Bezzi, sp. n.	68
„ <i>mochii</i> , Bezzi, sp. n.	66
Pupae of :—	
<i>Aedomyia africana</i> , N.L.	83
<i>Anopheles mauritianus</i> , Grp.	77
„ <i>pharoensis</i> , Theo.	76
<i>Chaoborus ceratopogones</i> , Theo., trumpet	90

Pupae of :	PAGE.
<i>Culex fatigans</i> , Wied.	85
„ <i>guiarti</i> , Blanch.	87
„ <i>invidiosus</i> , Theo.	85
„ <i>thalassius</i> , Theo.	86
„ <i>tritaeniorhynchus</i> , Giles	87
<i>Cyathomyia fusca</i> , Theo.	88
<i>Eumelanomyia inconspicua</i> , Theo.	88
<i>Mimomyia mimomyiaformis</i> , Newst.	89
„ <i>splendens</i> , Theo.	89
<i>Ochlerotatus albocephalus</i> , Theo.	82
<i>Stegomyia metallica</i> , Edw.	80
„ <i>unilineata</i> , Theo.	81
Sketch-map showing five years gradual increase in the distribution of	
<i>Phytalus smithi</i>	96
<i>Systates maynei</i> , Mshl., sp. n., ♂	114
„ <i>ramosus</i> , Mshl., sp. n., ♂	113
<i>Alcides theobromae</i> , Mshl., sp. n., ♀	116
<i>Leptobylemyia coarctata</i> , Fall., mouth-parts of Kurdjumov's primary larva,	
122; mouth-parts of a full-grown larva	123
<i>Mansonioides africanus</i> , Theo., details of larva siphon	138
Head, end of abdomen, and mentum of :—	
<i>Culex guiarti</i> , Blanch.	151
„ <i>thalassius</i> , Theo.	148
<i>Cyathomyia fusca</i> , Theo.	146
<i>Mimomyia splendens</i> , Theo.	153
<i>Ochlerotatus albocephalus</i> , Theo.	142
„ <i>apicoannulatus</i> , Edw.	144
„ <i>minutus</i> , Theo.	143
Lateral view of the heads of :—	
<i>Dirhinus ehrhorni</i> , Silv. (left)	178
„ <i>inflexus</i> , Waterst. (right)	178
<i>Conradina suspensa</i> , Bezzi, sp. n., wing	223
<i>Rhacochlaena fasciolata</i> , Loew, wing	249
<i>Ocneros mundus</i> , Loew, wing	250
<i>Pangonia longirostris</i> , Hardw., ♂, 254; ♀, details of head, 258–261; ♂,	
details of maxilla, 262, 263; ♂, labrum-epipharynx, 263; ♂, hypo-	
pharynx	264
<i>Palaeopus costicollis</i> , Marshall, sp. n., ♂	269
Details of :—	
<i>Aphis acetosella</i> , Theo, nom. n.	287
„ <i>bauhiniae</i> , Theo., sp. n.	280
„ <i>buddleiae</i> , Theo., sp. n.	281
„ <i>durantae</i> , Theo., sp. n.	275
„ <i>ficus</i> , Theo., sp. n.	277
„ <i>mathiolae</i> , Theo., sp. n.	283
„ <i>mathiolellae</i> , Theo., sp. n.	284
„ <i>pomonella</i> , Theo.	286
„ <i>pruniella</i> , Theo., sp. n.	285
„ <i>tamaricis</i> , Theo., sp. n.	278
„ <i>zizyphi</i> , Theo., sp. n.	275
<i>Hyalopterus insignis</i> , Theo., sp. n.	290, 291

Details of:—	PAGE
<i>Macrosiphum dahliaefolii</i> , Theo., sp. n.	274
<i>Myzus pterisoides</i> , Theo., sp. n.	292
Treatment of horse-manure by spraying	298
Native latrine system for incineration of faeces	302
A portable latrine	303
Portable incinerator made with galvanised iron and iron pickets	304
Earth incinerator in side view section	305
Fly cage made with wire gauze on a wooden framework	307
A fly trap with poisoned bait	308

ERRATA.

Page	12, fig.	7, for	<i>baxtoni</i>	read	<i>buxtoni</i>
„	13, line	3, „	Kantora	„	Kantara.
„	16, „	4, „	E. d'Emmerez	„	<i>D. d'Emmerez.</i>
„	36, „	44, „	<i>calacitrans</i>	„	<i>calcitrans</i>
„	44, „	5, „	<i>Haplogonotopus</i>	„	<i>Haplogonotopus.</i>
„	87, fig.	11, „	<i>guirti</i>	„	<i>quiarti.</i>
„	103, line	5, „	Vol. iii.	„	Vol. vii.
„	104, „	18, „	<i>Pseudococcus</i>	„	<i>Pseudococcus.</i>
„	105, lines	13 & 19, for	<i>Pseudococcus</i>	sacchari, Newst.,	
				read	<i>Pseudococcus sacchari</i> , Ckll.
„	108, line	32, for	<i>Coccus</i>	„	<i>Cocos.</i>
„	118, „	35, „	<i>C.</i>	„	<i>P.</i>
„	126, „	1, „	<i>aegyptiacum</i>	„	<i>aegyptiaca.</i>
„	129, „	27, „	<i>Aranthemum</i>	„	<i>Eranthemum.</i>
„	131, „	30, „	<i>Heavea</i>	„	<i>Hevea.</i>
„	„	38, „	<i>pseudaonidia</i>	„	<i>Pseudaonidia.</i>
„	136, „	19, „	<i>Aèdeomyia</i>	„	<i>Aêdomyia.</i>
„	157, „	5, „	<i>Horzog</i>	„	<i>Herzog.</i>
„	185, „	53, „	<i>pinniformis</i>	„	<i>pinnaeformis</i>
„	187, „	13, „	<i>sulphurea</i>	„	<i>sulfurea.</i>
„	210, „	4, „	<i>inflexus</i>	„	<i>inflexus.</i>
„	212, „	18, „	<i>visted</i>	„	<i>visited.</i>
„	221, „	37, „	<i>Out</i>	„	<i>with.</i>
„	236, „	5, „	van	„	von.
„	243, „	21, „	dipterologist	„	hymenopterologist.
„	256, „	25, „	<i>rupelli</i>	„	<i>rüppelli.</i>
„	267, „	15, „	Roder, H.	„	Röder, H. von.
„	238, line 7 ; 244, line 36 ; 248, line 30 ; 249, line 29, and 250, line 7, for “Zahrb,”			read	“Jahrb.”