

Index of Subjects

- Absidia ramosa*; the role of acquired immunity in resistance to in mice, 221
- Age-specific incidence of neutralization antibodies of Herpes simplex virus, 155
- Alginate swab versus cotton swab sampling method in bacteriological examination of broiler chickens, 205
- Attenuated influenza type A (H3N2) virus, characteristics of, 181
- Bacteriophage T4Bo; latent injury after freeze-thawing, 113
- Bacteriophage T4Bo; morphological manifestations of freezing and thawing injury in, 119
- Bedpans, coated: their cleaning and disinfection, 199
- Bifidobacterium* and *Escherichia coli* in stools of new-born infants: effects of various milk feeds on, 129
- Bordetella pertussis*, prevalent serotypes of, in non-vaccinated communities, 85
- Bronchospasm in house dust sensitive children, caused by airborne dust particles of different sizes, 321
- Brucella abortus* antibodies detected by radioimmunoassay: a new test for bovine brucellosis, 369
- Chickens, bacteriological examination of by cotton swab and alginate swab sampling methods, 205
- Children in general practice; urinary infection in, 291
- Cigarette smoking; the effect of on susceptibility to epidemic influenza and on serological responses to live attenuated and killed subunit influenza vaccines, 409
- Cleaning and disinfection of coated bedpans, 199
- Clearance of foot-and-mouth disease virus from the circulation of cattle and goats during experimental viraemia, 245
- Clothing for use in clean-air environments, 267
- Cockroach, *Salmonella* in; evaluation of vector potential, 105
- Colostrum-derived antibody; its effect on louping-ill virus infection in lambs, 349
- Cotton swab versus alginate swab sampling method in bacteriological examination of broiler chickens, 205
- Cytomegalovirus excretion in gnotobiotic pigs, 283
- Desert conditions, effect of on the reactivity of Libyan school-children to a range of new tuberculins, 63
- Diarrhoea in adults; *Escherichia coli* O 27 in, 393
- Dust, the size of airborne particles of, precipitating bronchospasm in house dust sensitive children, 321
- Electrophoretic patterns of total proteins of mycoplasma cells; detection of serum proteins in, 189
- Enterobacter* and *Klebsiella* organisms isolated from horses, 401
- Enterobacteria isolated from river water by the use of nalidixic acid as a selective agent, 23
- Epidemiological studies on the 1967–1968 foot-and-mouth disease epidemic: the reporting of suspected disease, 299
- Epidemiology of toxoplasmosis in Canada, 11
- Escherichia coli*, pathogenic strains of in pig slurry, 43
- Escherichia coli* and *Bifidobacterium* in the stools of new-born infants; effect of various milk feeds on, 129
- Escherichia coli* O 27 in adult diarrhoea, 393
- Fluid media: isolation of *Shigella sonnei* by, 341
- Foot-and-mouth disease; the spread of, through the primary movement of milk, 1

- Foot-and-mouth disease virus in the components of milk from FMDV-infected cows; the effect of heat on, 77
- Foot-and-mouth disease epidemic of 1967–68: incubation period and herd serial interval, 141
- Foot-and-mouth disease: the lung as an additional portal of entry of the virus, 235
- Foot-and-mouth disease: clearance of the virus from the circulation of cattle and goats during experimental viraemia, 245
- Foot-and-mouth disease, studies on the 1967–1968 epidemic: the reporting of suspected disease, 299
- Freezing and thawing injury in bacteriophage T4Bo, morphological manifestations of, 119
- Frozen-thawed bacteriophage T4Bo, latent injury in, 113
- Gophacide, zinc phosphide and thallium sulphate, a comparative field trial against *Rattus norvegicus*, 55
- Haemagglutination inhibition test, for rubella antibodies; a modified form using standardized freeze-dried reagents, 31
- Hemiplegic hand, the skin flora of the, 93
- Herpes simplex virus neutralization antibodies, age specific incidence of, 155
- Horses, *Klebsiella* and *Enterobacter* organisms isolated from, 401
- Incubation period and herd serial interval in the 1967–68 foot-and-mouth disease epidemic, 141
- Influenza A (H3N2), natural infection with. The development, persistence and effect of antibodies to the surface antigens, 271
- Influenza type A (H3N2) virus ('Alice' strain), attenuated, laboratory characteristics of, 181
- Influenza vaccine, surface antigen, 1. Purification of haemagglutinin and neuraminidase proteins, 161
- Influenza vaccine, surface antigen, 2. Pyrogenicity and antigenicity, 173
- Influenza vaccine, WRL 105 strain live attenuated; comparison of one and two dose schedules, 327
- Influenza and respiratory syncytial virus infections among infants admitted to hospital with acute respiratory infections, 383
- Influenza, epidemic, the effect of cigarette smoking on susceptibility to, 409
- Intravenous infusion bottle plugs as a source of microbial contamination, 315
- Isolation rate of pathogens in medical microbiology laboratories, quality control of, 359
- Klebsiella* and *Enterobacter* organisms isolated from horses, 401
- Libyan schoolchildren, reactivity of to a range of new tuberculins under desert conditions, 63
- Louping-ill virus infection in lambs, the effect of colostrum-derived antibody on, 349
- Lung as an additional portal of entry of the virus of foot-and-mouth disease, 235
- Mice, experimental phycomycosis in; examination of the role of acquired immunity in resistance to *Absidia ramosa*, 221
- Microbial contamination of intravenous infusion through bottle plugs, 315
- Milk from FMDV-infected cows; effect of heat on foot-and-mouth disease virus in the components of, 77
- Milk feeds, the effect of on the numbers of *Escherichia coli* and *Bifidobacterium* in the stools of new-born infants, 129
- Morphological manifestations of freezing and thawing injury in bacteriophage T4Bo, 119
- Mycobacteria, salmonellas and pathogenic strains of *Escherichia coli* in pig slurry, 43
- Mycoplasma cells, detection of serum proteins in the electrophoretic pattern of total proteins of, 189
- Nalidixic acid as a selective agent for the isolation of enterobacteria from river water, 23
- Natural infection with influenza A (H3N2). The development, persistence and effect of antibodies to the surface antigens, 271

- Neonatal infection due to *Salmonella worthington* transmitted by a delivery-room suction apparatus, 307
- New-born infants, effect of various milk feeds on numbers of *Escherichia coli* and *Bifidobacterium* in the stools of, 129
- Neutralization antibodies of Herpes simplex virus, age-specific incidence of, 155
- Parainfluenza 3 virus inactivated vaccine incorporating double stranded RNA (BRL 5907) as adjuvant, the assessment in sheep of, 255
- Pathogenesis of foot-and-mouth disease: the lung as an additional portal of entry of the virus, 235
- Pathogenesis of foot-and-mouth disease: clearance of the virus from the circulation of cattle and goats during experimental viraemia, 245
- Phycomycosis, experimental, in mice: examination of the role of acquired immunity in resistance to *Absidia ramosa*, 221
- Plugs as a source of microbial contamination in intravenous infusion bottles, 315
- Pseudomonas aeruginosa* isolated from respiratory and non-respiratory sites, toxic activity against alveolar macrophages of products of, 211
- Pig slurry, the occurrence of salmonellas, mycobacteria and pathogenic strains of *Escherichia coli* in, 43
- Quality control of the isolation rate of pathogens in medical microbiology laboratories, 359
- Radioimmunoassay for antibodies against *Brucella abortus*: a new serological test for bovine brucellosis, 369
- Reporting of suspected disease: epidemiological studies on the 1967–1968 foot-and-mouth disease epidemic, 299
- Respiratory syncytial virus and influenza virus infections; a comparison of among infants admitted to hospital with acute respiratory infections, 383
- RNA, double stranded (BRL 5907) as adjuvant in an inactivated vaccine of parainfluenza 3 virus: assessment in sheep, 255
- Rodenticides zinc phosphide, thallium sulphate and gophacide tested against *Rattus norvegicus*; a comparative field trial, 55
- Rubella antibodies, a modified haemagglutination inhibition test for, using standardized freeze-dried reagents, 31
- Salmonella* in the American cockroach: evaluation of vector potential through dosed feeding experiments, 105
- Salmonella crossness* – a new serotype containing a new somatic (O) antigen, 67, 355
- Salmonella worthington* transmitted by a delivery-room suction apparatus, causing neonatal infection, 307
- Salmonellas, isolation of from sewage-polluted river water using selenite F and Muller-Kauffmann tetrathionate, 333
- Salmonellas, mycobacteria and pathogenic strains of *Escherichia coli*, the occurrence of in pig slurry, 43
- Salmonellosis in wild mammals, 51
- Selenite F and Muller-Kauffmann tetrathionate used in isolation of salmonellas from sewage-polluted river water, 333
- Serum proteins, detection of in the electrophoretic patterns of total proteins of mycoplasma cells, 189
- Sewage pollution, an appraisal of along a section of the Natal coast after the introduction of submarine outfalls, 263
- Size of airborne dust particles precipitating bronchospasm in house dust sensitive children, 321
- Skin flora of the hemiplegic hand, 93
- Soil infested with the human whipworm, *Trichuris trichiura*, the treatment of, 377
- Spread of foot-and-mouth disease through the primary movement of milk, a simulation spatial model, 1
- Surface antigen influenza vaccine. 1. Purification of haemagglutinin and neuraminidase proteins, 161. 2. Pyrogenicity and antigenicity, 173

- Tetrathionate, Muller-Kauffmann, and selenite F in the isolation of salmonellas from sewage-polluted river water, 333
- Thallium sulphate, zinc phosphide and gophacide against *Rattus norvegicus*, a comparative field trial, 55
- Toxic activity against alveolar macrophages of products of *Pseudomonas aeruginosa* isolated from respiratory and non-respiratory sites, 211
- Toxoplasmosis in Canada, some observations on its epidemiology, 11
- Trichuris trichiura* infestation of soil, the treatment of, 377
- Tuberculins, new, tested on Libyan schoolchildren under desert conditions, 63
- Typhoid carriers, modified Vi tests in the screening of, 97
- Urinary infections in children in general practice: a laboratory view, 291
- Vaccine, inactivated, of parainfluenza 3 virus incorporating double stranded RNA (BRL 5907) as adjuvant: assessment in sheep, 255
- Vaccine, influenza: the effect of cigarette smoking on serological responses to live attenuated and killed subunit vaccines, 409
- Vaccine, influenza, WRL 105 strain live attenuated: comparison of one and two dose schedules, 327
- Vaccine, influenza, surface antigen. 1. Purification of haemagglutinin and neuraminidase proteins, 161. 2. Pyrogenicity and antigenicity, 173
- Vi tests, modified, in the screening of typhoid carriers, 97
- Viruses: cytomegalo, 283; foot-and-mouth, 77, 235, 245; herpes simplex, 155; influenza, 181, 271, 383; louping-ill, 349; parainfluenza 3, 255; respiratory syncytial, 383
- Warfarin-resistant and non-resistant rats and mice, evaluation of WBA 8119 for use against, 419
- Warfarin-resistant house mice, trials of WBA 8119 against confined colonies of, 427
- WBA 8119, as a rodenticide against warfarin-resistant rats or mice, 419, 427
- WRL 105 strain live attenuated influenza vaccine; comparison of one and two dose schedules, 327
- Zinc phosphide, thallium sulphate and gophacide tested against *Rattus norvegicus*, 55