




jmr Journal of
MATERIALS RESEARCH

FOCUS ISSUE
Advances in Thermoelectric Materials



VOLUME 26 • NO 15
AUGUST 14, 2011

A publication of the

MRS MATERIALS RESEARCH SOCIETY
Advancing materials. Improving the quality of life.

CAMBRIDGE
UNIVERSITY PRESS

complete characterization

Science continues to challenge the limits of material properties and capabilities. Whether improving conventional materials, such as tungsten alloys, or probing the potential of carbon fiber nanotechnology, our instruments and expertise help scientists characterize and confirm complex chemistries and unique structures. Our comprehensive offering includes innovative imaging and spectroscopy, industry-leading data management and proven method development. All designed to help provide deeper insights and more confident decisions as you drive bold progress in the materials of tomorrow.

speeds discovery in materials science

• www.thermoscientific.com/materialsscience

Nanotechnology

Polymers

Metallurgy

Microelectronics

Bio-Materials

Cement

Energy

Ceramics and Glass

Polymers

Carbon


Paints and Coatings

Chemicals

Paper and Printing

Medical Implants

Art Restoration



Journal of MATERIALS RESEARCH

Editor-in-Chief: Gary L. Messing, *The Pennsylvania State University*

Associate Editor, Biomaterials: Adrian Mann, *Rutgers University*

Associate Editor, Metallic Materials: Jürgen Eckert, *IFW Dresden, Germany*

Associate Editor, Polymers and Organic Materials: Howard E. Katz, *Johns Hopkins University*

Guest Editors for Focus Issue: Advances in Thermoelectric Materials

Terry M. Tritt, *Clemson University, Clemson, SC*

Harald Böttner, *Fraunhofer Institut für Physikalische Messtechnik IPM, Freiburg, Germany*

Editorial Office: Eileen Kiley Novak, *Director of Publications and Marketing, Materials Research Society, Warrendale, PA*

Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*

Lorraine K. Wolf, *JMR Publishing Assistant, Materials Research Society, Warrendale, PA*

2011 Principal Editors:

Robert C. Cammarata, *Johns Hopkins University*

Edwin A. Chandross, *MaterialsChemistry LLC*

Ping Chen, *Dalian Institute of Chemical Physics, China*

Yang-T. Cheng, *University of Kentucky*

Franz Faupel, *Universität Kiel, Germany*

David S. Ginley, *National Renewable Energy Laboratory*

Amit Goyal, *UT-Battelle/Oak Ridge National Laboratory*

Mikko P. Haataja, *Princeton University*

Himanshu Jain, *Lehigh University*

Suk-Joong L. Kang, *Korean Advanced Institute of Science and Technology, Republic of Korea*

C. Robert Kao, *National Taiwan University, Taiwan*

Koichi Kugimiya, *Osaka University, Japan*

Sharvan Kumar, *Brown University*

Yadong Li, *Tsinghua University, China*

Scott T. Misture, *Alfred University*

Paul Murali, *Ecole Polytechnique Federale de Lausanne, Switzerland*

Michelle Oyen, *Cambridge University, United Kingdom*

Nitin P. Padture, *The Ohio State University*

Ian M. Reaney, *The University of Sheffield, United Kingdom*

Joan M. Redwing, *The Pennsylvania State University*

Clifford L. Renschler, *Sandia National Laboratories*

Mototsugu Sakai, *Toyohashi University of Science and Technology, Japan*

Dale Schaefer, *University of Cincinnati*

Winston Schoenfeld, *University of Central Florida*

Christopher A. Schuh, *Massachusetts Institute of Technology*

Don W. Shaw, *The University of Texas at Dallas*

Robert L. Snyder, *Georgia Institute of Technology*

Jay A. Switzer, *Missouri University of Science and Technology*

Mauricio Terrones, *The Pennsylvania State University; and Shinshu University, Japan*

Terry M. Tritt, *Clemson University*

Yoshihisa Watanabe, *National Defense Academy, Japan*

William J. Weber, *University of Tennessee/Oak Ridge National Laboratory*

Sam Zhang, *Nanyang Technological University, Singapore*

Yanchun Zhou, *Aerospace Research Institute of Materials and Processing Technology, China*

Cover: Crystal structure of a typical skutterudite material CoSb_3 . Transition metal atoms, Co, occupy 8c sites and pnictogen atoms, Sb, occupy 24g sites. Guest atom I could be filled into the voids at 2a sites. [X. Shi, S. Bai, L. Xi, J. Yang, W. Zhang, L. Chen, and J. Yang: Realization of high thermoelectric performance in n-type partially filled skutterudites. p. 1745.]

Journal of MATERIALS RESEARCH

Volume 26, Number 15, August 14, 2011

ADVANCES IN THERMOELECTRIC MATERIALS

1743–1744 Introduction

Terry M. Tritt, Harald Böttner

REVIEWS

1745–1754 Realization of high thermoelectric performance in n-type partially filled skutterudites

Xun Shi, Shengqiang Bai, Lili Xi, Jiong Yang, Wenqing Zhang, Lidong Chen, Jihui Yang

1755–1761 Enhanced thermoelectric performance of compacted $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ nanoplatelets with low thermal conductivity

Chia-Jyi Liu, Gao-Jhih Liu, Yen-Liang Liu, Liang-Ru Chen, Alan B. Kaiser

1762–1772 Oxide thermoelectrics: The challenges, progress, and outlook

Jian He, Yufei Liu, Ryoji Funahashi

ARTICLES

1773–1784 $(\text{Bi,Sb})_2\text{Te}_3$ -PbTe chalcogenide alloys: Impact of the cooling rate and sintering parameters on the microstructures and thermoelectric performances

Alexandre Jacquot, Thomas Jürgen, Joachim Schumann, Martin Jäggle, Harald Böttner, Thomas Gemming, Jürgen Schmidt, Dirk Ebling

1785–1790 Influence of vapor annealing on the thermoelectric properties of electrodeposited Bi_2Te_3

Raimar Rostek, Vladimir Sklyarenko, Peter Woias

1791–1799 Investigation of the sintering pressure and thermal conductivity anisotropy of melt-spun spark-plasma-sintered $(\text{Bi,Sb})_2\text{Te}_3$ thermoelectric materials

Wenjie Xie, Jian He, Song Zhu, Tim Holgate, Shanyu Wang, Xinfeng Tang, Qingjie Zhang, Terry M. Tritt

1800–1812 Microstructures and nanostructures in long-term annealed $\text{AgPb}_{18}\text{SbTe}_{20}$ (LAST-18) compounds and their influence on the thermoelectric properties

Jayaram Dadda, Eckhard Müller, Susanne Perlt, Thomas Höche, Paula Bauer Pereira, Raphaël P. Hermann

1813–1819 Composition optimization of p-type skutterudites $\text{Ce}_y\text{Fe}_x\text{Co}_{4-x}\text{Sb}_{12}$ and $\text{Yb}_y\text{Fe}_x\text{Co}_{4-x}\text{Sb}_{12}$

Ruiheng Liu, Pengfei Qiu, Xihong Chen, Xiangyang Huang, Lidong Chen

1820–1826 Transport properties and microstructure of indium-added cobalt–antimony-based skutterudites

Andreas Sesselmann, Titas Dasgupta, Klemens Kelm, Eckhard Müller, Susanne Perlt, Sebastian Zastrow

1827–1835 Thermoelectric and structural properties of high-performance In-based skutterudites for high-temperature energy recovery

Krishnendu Biswas, Morris S. Good, Kamandi C. Roberts, M.A. Subramanian, Terry J. Hendricks

1836–1841 Pulsed laser deposition and thermoelectric properties of In- and Yb-doped CoSb_3 skutterudite thin films

S.R. Sarath Kumar, A. Alyamani, J.W. Graff, T.M. Tritt, H.N. Alshareef

1842–1847 Nanostructures and defects in nonequilibrium-synthesized filled skutterudite $\text{CeFe}_4\text{Sb}_{12}$

Juan Zhou, Qing Jie, Lijun Wu, Ivo Dimitrov, Qiang Li, Xun Shi

(Continued)

- 1848–1856 **Thermoelectric nanocomposite from the metastable void filling in caged skutterudite** Zhen Xiong, Lili Xi, Juan Ding, Xihong Chen, Xiangyang Huang, Hui Gu, Lidong Chen, Wenqing Zhang
- 1857–1860 **Single crystallization of $Ba_8Al_xSi_{46-x}$ clathrate for improvement of thermoelectric properties** Naoki Mugita, Yusuke Nakakohara, Ryo Teranishi, Shinji Munetoh
- 1861–1865 **Meltspun $Ba_8Ga_{16-x}Ge_{30+x}$ clathrates** S. Laumann, M. Ikeda, H. Sassik, A. Prokofiev, S. Paschen
- 1866–1871 **Influence of selenium vapor postannealing on the electrical transport properties of $PbSe-WSe_2$ nanolaminates** Qiyin Lin, Sara Tepfer, Colby Heideman, Clay Mortensen, Ngoc Nguyen, Paul Zschack, Matt Beekman, David C. Johnson
- 1872–1878 **Artificially nanostructured n-type SiGe bulk thermoelectrics through plasma enhanced growth of alloy nanoparticles from the gas phase** N. Stein, N. Petermann, R. Theissmann, G. Schierning, R. Schmechel, H. Wiggers
- 1879–1885 **Enhanced electrical conductivity in $Si_{80}Ge_{20}B_{0.6}$ alloys with Er addition prepared by spark plasma sintering** Ran Zhao, Li Shen, Fu Guo
- 1886–1893 **$RuIn_{3-x}Sn_x$, $RuIn_{3-x}Zn_x$, and $Ru_{1-y}In_3$ —new thermoelectrics based on the semiconductor $RuIn_3$** M. Wagner, R. Cardoso-Gil, N. Oeschler, H. Rosner, Yu. Grin
- 1894–1899 **Tuning the thermoelectric properties of polycrystalline $FeSb_2$ by the in situ formation of Sb/InSb nanoinclusions** Song Zhu, Wenjie Xie, Daniel Thompson, Tim Holgate, Menghan Zhou, Yonggao Yan, Terry M. Tritt
- 1900–1906 **Grain size effect on the phase transformations of higher manganese silicide thermoelectric materials: An in situ energy dispersive x-ray diffraction study** Aijun Zhou, Tiejun Zhu, Xinbing Zhao, Eckhard Mueller
- 1907–1912 **Influence of p- and n-type doping on the transport properties of the Nowotny chimney-ladder compounds $RuAl_2$ and $RuGa_2$** V. Ponnambalam, Gloria Lehr, Donald T. Morelli
- 1913–1918 **P-type doping of $Hf_{0.6}Zr_{0.4}NiSn$ half-Heusler thermoelectric materials prepared by levitation melting and spark plasma sintering** Kai Xiao, Tie-Jun Zhu, Cui Yu, Sheng-Hui Yang, Xin-Bing Zhao
- 1919–1924 **Thermoelectric properties of spark plasma sintered composites based on $TiNiSn$ half-Heusler alloys** Yaniv Gelbstein, Nadav Tal, Aviad Yarmek, Yoav Rosenberg, Moshe P. Dariel, Siham Ouardi, Benjamin Balke, Claudia Felser, Martin Köhne
- 1925–1932 **Multiple phase formation and its influence on lattice thermal conductivity in $\beta-Zn_4Sb_3$** Titus Dasgupta, Christian Stiewe, Lothar Boettcher, Ralf Hassdorf, Hao Yin, Bo Iversen, Eckhard Mueller
- 1933–1939 **Maximum performance in self-compatible thermoelectric elements** W. Seifert, V. Pluschke, C. Goupil, K. Zabrocki, E. Müller, G.J. Snyder
- 1940–1946 **Growth of nanoparticulate films of $Ca_3Co_4O_9$ by a microwave plasma-assisted spray process** Ted Wangensteen, Marek Merlak, Tara Dhakal, Pritish Mukherjee, Sarath Witanachchi, Bed Poudel, Giri Joshi

(Continued)

- 1947–1952 **Nanostructured Nb-substituted CaMnO_3 n-type thermoelectric material prepared in a continuous process by ultrasonic spray combustion**
Sascha Populoh,
Matthias Trottman,
Myriam H. Aguire,
Anke Weidenkaff
- 1953–1957 **Measurement of Seebeck coefficient of electroplated thermoelectric films in presence of a seed layer**
Hai P. Nguyen, Jiale Su,
Ziyang Wang, Ruud J.M. Vullers,
Philippe M. Vereecken,
Jan Fransaer
- 1958–1962 **Thermal characterization of vertical silicon nanowires**
Andrej Stranz, Andreas Waag,
Erwin Peiner
- 1963–1974 **Performance optimization of a thermoelectric generator element with linear, spatial material profiles in a one-dimensional setup**
Knud Zabrocki, Eckhard Müller,
Wolfgang Seifert, Steffen Trimper
- 1975–1982 **Thermoelectric oxide modules tested in a solar cavity-receiver**
Petr Tomeš, Clemens Suter,
Matthias Trottman, Aldo Steinfeld,
Anke Weidenkaff
- 1983–1992 **Development of a Seebeck coefficient Standard Reference Material™**
Nathan D. Lowhorn,
Winnie Wong-Ng, Zhan-Qian Lu,
Joshua Martin, Martin L. Green,
John E. Bonevich, Evan L. Thomas,
Neil R. Dilley, Jeff Sharp
- 1993–2000 **Thermoelectric properties of superlattice materials with variably spaced layers**
T.D. Musho, D.G. Walker
- 2001–2005 **High-temperature order/disorder transition in the thermoelectric Cu_3SbSe_3**
Melanie Kirkham, Paul Majsztrik,
Eric Skoug, Donald Morelli,
Hsin Wang, Wallace D. Porter,
E. Andrew Payzant,
Edgar Lara-Curzio

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2011, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center <http://www.copyright.com>, email: info@copyright.com.

Journal of Materials Research Subscription Prices (2011)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$225.00	\$275.00	\$100.00
Institutions	\$1326.00	\$1423.00	\$1260.00

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

Individual member subscriptions are for personal use only.