

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2018

MBA MEMBERSHIP (prices per annum)	Price from 1st March 2018
Young Marine Biologist (YMB)	£12.50
Student Member	£25.00
Associate Member	£40.00 (direct debit discount £5)
Professional Member, Mem.MBA	£45.00 (direct debit discount £5)
MBA Fellow, FMBA	£120.00 (direct debit discount £5)
Institutional Member	£340.00

JOURNAL SUBSCRIPTION (MBA price added to the above membership fees, with the exception of YMB as no Journal option for this category)	
Online Journal	£20.00
Print & Online Journal	£80.00

The Association is a learned society founded in 1884 and incorporated by Royal Charter in 2013. The Marine Biological Association (MBA) provides a unified, clear, independent voice on behalf of the marine biological community. In 1888, the MBA opened the Plymouth laboratory at Citadel Hill.

The MBA is also a registered charity with its key aims being to promote scientific research into all aspects of life in the sea, including the environment on which it depends, and to disseminate to the public the knowledge gained. The Patron of the Association is His Royal Highness the Duke of Edinburgh, who is also an Honorary Fellow. The other Honorary Fellows are His Serene Highness Prince Albert of Monaco, Dr Sylvia Earle, Sir Tim Hunt and Professor James Lovelock.

The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465).

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations

from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Marine Biological Association is a very active scientific learned society with a large international membership. The MBA also manages an internationally renowned research programme.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have a wide range of rights and privileges including the use of post-nominals (FMBA for MBA Fellows, Mem.MBA for Professional Members) and being entitled to receive The Marine Biologist Magazine. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel. +44 (0) 1752 426493; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

Leão Martins, D.T., Rossi-Santos, M.R. and Lima Silva, F.J.D. Effects of anthropogenic noise on the acoustic behaviour of <i>Sotalia guianensis</i> (Van Bénédén, 1864) in Pipa, North-eastern Brazil	215
Gladilina, E., Shpak, O., Serbin, V., Kryukova, A., Glazov, D. and Gof'din, P. Individual movements between local coastal populations of bottlenose dolphins (<i>Tursiops truncatus</i>) in the northern and eastern Black Sea	223
Anton, R.F., Schories, D., Wilson, N.G., Wolf, M., Abad, M. and Schrödl, M. Host specificity versus plasticity: testing the morphology-based taxonomy of the endoparasitic copepod family Splanchnotrophidae with COI barcoding	231
Palma, S., Retamal, M.C., Silva, N. and Canepa, A. Siphonophores in fjords and channels in southern Patagonia: biodiversity, spatial distribution and environmental association	245
Xiao, Y., Guan, S., Liu, Q., Liu, H., Yu, D., Ma, D., Xu, S., Liu, J., Dai, M., Xiao, Z. and Li, J. Genetic characteristics of broodstock and offspring of the seven-band grouper (<i>Hyporthodus septemfasciatus</i>) using fluorescent-AFLP markers	261
Paiva, R.B., Neves, A., Sequeira, V., Vieira, A.R., Costa, M.J. and Gordo, L.S. Age, growth and reproduction of the protandrous hermaphrodite fish, <i>Sarpa salpa</i> , from the Portuguese continental coast	269
Salvarina, I., Koutrakis, E. and Leonardos, I. Comparative study of feeding behaviour of five <i>Mugilidae</i> species juveniles from two estuarine systems in the North Aegean Sea	283
Santos, L.C.M., Pinheiro, M.A.A., Dahdouh-Guebas, F. and Bitencourt, M.D. Population status and fishery potential of the mangrove crab, <i>Ucides cordatus</i> (Linnaeus, 1763) in North-eastern Brazil	299
Peters-Didier, J., Pardo, L.M., Garrido, O. and Gallardo, C.S. Reproductive biology of the commercial sea cucumber <i>Athyonidium chilensis</i> (Holothuroidea: Dendrochirotida) in southern Chile	311
Castellano, G.C., Santos, I.A. and Freire, C.A. Maintenance of ionic gradients and tissue hydration in the intertidal sea cucumber <i>Holothuria grisea</i> under hypo- and hyper-salinity challenges	325
Liang, X., Chen, Y.-R., Gao, W., Guo, X.-P., Ding, D.-W., Yoshida, A., Osatomi, K. and Yang, J.-L. Effects on larval metamorphosis in the mussel <i>Mytilus coruscus</i> of compounds that act on downstream effectors of G-protein-coupled receptors	333
Delgado, M. and Silva, L. Timing variations and effects of size on the reproductive output of the wedge clam <i>Donax trunculus</i> (L. 1758) in the littoral of Huelva (SW Spain)	341
Riera, R., Herrera, R., Pérez, Ó., Garrido, M.J., Álvarez, O., Monterroso, Ó. and Núñez, J. Lack of recovery symptoms of an endangered and harvested mollusc in the last 20 years	351
Kamenev, G.M. Three new species of the genus <i>Hyalopecten</i> (Bivalvia: Pectinidae) from the abyssal and hadal zones of the North-western Pacific Ocean	357
Oyarzún, P.A., Toro, J.E., Garcés-Vargas, J., Alvarado, C., Guiñez, R., Jaramillo, R., Briones, C. and Campos, B. Reproductive patterns of mussel <i>Perumytilus purpuratus</i> (Bivalvia: Mytilidae), along the Chilean coast: effects caused by climate change?	375
Osuka, K., Kochzius, M., Vanreusel, A., Obura, D. and Samoilys, M. Linkage between fish functional groups and coral reef benthic habitat composition in the Western Indian Ocean	387
Carneiro, P.B.M., Pereira, J.U. and Matthews-Cascon, H. Standing stock variations, growth and CaCO ₃ production by the calcareous green alga <i>Halimeda opuntia</i>	401
Curelovich, J.N., Lovrich, G.A., Cueto, G.R. and Calcagno, J.A. Recruitment and zonation in a sub-Antarctic rocky intertidal community	411
Merder, J., Freund, J.A., Meysick, L., Simkanin, C., O'riordan, R.M. and Power, A.M. East-west spatial groupings in intertidal communities, environmental drivers and key species	423
Tas, S. and Lundholm, N. Temporal and spatial variability of the potentially toxic <i>Pseudo-nitzschia</i> spp. in a eutrophic estuary (Sea of Marmara) — CORRIGENDUM	437