

# INDIAN JOURNAL OF DAIRY SCIENCE

Volume 27, No. 2

June 1974

## CONTENTS

- A comparative appraisal of the total carbonyls in fresh and stored *desi* ghee by K. L. GABA and M. K. JAIN.
- Effect of thermal oxidation on the physico-chemical constants of ghee by B. S. BECTOR and K. M. NARAYANAN.
- Variations in major casein fractions of various milch animals by K. SABHARWAL and V. R. BHALERAJ.
- Proteolysis of normal and abnormal bovine milk proteins by L. N. SINGH and N. C. GANGULI.
- Growth characteristics of thermophilic organisms in milk by P. BASAPPA, D. N. SHROFF and R. A. SRINIVASAN.
- Effect of different inorganic and organic salts on nisin production in a broth culture by M. S. KALRA and A. T. DUDANI.
- Effect of feeding restricted amount of whole milk on the blood glucose and total volatile fatty acids in buffalo calves by M. C. GARG, S. S. GILL and M. L. PUNJ.
- Chemical composition and nutritive value of *Stylosanthes guanensis* HBK - a promising perennial legume by B. N. GUPTA, R. B. SINGH, M. L. MATHUR and A. P. CHOUDHARY.
- Studies on variations in milk antigens by A. P. GUPTA and P. G. NAIR.
- Effect of month of calving on milk yield, length of lactation and inter-calving period in cows and buffaloes by D. K. SHARMA and V. B. SINGH.
- Association of preceding dry period and lactation yield in cross-bred cows by M. GURNANI and D. S. BHATNAGAR.
- Use of some auxiliary variates in the estimation of milk production and number of milch animals by MADAN MOHAN and M. G. SARDANA.

### Short Communications

- Bacteriological quality of milk in Kanpur city by S. SINGH, D. C. KULSHRESHTHA and N. S. KUSHWAHA.
- Effect of calcium carbonate on nisin production in a milk culture by M. S. KALRA and A. T. DUDANI.
- Correlation between butter hardness value and BR index of butter fat by PUSHPENDRA K. GUPTA and SUKUMAR DE.
- Inter-relationship between inorganic phosphorus and vitamin A in blood sera of lambs by R. C. SARASWAT and S. P. ARORA.

Price Rs. 20/- (\$6.00 or £2.00) per annum

Published by INDIAN DAIRY SCIENCE ASSOCIATION

W-III A, Greater Kailash, New Delhi-110048, INDIA

# CAMBRIDGE JOURNALS

*The Journal of Dairy Research* is one of 48 learned journals published by Cambridge University Press.

The 1974 descriptive catalogue of Cambridge journals with details of back volumes is available from the London and New York offices of the Press.

Cambridge Journals may be ordered from a bookseller or direct from the publishers.

**Cambridge University Press**

Bentley House, 200 Euston Road, London NW1 2DB  
American Branch: 32 East 57th Street  
New York, N.Y. 10022

# DIRECTIONS TO CONTRIBUTORS

## GENERAL

Manuscripts should be sent to Dr H. Burton (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

## FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

## TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number of tables should be kept to a minimum.

## ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in *blue* or *grey*, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend;

(c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm × 150 mm all lines, axes and curves should be 0.4 mm thick, thus ———. Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

To minimize the cost of blockmaking, the number of illustrations should be kept to a minimum.

## REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *Journal of Dairy Research* 18, 158. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references.

## UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972, *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

## DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH<sub>2</sub>PO<sub>4</sub>. The term '‰' means g/100 g solution. For ml/100 ml solution the term '‰ (v/v)' should be used and for g/100 ml solution the correct abbreviation is '‰ (w/v)'.

## REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS

The responses in milk solids-not-fat and protein contents to improved feeding of cows receiving winter-stall diets and underfed for varying periods.	
J. A. WRIGHT, J. A. F. ROOK and P. D. P. WOOD	pages 155-164
Responses in rumen fermentation and milk-fat secretion in cows receiving low-roughage diets supplemented with protected tallow.	
J. E. STORRY, P. E. BRUMBY, A. J. HALL and V. W. JOHNSON	165-173
Synthesis of milk fat from $\beta$ -hydroxybutyrate and acetate in lactating goats.	
G. H. SMITH, S. MCCARTHY and J. A. F. ROOK	175-191
Reproducibility of the electronic cell-count procedure for counting somatic cells in milk.	
J. K. L. PEARSON, D. O. GREER and D. A. STEWART	193-201
Microcalorimetry applied to certain species of bacteria growing in sterilized separated milk.	
N. J. BERRIDGE, C. M. COUSINS and A. J. CLIFFE	203-215
The quantitative partition of the albumin fraction of milk serum proteins by gel chromatography.	
D. T. DAVIES	217-228
Bovine milk acid phosphatase. II. Binding to casein substrates and heat-inactivation studies.	
A. T. ANDREWS	229-237
Comparative micelle structure. II. Structure and composition of casein micelles in ovine and caprine milk as compared with those in bovine milk.	
B. C. RICHARDSON, L. K. CREAMER, K. N. PEARCE and R. E. MUNFORD	239-247
The formation of 2-butanone and 2-butanol in Cheddar cheese.	
A. R. KEEN, N. J. WALKER and M. F. PEBERDY	249-257
A quantitative gel-filtration method for analysis of the proteinaceous fraction of Cheddar cheese.	
P. M. D. FOSTER and M. L. GREEN	259-268
Comparison of the rates of proteolysis during ripening of Cheddar cheeses made with calf rennet and swine pepsin as coagulants.	
M. L. GREEN and P. M. D. FOSTER	269-282
The structure of a bitter peptide derived from casein by digestion with papain.	
K. M. CLEGG, C. L. LIM and W. MANSON	283-287