

Index

- Abelian gauge theory, 97–98
- Abelian group, 88
- Abrikosov flux tubes, 139
- action
 - continuum, 11
 - discretized, 10
 - functional, 9
 - plaquette, 140
 - Symanzik-improved, 66–67
- action density, *see* Lagrange function
- anharmonic oscillator, 6, 12
- anticommuting numbers, 149
- antiferromagnetic phase, 38
- antiquarks, 179, 181
- asymptotic freedom, 3, 121–125, 189
- asymptotic scaling, 140–144
- Atiyah–Singer index theorem, 204
- averaging function, 68
- axial vector current, 202
- axis-reversal symmetry, 74

- bare coupling, 141, 180
 - constant, 50
- baryons, 2, 175, 179–180, 184–185
 - masses, 184
 - propagators, 173–177
 - three-quark hopping, 177
- Berezin integral, 246
- beta function, 49, 55–56, 58, 122
 - coefficient, 59
 - trick, 49
- Born approximation, 59
- Bose-field denominator, 154
- bosons, 2, 26, 77, 158

- Callan–Symanzik
 - beta function, 55
 - coefficient, 57
 - equations, 49, 56
- canonical quantization, 106

- Casimir operator, 232
 - quadratic, 113, 120
- character expansion, 128
- charge quantization, 85
- charge-conjugation matrix, 174
- Chern classes, 203
- chiral
 - anomaly, 202–204, 227
 - gauge theory, 217–223
 - perturbation theory, 63, 195
 - symmetry, 193–228
 - symmetry breaking, 182, 212
 - transformation, 207
- class function, 104
- classical
 - action, 65, 95
 - continuum limit, 18
 - field theory, 6
 - ground state, 195
 - Hamilton equations, 4
 - QCD action, 200
- Coleman’s theorem, 32
- color index, 87, 171
- commutation relations, 14, 29, 231, 242
- complex Higgs doublet, 75
- composite scalar fields, 5
- confinement
 - mechanisms, 138–140
 - phase, 136–138
- contact terms, 208
- contour integration, 24–25
- coordinate representation, 15
- correlation function, 27, 30, 38, 61–62, 68, 173
- correlation length, 38, 69, 140
- Coulomb
 - phase, 136–138
 - potential, 119
 - self-mass, 139
- coupling

- renormalized, 46, 70, 190
- tuning, 74
- covariant derivative, 85, 87
- creation and annihilation operators, 13–14, 25–26, 29
- critical
 - exponent, 38
 - fixed point, 69, 71
 - lines, 37
 - phenomena, 38
 - surface, 69–70
- current algebra, 211
- Dirac
 - action, naive discretization, 149–151
 - fermions, 161, 220
 - fields, 155
 - index, 87, 149, 171, 213, 256
 - matrices, 150, 162, 253, 254
 - operator eigenvalues, 214
 - particles, 151
 - spinor, 160
- domain-wall fermions, 212
- dressed
 - particle states, 26
 - propagator, 62
- effective action, 68, 70, 190, 197
- effective interaction, 2–3, 6, 62
- electroweak gauge fields, 75
- elementary scalar fields, 5
- energy
 - density, 6–7
 - spectrum, 29
 - zero point, 141
- equation of motion, 6, 33
- Euclidean action, 32
- Euclidean formalism, 16
- evolution operator, 16
- expectation values, 54
- Faddeev–Popov
 - factor, 147
 - measure, 146
- fermion, 2, 151, 180
 - free, 225
 - masses, 76
 - staggered, 149, 160–161, 169, 213–214
- fermion action, 156
- fermion doubling, 92, 155
- fermion fields
 - integration over, 170–171
- fermion Hamiltonian, 165
- fermion propagator, 152
- fermion–antifermion correlation
 - function, 176
- fermionic coherent states, 242–252
- Feynman diagrams, 39
 - Feynman gauge, 116
 - self-energy, 120
 - Feynman propagator, 27
 - field configurations
 - non-perturbative, 139
 - fine-structure constant, 1, 119, 190
 - finite renormalization constants, 208
 - finite-size effects, 146
 - fixed point
 - infrared stable, 51
 - ultraviolet stable, 51
 - flavor index, 87, 171, 213
 - flux lines
 - adjoint representation, 132
 - fundamental representation, 132
 - Fokker–Planck Hamiltonian, 82
 - formal continuum Hamiltonian, 106
 - formal continuum limit, 106
 - four-point function, 46
 - four-point vertex, 52
 - Fourier transform, 20–21
 - free scalar field, 22–25
 - action, 22
 - gamma matrices, 160
 - gauge coupling, 76, 78
 - computation from masses, 190
 - gauge fixing, 144, 146
 - gauge potential, 97
 - gauge theory
 - bare coupling, 123
 - dimensional transmutation, 124
 - gauge transformations, 97
 - gauge-field quantization
 - temporal gauge, 239
 - gauge-fixing action, 147
 - gauge-Higgs systems
 - lattice formulation, 78
 - gauge-invariant
 - action, 95, 145
 - correlation functions, 173
 - measure, 98
 - observable, 145
 - staggered-fermion action, 160
- Gauss-law condition, 102
- Gaussian
 - fixed point, 70
- Gell-Mann matrices, 86
- generalized Ising model, 35
- Ginsparg–Wilson
 - Dirac operator, 223
 - fermions, 223, 226
 - relation, 211
- glueball, 2–3, 97, 115, 135–136, 140, 145, 180
 - mass, 114, 144
 - mass ratio, 140
- gluon, 1–2, 120, 135

- Goldstone bosons, 32, 34, 58, 63, 77, 198
 finite-size effects, 63
 massless, 58
 Goldstone's theorem, 34
 Grand Unified Theories, 85
 Grassmann algebra, 244–245, 256
 independent generators, 150
 Grassmann representation, 162
 Grassmann variables, 149, 242, 245
 Gribov copies, 147
 ground state, 6–7, 15, 31, 33, 114
 group velocity, 7
- Haar measure, 96, 169
 hadrons, 1–3, 170, 178–180, 185, 190
 Hamilton
 function, 8
 operator, 8, 11
 Hamiltonian, 4, 20, 105, 156, 214
 continuous time, 105–106
 operator, 13
 harmonic oscillator, 13
 discretized, 14
 Heisenberg
 model, 35
 operators, 30
 Hermitian, 86
 conjugate, 149, 244
 Hamiltonian, 11, 102
 matrix, 153
 operator, 82, 99, 102, 242
 Higgs
 field, 75
 mass, 76–77
 particle, 77
 Hilbert space, 8, 99–100, 243
 fermion, 155
 hopping
 expansion, 51–55, 57, 62, 66–67,
 171–173
 matrix, 53
 result, 80
 Hurewicz measure, 96
- index theorem, 217, 225–226
 infrared divergencies, 58
 intermediate-distance regime, 142
 irreducible representations, 103
- kinetic-energy operator, 102–105
 Kogut–Susskind Hamiltonian, 106
- Lagrange function, 6, 8, 10
 discretized, 10
 Lagrangian, 6, 239
 lambda scale, 140
 Landau pole, 49
 Langevin algorithm, 60
- Laplace–Beltrami operator, 236
 lattice
 artifact region, 167
 derivatives, 90
 finite-size effects, 61
 formulation, 209
 gauge field, 90–95, 105, 145
 path integral, 95–97
 regularization, 8–31, 34, 76, 167, 227
 scaling violations, 61
 symmetry, 73, 168
 Levi-Civita tensor, 254
 link variable, 134
 integration, 131
 Lorentz covariant expression, 25
 Lüscher–Weisz solution, 55–60
- magnetic monopoles, 139
 magnetization observable, 63
 Majorana fermions, 161
 Maxwell theory, 107
 mean-field approximation, 37–38, 54
 Merwin–Wagner theorem, 32
 mesons, 2, 175–177, 179–182, 185, 199,
 201
 propagators, 173–177
 Metropolis algorithm, 60–61
 Mexican hat potential, 33–34
 microscopic spectral density, 216
 minimal subtraction, 80, 191
 Minkowski-space propagator, 27
 Minkowski space-time, 149
 Monte Carlo methods, 60–61
 MS-bar scheme, 124, 213
- Nambu–Goldstone bosons, 196–197,
 199, 213
 Neuberger's Dirac operator, 217
 no-go theorem, 221
 Noether currents, 205
 non-Abelian gauge theory, 90
 quadratic divergencies, 169
- $O(4)$ model, 55, 59–60, 74–77
 $O(n)$ model, 32–82
 occupation number, 29
 one-loop diagram, 46
 operator mixing, 208
- parallel transport, 92, 94
 paramagnetic strong coupling, 220
 partition function, 13, 22–23, 35, 51,
 97–98
 canonical, 13
 path integral, 8–31, 38, 67, 98–99, 102,
 146, 149–151, 202, 204, 256
 discretized, 10
 expectation value, 39

- imaginary-time, 12
- measure, invariant, 207
- path-ordered product, 92
- Pauli matrices, 75, 86, 253
- perfect actions, 211
- periodic boundary conditions, 13, 17
- periodic delta function, 148
- perturbation theory, 1, 3, 48
 - renormalized, 46, 56, 63
- phase transition, 37–38
- φ^4 model, 6, 16, 33, 71–72
 - one-loop approximation, 79
- photons, 1, 135, 139
 - self-energy, 166
- pion–nucleon
 - mass ratio, 184
 - sigma model, 224
- pions, 1, 5, 34, 224
 - low-energy action, 32
- Planck mass, 76
- plaquette, 102, 125–127, 131–133
 - correlator, 136
 - field, 97
 - hypercubic lattice, 94
 - spacelike, 106, 127
 - timelike, 127
 - tube, 132
 - Wilson loop, 108
- Poincaré–Hopf theorem, 222
- Polyakov line, 107, 111–112
- polymers, 128
- polynomials
 - contact terms, 74
- Pontryagin index, 203
- propagators, 52
- pseudoscalar masses, 182, 199–202
- pseudoscalar mesons, 180

- QCD, 1, 2, 5, 26, 76–77, 83, 85, 90, 95,
 - 138, 143, 159–160, 165, 173, 186,
 - 188, 190, 193, 195, 197, 200, 202,
 - 212, 217–218, 241
 - action, 85–90, 193, 226
 - confinement, 139
 - continuum limit, 160
 - lambda scales, 124
 - low-mass hadrons, 170–192
 - multicolor, 214
 - parameters, 188–189
 - scaling region, 178
 - theta parameter, 211, 226
 - weak-coupling expansion, 123
- QED, 1, 83, 176, 217–220, 241
 - action, 83–85
 - electrons, 83
 - fermion propagation, 177
 - gauge invariance, 84
 - quantum chromodynamics, *see* QCD
 - quantum electrodynamics, *see* QED
 - quark, 1–2, 135, 160, 170, 180–182, 187, 193
 - quark–antiquark potential, 2, 190
 - quark–gluon theory, 224
 - quenched approximation, 209
 - quenched simulation, 187

- random-walk approximation, 53–54
- real-space renormalization-group
 - method, 67, 71
- Regge slope, 193
- Regge trajectories, 3
- regularization
 - Pauli–Villars, 77
 - space, 77
- renormalization-group
 - beta functions, 48–51, 121
 - Callan–Symanzik, 55
 - equation, 48, 123
 - transformation, 68
- renormalized mass parameter, 46–47
- representation
 - n -ality, 135
- ρ mesons, 34
- ρ resonance, 78
- rotation invariance, 28
- rotation method, 65
- running coupling, 47, 49, 51

- saddle-point
 - approximation, 65
 - expansion, 71
- scalar field, 5, 15, 32, 75, 125, 174, 194, 224
 - propagator, 23, 28
- scale factor, 68
- scaling
 - arguments, 216
 - numerical results, 140–144
- Schur’s lemma, 104
- Schwinger’s Source Theory, 56
- sea-quark
 - loops, 176, 180
- semiclassical expansion, *see*
 - weak-coupling expansion
- σ model, 34
 - action, 224
- small-distance regime, 142–143
- space–time, xi, 32, 67, 90, 156, 209, 257
 - domain, 6
 - index, 171
 - Minkowski, 257
 - symmetry, 16, 74
 - volume, 146, 151
- spatial links, 106

- species doubling, 149, 151–156
- spectral density, 215
- spectral representation, 26, 31, 38
- spin models generalized, 35
- spinor fields, 253–257
- spinor representation, 254
- Standard Model, 32, 58, 76, 218–220
 - anomaly-free, 219
 - Higgs–Yukawa sector, 161
 - lattice formulation, 78
 - triviality, 74–78
- stationary points, 33
- stationary-phase approximation, 9
- string tension, 1–3, 114, 131, 193
 - non-zero, 140
- strong-coupling, 134
 - diagrams, 136
 - expansion, 125–129, 144, 178
 - hadron masses, 177–178
 - region, 132
- $SU(n)$, 229–238
 - action, 239
 - adjoint representation, 231–234
 - fundamental representation, 229–231
 - gauge theory, 90, 112, 115–148
 - left and right translations, 234–236
 - phase diagram, 138
 - tensor method, 236–238
- sum over representations, 95
- superconductor, 139

- topological charge density, 203
- topological susceptibility, 204, 212
- trajectory
 - physical, 70
 - renormalized, 70
- transfer operator, 10–11, 13, 18–20, 26, 29
- transfer-matrix
 - elements, 163
 - formalism, 135
- transformation of variables, 207
- translation operator, 31, 102
- tree-graph, 75
- triangle diagram, 203, 207, 218
- two-point correlation function, 53
- two-point function, 52–53

- $U(1)$, 85
 - compact gauge theory, 98
 - gauge theory, 115–148
 - gauge-fixed model, 222
 - problem, 199–202
- unitarity bound, 59
- unitary matrix, 153
- universality, 67, 71
 - classes, 67

- vacuum, 26
 - bubbles, 41
 - expectation value, 75
 - polarization tensor, 119
- valence-quark
 - lines, 176
 - propagators, 180–181
- variational methods, 144
- vector bosons, 75
- vertex function, 41–42, 45–47, 52–53, 70, 73, 79, 165–166
- vortex configurations, 139

- Ward identity, 78, 167
 - constraints, 168
- Ward–Takahashi identities, 166, 207, 209, 211–212
- wave vector, 7, 20, 156
- wave-function renormalization constant, 58, 62
- weak coupling, 71, 139
 - expansion, 39–46, 56–58, 72, 79, 116, 135, 139, 144–147, 165
 - perturbation theory, 160
 - potential, 115–121
- Weyl fermions, 161
- Wick rotation, 27
 - inverse, 154
- Wilson action, 95, 187
 - parameters, 188
- Wilson fermions, 149, 170–171, 212, 214, 223
 - free, 225
 - method, 156–160, 165, 204, 227
 - propagator, 172
 - transfer operator, 161–165
- Wilson line, *see* Polyakov line
- Wilson loop, 107–108, 110–111, 115–116, 119–120, 129–133, 135–136, 138, 175, 241
 - confinement phase, 137
 - Coulomb phase, 137
 - plaquette, 108
 - rectangular, 137
 - spacelike, 135
- Wilson’s hopping parameter, 159, 182
- Wilson’s renormalization theory, 56
- Wilson–Dirac Hamiltonian, 165
- Wilson–Dirac operator, 214
- Wilson–Yukawa framework, 220
- Witten–Veneziano formula, 204, 209, 211

- Yukawa couplings, 75–76, 78, 220

- $Z(n)$, 136
 - vortices, 140

