INDEX

PAGE

Aisbett, J. & Snaith, V. K_3 of polynomial rings over fields of characteristic two . . 509

Antman, S. S. & Calderer, M. C. Corrigenda: Asymptotic shapes of inflated noncircular elastic rings and Asymptotic shapes of inflated spheroidal nonlinearly elastic shells . 383

Armbruster, D. & Dangelmayr, G. Coupled stationary bifurcations in non-flux value problems 167

Atanacković, T. Stability of rotating compressed rod with imperfections 593

Beidleman, J. C., Brewster, B. & Hauck, P. Fitting functors in finite solvable groups. II 37

Bell, D. On the equivalence of the properties of quasi-translation invariance and absolute continuity of measures on a locally compact abelian group 279

Blackburn, N. The derived group of a 2-group 193

Bombal, F. On l_1 subspaces of Orlicz vector-valued function spaces 107

Borwein, D. & Meir, A. A Tauberian theorem concerning weighted means and power series 283

Boyadzhiev, K. N. A many-variable Landau–Kolmogorov inequality 123

Brewster, B., Hauck, P. & Beidleman, J. C. Fitting functors in finite solvable groups. II 37

Brown, G., Moran, W. & Pearce, C. E. M. Riesz products, Hausdorff dimension and normal numbers 529

Brümmer, G. C. L. & Künzi, H. P. A. Sobrification and bicompletion of totally bounded quasi-uniform spaces 237

Bushell, P. J. On a generalization of Barton's integral and related integrals of complete elliptic integrals 1

Calderer, M. C. & Antman, S. S. Corrigenda: Asymptotic shapes of inflated noncircular elastic rings and Asymptotic shapes of inflated spheroidal nonlinearly elastic shells . 383

Caruth, A. Unified proofs of Hilbert's basis theorem and its analogue in formal power series rings 207

Choudary, A. D. R. & Dimca, A. On the dual and hessian mappings of projective hypersurfaces 461

Cohen, J. E. & Nussbaum, R. D. Arithmetic–geometric means of positive matrices. . 209

Csörgő, M. & Horváth, L. Asymptotic distributions of pontograms. 131

Dangelmayr, G. & Armbruster, D. Coupled stationary bifurcations in non-flux boundary value problems 167

Dikshit, H. P., Ojha, A. & Sharma, A. Certain mapping properties of rational complex planar splines 141

Dimca, A. & Choudary, A. D. R. On the dual and hessian mappings of projective hypersurfaces 461

Donald, M. J. Further results on the relative entropy 363

Dovermann, K. H. Rigid cyclic group actions on cohomology complex projective spaces . 487

Drury, S. W. & Marshall, B. P. Fourier restriction theorems for degenerate curves . . 541

Fishel, B. The Fourier–Plancherel transform as a spectral representation of a rigged Hilbert space 567

Gomes, G. M. S. & Howie, J. M. On the ranks of certain finite semigroups of transformations 395

Gordon, T. J. Symmetries of generalized Klein–Gordon (including sine-Gordon) equations in three or more dimensions. 343

Haeusler, E. & Mason, D. M. Laws of the iterated logarithm for sums of the middle portion of the sample 301

https://doi.org/10.1017/S0305004100066767 Published online by Cambridge University Press

Hauck, P., Beidleman, J. C. & Brewster, B. Fitting functors in finite solvable groups. II 37
Heinig, H. P. Fourier operators on weighted Hardy spaces 113
Herfort, W. & Ribes, L. Subgroups of free pro-p-products 197
Horváth, L. & Csörgő, M. Asymptotic distributions of pontograms. 131
Howie, J. M. & Gomes, G. M. S. On the ranks of certain finite semigroups of transformations 395
Idowu, A. J. & Morris, A. O. Some combinatorial results for Weyl groups 405
Jurkat, W. B. & Zwiesler, H. J. A reduction theory of second order meromorphic differential equations. I 323
Karoński, M. & Ruciński, A. Poisson convergence and semi-induced properties of random graphs 291
Kassem, M. S. & Rowlands, K. The quasi-strict topology on the space of quasi-multipliers of a B^*-algebra 555
Komjath, P. & Milner, E. C. On representing sets of an almost disjoint family of sets . 385
Kozlowski, A. The total Steenrod operation is induced by an A_∞ ring homomorphism . 469
Kucharz, W. Framed cobordisms in real algebraic geometry 57
Kung, J. P. S. Matchings and Radon transforms in lattices. II. Concordant sets . . 221
Künzi, H. P. A. & Brümmer, G. C. L. Sobrification and bicompletion of totally bounded quasi-uniform spaces 237
Kupershmidt, B. A. An algebraic model of graded calculus of variations 151
Le, H.-L. Explicit formulae for polygonally generated shape-densities in the basic tile . 313
Lin, W. H. Some infinite families in the stable homotopy of spheres 477
Little, G. Asymptotic estimates of the eigenvalues of certain positive Fredholm operators. II 575
Lozano, M. T. Constructions of arcbodies 79
Maddox, I. J. Inclusions between FK spaces and Kuttner's theorem. 523
Marshall, B. P. & Drury, S. W. Fourier restriction theorems for degenerate curves . . 541
Mason, A. W. Free quotients of congruence subgroups of SL_2 over a Dedekind ring of arithmetic type contained in a function field 421
Mason, D. M. & Haeusler, E. Laws of the iterated logarithm for the sums of the middle portion of the sample 301
McMaster, T. B. M. A non-casual triangle function 287
Meir, A. & Borwein, D. A Tauberian theorem concerning weighted means and power series 283
Milner, E. C. & Komjath, P. On representing sets of an almost disjoint family of sets . 385
Mio, W. On boundary link cobordism 259
Moran, W., Pearce, C. E. M. & Brown, G. Riesz products, Hausdorff dimension and normal numbers 529
Morris, A. O. & Idowu, A. J. Some combinatorial results for Weyl groups 405
Morris, S. A. Locally compact topologies on Abelian groups 233
Morton, H. R. & Short, H. B. The 2-variable polynomial of cable knots 267
Nussbaum, R. D. & Cohen, J. E. Arithmetic-geometric means of positive matrices . . 209
Ojha, A., Sharma, A. & Dikshit, H. P. Certain mapping properties of rational complex planar splines 141
Pearce, C. E. M., Brown, G. & Moran, W. Riesz products, Hausdorff dimension and normal numbers 529
Pinch, R. G. E. Elliptic curves with good reduction away from 3 451
Piraux, B. & Whelan, C. T. Some remarks on the calculation of Born partial wave integrals 375
Polyrakis, I. A. Schauder bases in locally solid lattice Banach spaces 91

https://doi.org/10.1017/S0305004100066767 Published online by Cambridge University Press

Rees, D. Reduction of modules 431
Ribes, L. & Herfort, W. Subgroups of free pro-p-products 197
Robinson, A. Spectra of derived module homomorphisms. 249
Rowlands, K. & Kassem, M. S. The quasi-strict topology on the space of quasi-multipliers of a B^*-algebra 55
Ruciński, A. & Karoński, M. Poisson convergence and semi-induced properties of random graphs 291
Sharma, A., Dikshit, H. P. & Ojha, A. Certain mapping properties of rational complex planar splines 141
Short, H. B. & Morton, H. R. The 2-variable polynomial of cable knots 267
Snaith, V. & Aisbett, J. K_3 of polynomial rings over fields of characteristic two . . 509
Theo, D. Projective representations of rotation subgroups of Weyl groups . . . 21
Thompson, G. Integrable almost cotangent structures and Legendrian bundles . . 61
Ursell, F. Uniformly asymptotic expansions for an integral with a large and a small parameter 349
Weiss, R. Presentations for (G, s)-transitive graphs of small valency 7
Whelan, C. T. & Piraux, B. Some remarks on the calculation of Born partial wave integrals 375
Zwiesler, H. J. & Jurkat, W. B. A reduction theory of second order meromorphic differential equations. I 323

https://doi.org/10.1017/S0305004100066767 Published online by Cambridge University Press

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. *Notation*

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to enlighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin\theta/(1+y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold-faced type is shown by wavy underlining; wavy will be printed **wavy.**

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O, o, O, 0; x, X, $\times$; ϕ, Φ, $\varnothing$; l, 1; ϵ, $\in$; κ, k.

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign **I** may be used.

Footnotes should be avoided.

3. *Diagrams*

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay.* Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. *Tables*

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. *References*

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. Adams. On the non-existence of elements of Hopf invariant one. *Ann of Math.* (2) **72** (1960), 20–104.

[2] M. P. Fourman and D. S. Scott. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.

[3] P. T. Johnstone. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. Lawvere. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

https://doi.org/10.1017/S0305004100066767 Published online by Cambridge University Press

Mathematical Proceedings of the Cambridge Philosophical Society

MPCPCO 101 (Pt 3) 385–607 (1987) 0305–0041 May 1987

CONTENTS

PAGE

KOMJATH, P. & MILNER, E. C. On representing sets of an almost disjoint family of sets . 385

GOMES, GRACINDA M. S. & HOWIE, JOHN M. On the ranks of certain finite semigroups of transformations 395

IDOWU, A. J. & MORRIS, A. O. Some combinatorial results for Weyl groups 405

MASON, A. W. Free quotients of congruence subgroups of SL_2 over a Dedekind ring of arithmetic type contained in a function field 421

REES, D. Reduction of modules 431

PINCH, R. G. E. Elliptic curves with good reduction away from 3 451

CHOUDARY, A. D. R. & DIMCA, A. On the dual and hessian mappings of projective hypersurfaces 461

KOZLOWSKI, A. The total Steenrod operation is induced by an A_∞ ring homomorphism . 469

LIN, WEN-HSIUNG. Some infinite families in the stable homotopy of spheres . . . 477

DOVERMANN, KARL HEINZ. Rigid cyclic group actions on cohomology complex projective spaces 487

AISBETT, JANET & SNAITH, VICTOR. K_3 of truncated polynomial rings over fields of characteristic two. 509

MADDOX, I. J. Inclusions between FK spaces and Kuttner's theorem. 523

BROWN, GAVIN, MORAN, WILLIAM & PEARCE, CHARLES E. M. Riesz products, Hausdorff dimension and normal numbers 529

DRURY, S. W. & MARSHALL, B. P. Fourier restriction theorems for degenerate curves . 541

KASSEM, M. S. & ROWLANDS, K. The quasi-strict topology on the space of quasi-multipliers of a B^*-algebra 555

FISHEL, B. The Fourier-Plancherel transform as a spectral representation of a rigged Hilbert space 567

LITTLE, G. Asymptotic estimates of the eigenvalues of certain positive Fredholm operators. II 575

ATANACKOVIĆ, T. M. Stability of rotating compressed rod with imperfections 593

© The Cambridge Philosophical Society 1987

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP

32 EAST 57TH STREET, NEW YORK, NY 10022, USA

10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £19.50 *net* (*USA and Canada US* $46.00)

Subscription price £53.00 *per volume* (£106.00 *per annum*) *net post free*

(*US* $118.50 *per volume* (*US* $237.00 *per annum*) *in USA and Canada*)

Printed in Great Britain by the University Press, Cambridge

https://doi.org/10.1017/S0305004100066767 Published online by Cambridge University Press