

CAMBRIDGE

JOURNALS

Epidemiology and Psychiatric Sciences

Editor

Michele Tansella, University of Verona, Italy

Epidemiology and Psychiatric Sciences is an international, peer-reviewed journal published quarterly. It provides updated data and scientific information to epidemiologists, psychiatrists, psychologists, statisticians and other research and mental health workers primarily concerned with public health and epidemiological and social psychiatry.

Price information

is available at: <http://journals.cambridge.org/eps>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>



Epidemiology and Psychiatric Sciences

is available online at:
<http://journals.cambridge.org/eps>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org

For free online content visit:
<http://journals.cambridge.org/eps>



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Re-evaluating DSM-I

Cooper R & Blashfield RK 449

Latent variable mixture modeling in psychiatric research – a review and application

Miettunen J, Nordström T, Kaakinen M & Ahmed AO 457

ORIGINAL ARTICLES

Increased rare duplication burden genomewide in patients with treatment-resistant schizophrenia

Martin AK & Mowry B 469

Brain substrates of perceived spatial separation between speech sources under simulated reverberant listening conditions in schizophrenia

Zheng Y, Wu C, Li J, Wu H, She S, Liu S, Wu H, Mao L, Ning Y & Li L 477

Disorder-specific and shared neurophysiological impairments of attention and inhibition in women with attention-deficit/hyperactivity disorder and women with bipolar disorder

Michellini G, Kitsune GL, Hosang GM, Asherson P, McLoughlin G & Kuntsi J 493

Intrusive memories to traumatic footage: the neural basis of their encoding and involuntary recall

Clark IA, Holmes EA, Woolrich MW & Mackay CE 505

Default mode network abnormalities during state switching in attention deficit hyperactivity disorder

Sidlauskaitė J, Sonuga-Barke E, Roeyers H & Wiersma JR 519

Disruptions of working memory and inhibition mediate the association between exposure to institutionalization and symptoms of attention deficit hyperactivity disorder

Tibu F, Sheridan MA, McLaughlin KA, Nelson CA, Fox NA & Zeanah CH 529

Consistency in adult reporting of adverse childhood experiences

Colman I, Kingsbury M, Garad Y, Zeng Y, Naicker K, Patten S, Jones PB, Wild TC & Thompson AH 543

Depression as a systemic syndrome: mapping the feedback loops of major depressive disorder

Wittenborn AK, Rahmandad H, Rick J & Hosseinichimeh N 551

The association between childhood maltreatment, psychopathology, and adult sexual victimization in men and women: results from three independent samples

Werner KB, McCutcheon VV, Challa M, Agrawal A, Lynskey MT, Conroy E, Statham DJ, Madden PAF, Henders AK, Todorov AA, Heath AC, Degenhardt L, Martin NG, Bucholz KK & Nelson EC 563

Social feedback processing in borderline personality disorder

Korn CW, La Rosée L, Heekeren HR & Roepke S 575

No progressive brain changes during a 1-year follow-up of patients with first-episode psychosis

Haukvik UK, Hartberg CB, Nerland S, Jørgensen KN, Lange EH, Simonsen C, Nesvåg R, Dale AM, Andreassen OA, Melle I & Agartz I 589

Characterizing social environment's association with neurocognition using census and crime data linked to the Philadelphia Neurodevelopmental Cohort

Moore TM, Martin IK, Gur OM, Jackson CT, Scott JC, Calkins ME, Ruparel K, Port AM, Nivar I, Krinsky HD, Gur RE & Gur RC 599

Trajectories of psychological distress after prison release: implications for mental health service need in ex-prisoners

Thomas EG, Spittal MJ, Heffernan EB, Taxman FS, Alati R & Kinner SA 611

Single i.v. ketamine augmentation of newly initiated escitalopram for major depression: results from a randomized, placebo-controlled 4-week study

Hu Y-D, Xiang Y-T, Fang J-X, Zu S, Sha S, Shi H, Ungvari GS, Correll CU, Chiu HFK, Xue Y, Tian T-F, Wu A-S, Ma X & Wang G 623

Depression in Mexican Americans with diagnosed and undiagnosed diabetes

Olvera RL, Fisher-Hoch SP, Williamson DE, Vatcheva KP & McCormick JB 637

Relating DSM-5 section III personality traits to section II personality disorder diagnoses

Morey LC, Benson KT & Skodol AE 647

Anxiety and anxious-depression in Parkinson's disease over a 4-year period: a latent transition analysis

Landau S, Harris V, Burn DJ, Hindle JV, Hurt CS, Samuel M, Wilson KC & Brown RG 657

Correspondence

669