

Subject Index

(References are to first page of papers)

- 0.15 GHz 509
- 0.3 GHz 121, 125, 433, 441
- 0.4 GHz 305, 509
- 0.5 GHz 211
- 0.6 GHz 129, 211
- 0.8 GHz 189
- 0.9 GHz 117
- 1.4 GHz 73, 123, 129, 165, 189, 211, 265
- 1.6 GHz 27, 29, 37, 41, 115, 119, 123, 127, 131, 135, 141, 165, 187, 209, 211, 213, 223, 235, 239, 255, 263, 265, 265, 281, 297, 303, 305, 433, 509, 551
- 1.7 GHz 175, 277, 319
- 2.3 GHz 33, 77, 101, 137, 139, 175, 185, 189, 201, 265, 355, 359, 449, 457
- 2.6 GHz 441
- 2.7 GHz 143
- 5 GHz 21, 41, 65, 71, 75, 83, 95, 97, 105, 133, 143, 159, 163, 165, 167, 187, 213, 235, 265, 265, 275, 283, 303, 323, 433, 441, 523
- 6 GHz 213, 235
- 8 GHz 33, 83, 101, 137, 139, 175, 189, 265, 355, 359, 433, 501
- 10 GHz 7, 39, 89, 99, 103, 133, 163, 175
- 12 GHz 213
- 15 GHz 83
- 22 GHz 89, 91, 223, 231, 239, 249, 265, 279, 295, 433, 441
- 23 GHz 213
- 43 GHz 253, 259
- 90 GHz 45, 93, 533

- accretion disk 265, 279
 - corona 47
- active galactic nuclei 29, 31, 47, 105, 115, 121, 261, 433, 441, 487
- analysis methods 157, 357, 367, 425, 461, 481, 489, 491, 519, 525
 - Kalman filter 533, 543
 - deconvolution 131, 509
 - dynamic range *see* dynamic range
 - global fringe fitting 95, 155, 163, 509, 521
 - hybrid mapping 27, 509
 - multifrequency synthesis 509
 - phase referencing 7, 523
 - self calibration 7, 509

- source structure removal 33, 427, 491, 501
 antennas 433, 441, 449, 457, 459, 461, 469, 475, 479, 481, 483
 Australia Telescope 485
 Brazilian Radio Observatory 495
 Chinese 25-m VLBI antenna 477
 Medicina Radio Telescope 497
 Torun VLBI Station 493
 astrometry 169, 175, 213, 309, 319, 323, 325, 331, 333, 335, 483, 487
 radio-optical comparison 77
 southern hemisphere 77
 atmospheric phase fluctuations 533, 543, 545, 547, 551

 beaming *see* Doppler boosting
 bipolar outflow 239
 black hole 7, 47
 wind 47
 blazars 7
 BL Lac objects 81, 97, 109, 143, 159, 161, 167
 broad line region 7, 29, 223
 bulk relativistic motion *see* Doppler boosting

 coherence 533
 compact doubles *see* sources
 compact steep-spectrum sources *see* sources
 Compton *see* inverse Compton
 continental drift *see* plate motion
 core-jet structure 7, 7, 19, 27, 29, 29, 35, 43, 55, 97, 111, 115, 123, 165, 201, 265, 359, 427
 beaming *see* Doppler boosting
 Lorentz factor *see* Lorentz factor
 acceleration 19
 adiabatic expansion 29
 alignments 23, 25, 65
 angle to line of sight 153, 159, 161, 169
 complex 111, 119, 123, 127
 counter-jet 27, 29, 37
 curvature 7, 19, 55, 65, 95, 111, 115, 119, 129, 133
 deprojected sizes 65, 73
 disembodied 65
 double sided 127, 275, 277
 expansion 89, 279
 instabilities 19, 19, 87, 127, 131
 interaction with environment 111, 115, 125
 knots 29, 31, 35
 kpc structure (relation to) 99, 105, 127, 131, 137
 limb brightening 37
 magnetic fields 29, 55, 91, 143, 153
 motions *see* subluminal motion; superluminal motion

- multiple emitters 55
- optical depth 55, 143
- polarization 143, 159, 161, 163, 167
- precession 19, 27, 115, 275, 309, 363
- shocks 27, 65, 81, 83, 85, 103, 131, 133
- spectra 19, 41, 85, 129, 133
- stationary 7, 21, 39, 43, 281
- triple 111
- width 29, 31, 37, 65
- wiggles 37, 127
- core-mantle boundary 377, 381, 391, 401, 411
- coronae 265, 279
- correlators 461, 469, 485, 487, 489, 503
- cosmic rays 85
- cosmology *see* H_0 ; q_0 ; $\mu - z$ diagram; quasars
- crustal deformation 33, 337, 341, 355, 361, 365, 421
- crustal dynamics project 45, 505

- dark matter 169, 191
- deconvolution *see* analysis methods
- distances 169, 175, 213
- Doppler boosting 7, 19, 23, 47, 55, 65, 71, 73, 79, 81, 97, 99, 107, 109, 115, 117, 133, 275, 433, 457
- double lobed radio sources 65, 73, 105, *see also* kpc structure
- hot spots 135
- dynamic range 7, 27, 31, 37, 509, *see also* analysis methods

- earth's rotation 107, 337, 355, 359, 363, 377, 381, 391, 413, 415, 483
- atmospheric variation 401, 411
- electronic equipment *see* processors; receivers; recording systems; water vapor radiometers

- Faraday depolarization 65
- Faraday rotation 143, 153, 165
- faults
 - New Madrid seismic zone 341
 - San Andreas 351, 353, 355, 365
 - San Gregorio-Hosgri 341
- frequency standards 505, 507, 533
- Friedmann cosmology 7, 23
- flux density variations *see* radio variability

- galactic center 305, 433
- galactic structure 169, 191
- galaxies *see* active galactic nuclei; core-jet structure
- geodesy 533, 543, 551
- geodetic observations 175, 489
- gravitational lensing 43, 191, 201, 207, 209
- gravitational waves 321

- H_0
 HIPPARCOS
 hybrid mapping
 Hubble Space Telescope
- ionosphere
 interferometry
 interstellar
 optical
 inverse Compton
 temperature
 x-rays
- Jeans mass
 jets
- kpc structure
- log N - log S
 Lorentz factor
 low frequency observations
- magnetic fields
- mapping
- masers
 CH₃OH
 H₂CO
 H₂O
 HCN
 OH
 SiO
 Zeeman effect
 cyclotron
 extragalactic
 interstellar
 luminosity
 magnetic fields
 megamasers
 polarization
 proper motions
 pumps
 saturation
 scattering
 stellar
 millimeter wavelength VLBI
 $\mu - z$ diagram
- narrow line region
- 7, 175, 191, 201, 207
 309, 317, 325, 327, 335
see analysis methods
 309, 335
- see propagation effects*
see also analysis methods
 285
 1, 491
 19, 47, 71, 89, 93, 95, 129
 47, 55
 7, 19, 39, 71
- 191
see core-jet structure
- 25, 29, 31, 31, 73, 165
- 79
 79, 81, 87, 99, 109, *see also Doppler boosting*
 459, 481
- 19, 29, 47, 55, 87, 91, 93, 103, 143, 153, 213,
 223, 263, 265, 281
- see analysis methods*
 191, 287, 433, 441, 487
 213
 213, 239
 169, 213, 223, 231, 233, 239, 249, 257, 295
 213
 213, 223, 235, 237, 239, 239, 249, 251, 255, 261,
 263
 213, 223, 237, 239, 253, 259
 237, 263
 265
 213, 223, 231, 239, 261
 169, 213, 223, 235, 237, 249, 251, 263
 169
 263
 213, 261
 213, 223, 237, 257, 259, 263
 239
 213, 223, 239, 251, 261
 223, 237
 255
 169, 213, 223, 237, 249, 251, 259
 93, 461, 469
 23
- 7, 29, 143, 223

- nutation 363, 371, 377, 381, 391, 413
 free core 379, 381
- parallaxes *see* distances
- photoelectric effect 1
- planets 1, 433
 ephemerides 309
- plate motion 337, 339, 341, 351, 353, 363, 365, 369, 423
- polar motion 107, 337, 363, 369, 381, 391, 401, 411, 413
- polarization 81, 83, 103, 109, 143, 153, 155, 157, 159, 161, 163, 165, 167, 223, 237, 265, 509
- precession *see* core-jet structure
- processors 529, 531
- propagation effects 367, 369, 533, 543, 545, 547, 551
- proper motions *see* masers, distances
- pulsars 191, 265, 285, 287, 323, 433, 487
- q_0 7
- quasars 19, 83, 109, 161, 175, 191
 high z 211
 large sizes 17
 size distributions 17
- QUASAT 433, 441, 447, 461, 469, 485
- R_0 169
- radiative transfer 55, 83
- RADIOASTRON 433, 461, 469, 485
- radio luminosity function 65
- radio stars 265, 275, 277, 279, 281, 323, 323, 329, 433, 441
 RS CVn 265, 283, 327
 core-halo structure 265, 283
 masses 265
- radio variability 7, 41, 43, 47, 65, 83, 89, 91, 93, 95, 97, 103, 301
 compact components 39
 correlated with x-ray 35
 high frequency 35
 low frequency 7, 35, 117, 125, 287, 297
- receivers 433, 441, 447, 449, 461, 469, 483, 499
- recording systems 461, 485, 489, 501, 509
- reference frames 77, 265, 309, 325, 329, 331, 333, 335
 FK4 309
 FK5 309, 317, 327
 J2000 309
- refractive scintillation *see* scattering
- relativistic beaming *see* Doppler boosting
- Rumford prize 1
- scattering 55, 121, 213, 255, 279, 285, 441
 anisotropic 287, 299, 303, 305, 307

- diffractive 287, 295, 303, 305, 307
 - extreme 299, 301
 - refractive 7, 35, 117, 125, 287, 295, 297, 299, 301, 307
 - solar corona 307
- Schwarzschild radius 7
- self-calibration *see* analysis methods
- shocks 27, 65, 81, 83, 85, 103, 127, 131, 133, 143, 223, 239, 275
- stars *see* radio stars
- source counts 79
- sources
 - compact doubles 7, 55, 73
 - compact steep-spectrum 55, 73, 95, 111, 115, 119, 125, 127, 129
 - double lobed *see* double lobed radio sources; kpc structure
 - triple radio 17, 65
- space VLBI 7, 341, 433, 441, 447, 449, 457, 459, 461, 469, 485, 503, 521
- space craft navigation 319, 333
- spectra *see* core-jet structure; synchrotron emission
- subluminal motion 7, 37, 91
- sun 265
- superluminal motion 7, 19, 21, 25, 29, 31, 33, 35, 39, 41, 43, 45, 47, 55, 65, 81, 87, 95, 99, 101, 103, 105, 109, 117, 133, 143, 159, 163, 175, 191, 201, 297, 359, 433
- supernovae 175, 185, 187
 - SN1987a 189
- surveys 165
 - 3CR 75, 99, 111
 - B2 75
 - GB-MPI 317
 - PKS 77, 317
 - Perth 70 77
 - S5 7
 - SERC J 77
 - VLBI 65, 79
 - compact steep-spectrum 111, 123
 - complete flux density limited 7, 75, 77, 99
 - core dominated sources 17
 - flat spectrum sources 71, 109
 - galaxies 111
 - lobe dominated sources 17, 99, 133
 - low frequency variables 7, 121
 - polarisation 161
 - quasars 111
 - southern hemisphere sources 139
- synchrotron emission 277
 - adiabatic expansion 279
 - equipartition 29
 - free-free absorption 121
 - gyro-synchrotron 265

- inverse Compton 85
- losses 73, 85
- low energy cutoff 153
- optical depth 159
- spectra 19, 41, 85, 73, 79, 129, 133
- synchrotron absorption 121

- telescopes *see* antennas
- thermal emission 153, 277
- Θ_0 169
- tides 309, 379, 381, 391, 401
- triple radio sources *see* sources
- turbulence 85

- UV bump 47

- variability *see* radio variability
- VLBI arrays 31
 - Australia Telescope 487
 - Italian VLBI Project 497
 - millimeter wavelength *see* millimeter wavelength VLBI
 - Parkes-Tidbinbilla interferometer 77, 487
 - SHEVE array 77
 - VLBA 7, 461, 501
 - “World array” 31, 37, 509

- water vapor radiometers 533, 543, 547, 549

- x-ray binaries 265, 279
- x-rays 35, 65, 71, 109, 277, 281
 - inverse Compton 35
 - thermal 47
 - variability 55, 55