

**PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS**

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, 200 Euston Road, London, NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1979

Printed in Great Britain at the University Press, Cambridge

Contents

PART 1 (FEBRUARY 1979)

	PAGE
MITTAL, J. P. and GHOSH, P. K. Comparative semen characteristics of Corriedale, Marwari and Jaisalmeri rams maintained under hot arid conditions	1
BELL, F. R. and SLY, JENNIFER. Sodium appetite and sodium metabolism in ruminants assessed by preference tests	5
FRENCH, B. K. and LEGG, B. J. Rothamsted irrigation 1964-76	15
SMITH, M. W. and JAMES, P. S. Absorption of methionine by foetal and neonatal lamb colon	39
PRITCHARD, D. T. and BROWN, N. J. Respiration in cropped and fallow soil	45
WILLIAMS, INGRID H. and FREE, J. B. Compensation of oil-seed rape (<i>Brassica napus</i> L.) plants after damage to their buds and pods	53
WILKINS, CAROLYN. The distribution of Mn, Fe, Cu, and Zn in topsoils and herbage of North West Pembrokeshire	61
FOOT, J. Z., SKEDD, E. and MCFARLANE, D. N. Body composition in lactating sheep and its indirect measurement in the live animal using tritiated water	69
JONES, H. G. Visual estimation of plant water status in cereals	83
JONES, R. J., LUDLOW, M. M., TROUGHTON, J. H. and BLUNT, C. G. Estimation of the proportion of C ₃ and C ₄ plant species in the diet of animals from the ratio of natural ¹² C and ¹³ C isotopes in the faeces	91
WALKEY, D. G. A. and INNES, N. L. Resistance to bean common mosaic virus in dwarf beans (<i>Phaseolus vulgaris</i> L.)	101
BARDNER, R. and FLETCHER, K. E. Larvae of the pea and bean weevil, <i>Sitona lineatus</i> , and the yield of field beans	109
OSUJI, P. O. and DEVERS, C. Nitrogen utilization of growing-finishing Barbados Blackbelly lambs	113
DONEY, J. M., PEART, J. N., SMITH, W. F. and LOUDA, F. A consideration of the techniques for estimation of milk yield by suckled sheep and a comparison of estimates obtained by two methods in relation to the effect of breed, level of production and stage of lactation	123
PEART, J. N., DONEY, J. M. and SMITH, W. F. Lactation pattern in Scottish Blackface and East Friesland x Scottish Blackface cross-bred ewes	133
FREE, J. B. and WILLIAMS, INGRID H. The distribution of insect pests on crops of oil-seed rape (<i>Brassica napus</i> L.) and the damage they cause	139
ALLEN, E. J., BEAN, J. N., GRIFFITH, R. L. and O'BRIEN, P. J. Effects of length of sprouting period on growth and yield of contrasting early potato varieties	151
MAXWELL, T. J., DONEY, J. M., MILNE, J. A., PEART, J. N., RUSSEL, A. J. F., SIBBALD, A. R. and MACDONALD, D. The effect of rearing type and prepartum nutrition on the intake and performance of lactating Greyface ewes at pasture	165
KEATINGE, J. D. H., STEWART, R. H. and GARRETT, M. K. The influence of temperature and soil water potential on the leaf extension rate of perennial ryegrass in Northern Ireland	175
ØRSKOV, E. R., STEWART, C. S. and GREENHALGH, J. F. D. The effect of sodium hydroxide and urea on some storage properties of moist grain	185
PREW, R. D. and DYKE, G. V. Experiments comparing 'break crops' as a preparation for winter wheat followed by spring barley	189

	PAGE
FREE, J. B. and WILLIAMS, INGRID H. The infestation of crops of oil-seed rape (<i>Brassica napus</i> L.) by insect pests	203
VAN KAMPEN, M., MITCHELL, B. W. and SIEGEL, H. S. Thermoneutral zone of chickens as determined by measuring heat production, respiration rate, and electromyographic and electroencephalographic activity in light and dark environments and changing ambient temperatures	219
WURR, D. C. E. The effect of the site of seed potato production on subsequent sprout growth and tuber yield	227
LAMB, C. S. and EADIE, J. The effect of barley supplements on the voluntary intake and digestion of low quality roughages by sheep	235
 SHORT NOTES	
TOLAND, P. C. Loss of starch and fibre of whole grain in nylon bags suspended in the rumen of steers	243
BOLAND, M. P. and GORDON, I. Effect of timing of ram introduction on fertility in progestagen-PMSG treated anoestrous ewes	247
PAGE, E. R. Aqueous ammonia as a nitrogen fertilizer for summer cauliflowers, compared with ammonium nitrate (broadcast) and urea (broadcast and injected)	251
PHILLIPS, M. S., WILSON, LINDA A. and FORREST, J. M. S. General and specific combining ability of potato parents for resistance to the white potato cyst nematode (<i>Globodera pallida</i>)	255
 PART 2 (APRIL 1979)	
FRASER, D., THOMPSON, B. K., FERGUSON, D. K. and DARROCH, R. L. The 'teat order' of suckling pigs. 3. Relation to competition within litters	257
AGARWAL, S. K. and DE, RAJAT. Effect of nitrogen rates, mulching and antitranspirants on water use and water use efficiency of barley (<i>Hordeum vulgare</i> L.) varieties grown under dryland conditions	263
FRAPE, D. L. and TUCK, MARY G. A relationship between amino acid supplementation of the diet of pigs and the metabolism of N and energy	269
MITTAL, J. P. and GHOSH, P. K. Comparative performance of indigenous and exotic sheep in the Indian arid zone	273
DAVIES, I. Developmental characteristics of grass varieties in relation to herbage production. 4. Effect of nitrogen on the length and longevity of leaf blades in primary growth of <i>Lolium perenne</i> , <i>Dactylis glomerata</i> and <i>Phleum pratense</i>	277
DILLON, JANE and SCOTT, D. Digesta flow and mineral absorption in lambs before and after weaning	289
MORGAN, J. H. L. The effects of supplementary feeding, pattern of growth and slaughter age on the carcass characteristics of Hereford steers	299
SPARROW, P. E. Nitrogen response curves of spring barley	307
SINGH, S. A study of genotype × environment interaction in three barley triple test crosses	319
FORD, E. J. H., SAMAD, A. R. and PURSELL, HILARY. The effect of trienbolone acetate on glucose metabolism in normal and ketotic sheep pregnant with twins	323
CARDEN, A. E. and GOENAGA, P. R. Effects of severe food restriction on bone growth and distribution in pigs	329

Contents

v

	PAGE
BRAITHWAITE, G. D. The effect of dietary intake of calcium and phosphorus on their absorption and retention by mature Ca-replete sheep	337
SOLIMAN, H. S., ØRSKOV, E. R., ATKINSON, T. and SMART, R. I. Utilization of partially hydrolysed starch in milk replacers by newborn lambs	343
FLORES, J. F., the late STOBBS, T. H. and MINSON, D. J. The influence of the legume <i>Leucaena leucocephala</i> and formal-casein on the production and composition of milk from grazing cows	351
FORMOLI, G. N. and PRASAD, R. Effects of farmyard manure and phosphorus and potassium fertilizers on soil properties in rice-wheat rotation	359
TAYO, T. O. and MORGAN, D. G. Factors influencing flower and pod development in oil-seed rape (<i>Brassica napus</i> L.)	363
STECKEL, JOYCE R. A. and GRAY, D. Drought tolerance in potatoes	375
BASCOMB, C. L. and TODD, A. D. Use of Soil Survey of England and Wales data bank (1950-1973) to summarize and establish relations between soil analyses, observed gley status and lithological contribution	383
RAO, M. K. and SUNDARESAN, D. Influence of environment and heredity on the shape of lactation curves in Sahiwal cows	393
ALLSOP, T. F. and ROOK, J. A. F. The effect of diet and blood-plasma magnesium concentration on the endogenous faecal loss of magnesium in sheep	403
WILSON, R. F., WOOLFORD, M. K., COOK, J. E. and WILKINSON, J. M. Acrylic acid and sodium acrylate as additives for silage	409
WOOLLEY, J. N. and EVANS, A. M. Screening for resistance to <i>Maruca testulalis</i> Geyer in cowpea (<i>Vigna unguiculata</i> L.) Walp	417
GUIRGIS, R. A., EL GABBAS, H. M. H., GALAL, E. S. E. and GHONEIM, K. E. Birthcoat-adult fleece relationship: a study of kemp succession in a coarse wool breed of sheep	427
RAI, R. and SINGH, S. N. Interaction between chick peas (<i>Cicer arietinum</i> Linn.) genotypes and strains of <i>Rhizobium</i> sp.	437
LE DU, Y. L. P. and BAKER, R. D. Milk-fed calves. 5. The effect of a change in milk intake upon the herbage intake and performance of grazing calves	443
WALKER, N., WATT, D., MACLEOD, A. S., JOHNSON, C. L., BOAZ, T. G. and CALDER, A. F. C. The effect of weaning at 10, 25 or 40 days on the reproductive performance of sows from the first to the fifth parity	449
DAVIES, ALISON and SIMONS, R. G. Effect of autumn cutting regime on developmental morphology and spring growth of perennial ryegrass	457
PHIPPS, R. H. and WELLER, R. F. The development of plant components and their effects on the composition of fresh and ensiled forage maize. 1. The accumulation of dry matter, chemical composition and nutritive value of fresh maize	471
WILKINSON, J. M. and PHIPPS, R. H. The development of plant components and their effects on the composition of fresh and ensiled forage maize. 2. The effect of genotype, plant density and date of harvest on the composition of maize silage	485
PHIPPS, R. H., WELLER, R. F. and FULFORD, ROSEMARY J. The development of plant components and their effects on the composition of fresh and ensiled forage maize. 3. The effect of grain content on milk production	493
ØRSKOV, E. R. and McDONALD, I. The estimation of protein degradability in the rumen from incubation measurements weighted according to rate of passage	499

SHORT NOTES

	PAGE
YOUNIS, A. A. and AFIFI, E. A. On the occurrence of oestrus in pregnant Barki and Merino ewes	505
REITNOUR, C. M. and MITCHELL, JR., G. E. Anaerobic proteolytic bacteria in caecal contents of ponies	507
RAI, A. K., MEHTA, B. S. and SINGH, M. Thermal sweating in different body regions of sheep	511

PART 3 (JUNE 1979)

SHELDRAKE, A. R. and NARAYANAN, A. Growth, development and nutrient uptake in pigeon-peas (<i>Cajanus cajan</i>)	513
ONWUEME, I. C. Rapid, plant-conserving estimation of heat tolerance in plants	527
RAGAB, S. M. Effect of potassium fertilizer on cation uptake and concentration in oat shoots	537
DHANOTIYA, R. S. and SRIVASTAVA, R. K. Relationship between sperm concentration, initial fructose concentration and different measures of fructolysis in buffalo semen	545
JACKSON, M. V. and WILLIAMS, T. E. Response of grass swards to fertilizer N under cutting or grazing	549
LEWIS, J. A., PAPAVIDAS, G. C. and O'NEILL, NICHOLE R. Effect of seed immersion in organic solvents on germinability	563
JOBLIN, K. N. and KEOGH, R. G. The element composition of herbage at urine patch sites in a ryegrass pasture	571
EDELSTEN, P. R. and CORRALL, A. J. Regression models to predict herbage production and digestibility in a non-regular sequence of cuts	575
GUPTA, S. K. and PANDEY, R. N. A simplified prediction equation for reactive solute transport in soils	587
MCDONALD, I., ROBINSON, J. J., FRASER, C. and SMART, R. I. Studies on reproduction in prolific ewes. 5. The accretion of nutrients in the fetuses and adnexa	591
ULYATT, M. J. and EGAN, A. R. Quantitative digestion of fresh herbage by sheep. V. The digestion of four herbage and prediction of sites of digestion	605
ELLIOTT, J. G., CHURCH, B. M., HARVEY, J. J., HOLROYD, J., HULLS, R. H. and WATERSON, H. A. Survey of the presence and methods of control of wild oat, black grass and couch grass in cereal crops in the United Kingdom during 1977	617
MILNE, J. A., CHRISTIE, ALISON and RUSSEL, A. J. F. The effects of nitrogen and energy supplementation on the voluntary intake and digestion of heather by sheep	635
KRENTOS, V. D. and ORPHANOS, P. I. Nitrogen, phosphorus and potassium fertilizers for potatoes in Cyprus	645
PANDEY, R. N. Dispersion of surface-applied salts in porous media	663
BEWICK, M. W. M. The use of antibiotic fermentation wastes as fertilizers for tomatoes	669
HARDWICK, R. C., ANDREWS, D. J., HOLE, C. C. and SALTER, P. J. Variability in number of pods and yield in commercial crops of vining peas (<i>Pisum sativum</i> L.)	675
THOMAS, P. C. and HODGSON, J. C. The clearance rate of rumen liquid and rumen fermentation pattern in sheep receiving forage diets	683
JOHNSON, A. O. and GAMBO, A. Oestrous behaviour in Bunaji (White Fulani) heifers	689

Contents

vii

PAGE

McEWEN, J. and JOHNSTON, A. E. The effects of subsoiling and deep incorporation of P and K fertilizers on the yield and nutrient uptake of barley, potatoes, wheat and sugar beet grown in rotation	695
LEGG, B. J., DAY, W., LAWLOB, D. W. and PARKINSON, K. J. The effects of drought on barley growth: models and measurements showing the relative importance of leaf area and photosynthetic rate	703
HANLEY, F. and RIDGMAN, W. J. Results from three cycles of six-course rotations on light land	717
COLEMAN, G. S. and SANDFORD, DEBORAH C. The engulfment and digestion of mixed rumen bacteria and individual bacterial species by single and mixed species of rumen ciliate protozoa grown <i>in vivo</i>	729
JOHNSON, C. L. The effect of level and frequency of concentrate feeding on the performance of dairy cows of different yield potential	743

	PAGE
THOMAS, P. C. and HODGSON, J. C. The clearance rate of rumen liquid and rumen fermentation pattern in sheep receiving forage diets	683
JOHNSON, A. O. and GAMBO, A. Oestrous behaviour in Bunaji (White Fulani) heifers	689
MC EWEN, J. and JOHNSTON, A. E. The effects of subsoiling and deep incorporation of P and K fertilizers on the yield and nutrient uptake of barley, potatoes, wheat and sugar beet grown in rotation	695
LEGG, B. J., DAY, W., LAWLOR, D. W. and PARKINSON, K. J. The effects of drought on barley growth: models and measurements showing the relative importance of leaf area and photosynthetic rate	703
HANLEY, F. and RIDGMAN, W. J. Results from three cycles of six-course rotations on light land	717
COLEMAN, G. S. and SANDFORD, DEBORAH C. The engulfment and digestion of mixed rumen bacteria and individual bacterial species by single and mixed species of rumen ciliate protozoa grown <i>in vivo</i>	729
JOHNSON, C. L. The effect of level and frequency of concentrate feeding on the performance of dairy cows of different yield potential	743

CONTENTS

Vol. 92 Part 3 June 1979

	PAGE
SHELDRAKE, A. R. and NARAYANAN, A. Growth, development and nutrient uptake in pigeon-peas (<i>Cajanus cajan</i>)	513
ONWUEME, I. C. Rapid, plant-conserving estimation of heat tolerance in plants	527
RAGAB, S. M. Effect of potassium fertilizer on cation uptake and concentration in oat shoots.	537
DHANOTIYA, R. S. and SRIVASTAVA, R. K. Relationship between sperm concentration, initial fructose concentration and different measures of fructolysis in buffalo semen	545
JACKSON, M. V. and WILLIAMS, T. E. Response of grass swards to fertilizer N under cutting or grazing	549
LEWIS, J. A., PAPAIVIZAS, G. C. and O'NEILL, NICHOLE R. Effect of seed immersion in organic solvents on germinability	563
JOBLIN, K. N. and KEOGH, R. G. The element composition of herbage at urine patch sites in a ryegrass pasture	571
EDELSTEN, P. R. and CORRALL, A. J. Regression models to predict herbage production and digestibility in a non-regular sequence of cuts	575
GUPTA, S. K. and PANDEY, R. N. A simplified prediction equation for reactive solute transport in soils	587
MCDONALD, I., ROBINSON, J. J., FRASER, C. and SMART, R. I. Studies on reproduction in prolific ewes. 5. The accretion of nutrients in the foetuses and adnexa	591
ULYATT, M. J. and EGAN, A. R. Quantitative digestion of fresh herbage by sheep. V. The digestion of four herbages and prediction of sites of digestion	605
ELLIOTT, J. G., CHURCH, B. M., HARVEY, J. J., HOLROYD, J., HULLS, R. H. and WATERSON, H. A. Survey of the presence and methods of control of wild oat, black grass and couch grass in cereal crops in the United Kingdom during 1977	617
MILNE, J. A., CHRISTIE, ALISON and RUSSEL, A. J. F. The effects of nitrogen and energy supplementation on the voluntary intake and digestion of heather by sheep	635
KRENTOS, V. D. and ORPHANOS, P. I. Nitrogen, phosphorus and potassium fertilizers for potatoes in Cyprus	645
PANDEY, R. N. Dispersion of surface-applied salts in porous media	663
BEWICK, M. W. M. The use of antibiotic fermentation wastes as fertilizers for tomatoes	669
HARDWICK, R. C., ANDREWS, D. J., HOLE, C. C. and SALTER, P. J. Variability in number of pods and yield in commercial crops of vining peas (<i>Pisum sativum</i> L.)	675

Continued on inside back cover

© Cambridge University Press 1979

SUBSCRIPTIONS. Two volumes of three parts are published annually. The subscription price of volumes 92 and 93, 1979, is £27.00 net (U.S.A. and Canada US \$66.50) per volume (post free); single parts are available at £11.00 net (U.S.A. and Canada US \$27.50) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL (U.S.A. and Canada, Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022, U.S.A.).

Printed in Great Britain at the University Press, Cambridge