

Ergodic theory and dynamical systems


EDITORS

John Franks Hillel Furstenberg Anthony Manning William Parry

EDITORIAL BOARD

- | | |
|--|---|
| R. L. Adler (Thomas J. Watson
Research Center, Yorktown
Heights) | M. Misiurewicz (Warsaw University) |
| L. A. Bunimovich (P. P. Shirshov
Inst. of Oceanology, Moscow) | J. Moser (ETH, Zürich) |
| A. Connes (IHES) | S. E. Newhouse (University of North
Carolina) |
| M. Gromov (IHES) | Ya. B. Pesin (All Union Research
Inst. of Metrology, Moscow) |
| M. R. Herman (Ecole Polytechnique,
Palaiseau) | S. M. Rees (University of
Liverpool) |
| A. B. Katok (CalTech) | D. J. Rudolph (University of
Maryland) |
| M. Keane (Technische Hogeschool
Delft) | D. Ruelle (IHES) |
| U. Krengel (University of Göttingen) | K. Schmidt (University of Warwick) |
| R. Mañé (IMPA) | J. P. Thouvenot (University of Paris 6) |
| G. A. Margulis (USSR Acad. of
Sciences) | W. A. Veech (Rice University) |
| J. N. Mather (Princeton University) | P. Walters (University of Warwick) |
| | R. F. Williams (University of Texas,
Austin) |

VOLUME 9
1989



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1989

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol

Contents

PART 1 MARCH 1989

Generalized baker's transformations	<i>C. J. Bose</i>	1
Continuous invariant cone families and ergodicity of flows in dimension three	<i>K. Burns and M. Gerber</i>	19
Real analytic Bernoulli geodesic flows on S^2	<i>K. Burns and M. Gerber</i>	27
Existence de cycles pour des multi-applications du cercle	<i>J.-P. Dufour</i>	47
Dynamical properties of plane polynomial automorphisms	<i>S. Friedland and J. Milnor</i>	67
Un exemple de transformation dilatante et C^1 par morceaux de l'intervalle, sans probabilité absolument continue invariante	<i>P. Gora and B. Schmitt</i>	101
Théorèmes ergodiques pour une translation sur une nilvariété	<i>E. Lesigne</i>	115
Restricting a compact action to an injective subfactor	<i>R. Longo</i>	127
On ergodic properties of restrictions of inner functions	<i>N. F. G. Martin</i>	137
The number of periodic points of smooth maps	<i>T. Matsuoka</i>	153
Two-particle billiard system with arbitrary mass ratio	<i>N. Simanyi and M. P. Wojtkowski</i>	165
Endpoints of rotation intervals for maps of the circle	<i>G. Świątek</i>	173
Rigidity of horospherical foliations	<i>D. Witte</i>	191

PART 2 JUNE 1989

Compact metric spaces, Fredholm modules, and hyperfiniteness	<i>A. Connes</i>	207†
Actions of lattices in $\mathrm{Sp}(1, n)$	<i>M. Cowling and R. J. Zimmer</i>	221†
Subrelations of ergodic equivalence relations	<i>J. Feldman, C. E. Sutherland and R. J. Zimmer</i>	239†
An estimate for the measure theoretic entropy of geodesic flows	<i>W. Ballman and M. P. Wojtkowski</i>	271
Singularities of vector fields on \mathbb{R}^3 determined by their first non-vanishing jet	<i>P. Bonckaert, F. Dumortier and S. Van Strien</i>	279
Rigidity in topological dynamics	<i>S. Glasner and D. Maon</i>	307

† Papers in memory of Henry Abel Dye (1926–1986)

Topology and growth of a special class of holomorphic self-maps of \mathbb{C}^* <i>L. Keen</i>	319
Equivariant spectral decomposition for flows with a \mathbb{Z} action <i>L. Mosher</i>	327
The conjugacy of Collet–Eckmann’s map of the interval with the tent map is Holder continuous <i>T. Nowicki and F. Przytycki</i>	377
Homoclinic points and moduli <i>R. A. Posthumus</i>	387
<i>Book Review</i>	399

PART 3 SEPTEMBER 1989

Discontinuity of Hausdorff dimension and limit capacity on arcs of diffeomorphisms <i>L. J. Díaz and M. Viana</i>	403
Invariant tensor fields of dynamical systems with pinched Lyapunov exponents and rigidity of geodesic flows <i>R. Feres and A. Katok</i>	427
Propriétés ergodiques, en mesure infinie, de certains systèmes dynamiques fibrés <i>Y. Guivarc’h</i>	433
A new description of the Bowen–Margulis measure <i>U. Hamenstädt</i>	455
A new construction of the Margulis measure for Anosov flows <i>B. Hasselblatt</i>	465
Homomorphismes entre systèmes dynamiques définis par substitutions <i>B. Host and F. Parreau</i>	469
Decidability of epimorphisms of dimension groups and certain modules <i>K. H. Kim and F. W. Roush</i>	479
An algorithm for calculating critical probabilities and percolation functions in percolation models defined by rotations <i>R. W. J. Meester</i>	495
A remark on R. Moeckel’s paper ‘Geodesics on modular surfaces and continued fractions’ <i>T. Nakanishi</i>	
Almost all interval exchange transformations with flips are nonergodic <i>A. Nogueira</i>	515
The singularity spectrum $f(\alpha)$ for cookie-cutters <i>D. A. Rand</i>	527
Trees associated with the configuration of Herman rings <i>M. Shishikura</i>	543
Subsystems, Perron numbers, and continuous homomorphisms of Bernoulli shifts <i>S. Tuncel</i>	561
Non-smooth geodesic flows and the earthquake flow on Teichmüller space <i>H. Weiss</i>	571
The geometry of measured geodesic laminations and measured train tracks <i>H. Weiss</i>	587

PART 4 DECEMBER 1989

Vladimir Abramovich Rokhlin (23 August 1919 to 3 December 1984): Introductory note <i>A. Katok</i>	605
Rokhlin's School in ergodic theory <i>S. Yuzvinsky</i>	609
On the work of V. A. Rokhlin in ergodic theory <i>B. Weiss</i>	619
Vladimir Abramovich Rokhlin—A biographical tribute (23.8.1919– 3.12.1984) <i>A. M. Vershik</i>	629
The differentiability of the conjugation of certain diffeomorphisms of the circle <i>Y. Katznelson and D. Ornstein</i>	643
The absolute continuity of the conjugation of certain diffeomorphisms of the circle <i>Y. Katznelson and D. Ornstein</i>	681
Automorphisms of compact groups <i>B. Kitchens and K. Schmidt</i>	691
Non-existence of wandering intervals and structure of topological attractors of one dimensional dynamical systems: 1. The case of negative Schwarzian derivative <i>M. Yu. Lyubich</i>	737
Non-existence of wandering intervals and structure of topological attractors of one dimensional dynamical systems 2. The smooth case <i>A. M. Blokh and M. Yu. Lyubich</i>	751
Minimal self-joinings for nonsingular transformations <i>Daniel J. Rudolph and Cesar E. Silva</i>	759

INSTRUCTIONS TO AUTHORS

1 *Submission of typescripts*

Two copies of the manuscript should be submitted to one of the four Executive Editors (addresses on outside front cover). The editor will acknowledge receipt of the manuscripts. **It is important that authors inform the editor of any changes of address** whilst their paper is under consideration.

2 *Typescript*

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

3 *Notation*

It is important that mathematical expressions are clear to a printer (who is not a mathematician). For instance, n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as a , O , o , \mathcal{O} , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ε , \in ; κ , k .

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

4 *Diagrams*

Figures and drawings should be on separate sheets in black ink. Photocopies are acceptable only if

they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, . . . and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

5 *Tables*

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 *References*

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication;

[4] N. Dunford & J. T. Schwartz *Linear Operators* Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* **23** (1970), 236-268.

7 *Proofs*

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. **It is important that proofs are corrected and returned promptly.**

8 *Reprints*

There are 100 reprints, free of charge, for each paper. For papers with several authors these reprints are divided between the authors. There are no page charges.

Ergodic theory and dynamical systems

VOLUME 9 PART 4 DECEMBER 1989

CONTENTS

<i>Katok, A.</i> Vladimir Abramovich Rokhlin (23 August 1919 to 3 December 1984): Introductory note	605
<i>Yuzvinsky, S.</i> Rokhlin's School in ergodic theory	609
<i>Weiss, B.</i> On the work of V. A. Rokhlin in ergodic theory	619
<i>Vershik, A. M.</i> Vladimir Abramovich Rokhlin—A biographical tribute (23.8.1919–3.12.1984)	629
<i>Katznelson, Y. and Ornstein, D.</i> The differentiability of the conjugation of certain diffeomorphisms of the circle	643
<i>Katznelson, Y. and Ornstein, D.</i> The absolute continuity of the conjugation of certain diffeomorphisms of the circle	681
<i>Kitchens, B. and Schmidt, K.</i> Automorphisms of compact groups	691
<i>Lyubich, M. Yu.</i> Non-existence of wandering intervals and structure of topological attractors of one dimensional dynamical systems: 1. The case of negative Schwarzian derivative	737
<i>Blokh, A. M. and Lyubich, M. Yu.</i> Non-existence of wandering intervals and structure of topological attractors of one dimensional dynamical systems 2. The smooth case	751
<i>Rudolph, Daniel J. and Silva, Cesar E.</i> Minimal self-joinings for nonsingular transformations	759
Index to Volume 8	801

© Cambridge University Press 1989

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol