September 1960

John Vol. LXXIV No. 9

# The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

> ASSISTANT EDITOR G. H. BATEMAN

## Contents

THE ÆTIOLOGY, PATHOLOGY AND CONSERVATIVE SURGICAL TREATMENT OF MÉNIÈRE'S DISEASE THE EFFECTS OF ULTRASOUND ON THE INTERNAL EAR:

A HISTOLOGICAL INVESTIGATION

THE PHYSIOLOGY OF THE ENDOLYMPH . . . REPORT OF AN INVESTIGATION INTO THE CLEARING OF THE EUSTACHIAN TUBE IN UNCONSCIOUS GOATS WHILST UNDER INCREASED ATMOS-PHERIC PRESSURE . . . . . A CASE OF OTORRHEA DUE TO PAROTID FISTULA . OTOLOGICAL PROBLEMS IN UGANDA .

#### CLINICAL RECORDS-

ANGIOFIBROMA OF NASOPHARYNX . . . C. D. WEIR and J. A. DOIG FOREIGN BODIES AS OPERATIVE ERRORS . PARALYSIS OF THE LEFT RECURRENT LARYNGEAL NERVE SECONDARY TO CARDIAC HYPER-TROPHY . .

CLINICAL NOTE-

VOCAL CORD PARALYSIS AS CRITERION OF INOPERABILITY IN BRONCHIAL CARCINOMA: A DIAGNOSTIC DILEMMA

GENERAL NOTES

London

## Headley Brothers Ltd

## 100 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

I. C. SEYMOUR

D. J. BRAIN, B. H. COLMAN, R. B. LUMSDEN and R. F. OGILVIE F. C. ORMEROD -

> G. S. IRVINE S. H. RICHARDS P. E. ROLAND -

N. K. Apte

C. C. CORBETT

M. E. N. SMITH

Monthly, 10/- net post free

https://doi.org/10.1017/S0022215100057017 Published online by Cambridge University Press

#### ADVERTISEMENTS

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

### WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the under-standing that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication. 3. Galley proofs and engraver's proofs of illustrations are sent to the author.

Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway, London, WC2. 5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS LTD., 109 Kingsway, London, WC2. 8. The annual subscription is four guineas sterling (U.S.A. \$13) post free,

and is payable in advance. 9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY, LONDON, WC2.

#### United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY, LONDON, WC2, England.

Journal of Laryngology and Olology, 1960


### CONTENTS

|   | PAGE |
|---|------|
| The Ætiology, Pathology and Conservative Surgical Treat-<br>ment of Ménière's Disease. J. C. Seymour (London) .   | 599  |
| THE EFFECTS OF ULTRASOUND ON THE INTERNAL EAR: A HISTOLOGI-<br>CAL INVESTIGATION. D. J. Brain, B. H. Colman, R. B.<br>Lumsden and R. F. Ogilvie (Edinburgh)       | 628  |
|   |      |
| The Physiology of the Endolymph. F. C. Ormerod (London) .   | 659  |
| Report of an Investigation into the Clearing of the<br>Eustachian Tube in Unconscious Goats whilst under<br>Increased Atmospheric Pressure, G. S. Irvine (Hasłar) | 668  |
| A CASE OF OTORRHEA DUE TO PAROTID FISTULA. S. H. Richards   |      |
| (Oxford)  | 675  |
| OTOLOGICAL PROBLEMS IN UGANDA. P. E. Roland (Rugby)   | 678  |
| CLINICAL RECORDS—<br>Angiofibroma of Nasopharynx. C. D. Weir and J. A. Doig<br>(Glasgow)  | 685  |
| Foreign Bodies as Operative Errors. N. K. Apte (Bombay) .   | 689  |
| Paralysis of the Left Recurrent Laryngeal Nerve Secondary to<br>Cardiac Hypertrophy. C. C. Corbett (Waterford, Eire)  | 693  |
| CLINICAL NOTE—<br>Vocal Cord Paralysis as Criterion of Inoperability in Bronchial<br>Carcinoma: A Diagnostic Dilemma. M. E. N. Smith                              |      |
| (Swansea)   | 697  |
| General Notes   | 699  |

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

# MULTITONE

# a complete range of British hearing aids



Branches and Agents throughout the World



# The world's most fully developed CLINICAL AUDIOMETER AMPLIVOX MODEL 82

- $\star$  Air and bone conduction with single zero
- \* Narrow band masking with insert earphone
- \* Loudness balance testing
- \* Automatic check of control settings
- \* Patients' signal
  - \* Speech circuit
  - \* British or American Standard calibration
  - \* Maximum stability of performance
  - \* Extreme simplicity of use


For further information and demonstration write to:

### AMPLIVOX LIMITED


FEATURES

Medical Acoustic Division, 80 New Bond Street, London, W.1. Tel: Hyde Park 9888.

Please mention The Journal of Laryngology and Otology when replying to advertisements



Please mention The Journal of Laryngology and Otology when replying to advertisements



Please mention The Journal of Laryngology and Otology when replying to advertisements

## Do you know that SIEMENS manufacture a very comprehensive range of individual hearing aids?

There are ten different types available to suit every requirement. Please study the details of the three types listed below.




**TYPE 333** 

For high output: Type 324. Acoustic output level between 500 and 2,000 c.p.s., up to  $141 (\pm 4)$  dB. Acoustic amplification (at 1,000 c.p.s.) up to  $75 (\pm 5)$  dB. Five transistor push-pull amplifier. Three position tone control, plus choice of receivers. Built in Siferrit induction coil. Running costs two shillings for approximately 300 hours use.

Price 49 Gns.

For the best possible reproduction: Type 333. This is a wide frequency range instrument. The smooth frequency characteristic covers the range 250 to nearly 5,000 c.p.s., ensuring the most faithful reproduction of sound. Acoustic output level between 500 and 2,000 c.p.s., up to 134  $(\pm 4)$  dB. Acoustic amplification up to 75  $(\pm 5)$  dB. Three position tone control, plus choice of receivers. Built in Siferrit induction coil. Running costs two shillings for approximately 800 hours use. mately 800 hours use. Price 42 Gns.

For the smallest size: Type 326 Auriculette. Worn behind the ear. For the smallest size: 1 ype 326 Auriculette. Worn behind the ear. Microphone, battery, amplifier and earphone contained in a single case. Three models. Three or four transistors, depending on model. Acoustic output level between 500 and 2,000 c.p.s., up to 120 ( $\pm$ 4) dB. Acoustic amplification up to 46 ( $\pm$ 2) dB., depending on model. Weight (less battery)  $\frac{3}{2}$ oz. Size approxi-mately  $1\frac{3}{4}'' \times \frac{1}{2}'' \times \frac{1}{2}''$ . Volume control and switch are separate. Running costs two shillings for up to 90 hours use. Guaranteed for two years for two years.





SIEMENS have made hearing aids of the highest quality for over 50 years and lead in the field of hearing aid development.

Further details of hearing aids and approved suppliers can be obtained from the sole agents:

**TYPE 326** 

HIGHGATE OPTICAL MANUFACTURING Co. Ltd. 44 HATTON GARDEN LONDON E.C.I Telephone HOLBORN 8271 - 2



"I know my patients get the best possible choice of aids with Ingrams. Ingrams don't make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

Ingrams have at Shepherd Street one of the best equipped consulting rooms I've ever seen. Their Speech Audiometry equipment, for example, is outstanding. They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London."



#### **REFER YOUR PATIENTS TO....**


Largest selection of the Different Makes in the Country.

Member of the Society of Hearing Aid Audiologists

2, Shepherd Street, Shepherd Market, London, W.1 HYDe Park 9041 and 9042

Resident Representatives in all parts of the country.

viii





#### DIAGNOSIS

USES

The excellent optical performance of the Hallpike Ear Microscope gives the user greatly increased confidence in the diagnosis of abnormal conditions; and many disorders may be recognized at an earlier stage than has hitherto been possible with "headlamp and speculum" techniques. Thus slight pulsation of swellings and vascular tumours—of high diagnostic significance and almost impossible to detect by conventional methods—can readily be detected under this microscope.

Use of the Siegle attachment permits observation of small bubbles present in fluid collections within the tympanum; it is also invaluable for demonstrating minute perforations. Where defects of the tympanic membrane are present, the middle-ear cavity can be scrutinized minutely; the detailed structure of the stapes, stapedius tendon, round window and Eustachian orifice—not normally visible by ordinary methods of examination—are seen with quite remarkable clarity when the Ear Microscope is used.

#### TREATMENT

Manipulative procedures may be undertaken with greater confidence and precision if the Ear Microscope and its special instruments are used.

The curettes enable adherent wax and debris to be removed with the greatest precision from the walls of the deep meatus or from the tympanic membrane itself. Cholesteatomatous masses or neoplasms may be examined critically and biopsy specimens obtained by means of the curettes. These may also be used as delicate probes for palpation of the incus and head of the stapes in certain cases of otosclerosis with retraction and atrophy of the tympanic membrane; in this way unmistakable evidence may be obtained of bony fixation of the footplate. Or again, it is sometimes possible to identify by palpation.

Myringotomy or removal of foreign bodies can be undertaken with surprisingly high precision because the optics of the Ear Microscope and the specially angled myringotome blade eliminate all shadows so that the surgeon can see clearly where and what he is cutting. The outfit is invaluable also for postoperative examinations and treatment of mastoid cavities. Granulations can be cauterized and exposed areas of dura mater carefully palpated.

\*J. Laryng. (1953) 67, 108.

39 WIGMORE STREET LONDON W.1



5241 WHITBY AVENUE PHILADELPHIA 43, Pa, U.S.A.

## THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT


Official organ for the American Laryngological Rhinological and Otological Society

Price \$14.00 per year Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER


THEODORE E. WALSH, M.D. EDITOR

### 640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.



Please mention The Journal of Laryngology and Otology when replying to advertisements.

# Fitting HEARING AIDS in DIFFICULT CASES



#### Case 1: LORD E. AGE 75

*History*: Progressive deterioration in hearing over many years. Presbyacusis. Tried several hearing aids without success.

Hearing aid fitting: Amplivox ModelAV, 9W wide range phone, amplifier with reduced low tone response. Maximum AVC setting.

Maximum Intelligibility: With hearing aid in left ear-90%

*Remarks*: Has expressed great satisfaction with clarity of tone and the substantial assistance obtained in all situations.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette. There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a


throughout the country, providing a reliable and thorough service for the hard-of-hearing. For further information and descriptive

For further information and descriptive literature please telephone the local Amplivox Centre or write to:

### AMPLIVOX LTD.

80 New Bond Street, London, W.1 Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH, BRISTOL, CARDIFF, EDINBURGH, GLASGOW, HULL, LEEDS, LEICESTER, LIVERPOOL, MANCHESTER, NEWCASTLE, DUBLIN



## **'OTOSPORIN'** clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

<sup>•</sup>Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

## 'OTOSPORIN... drops

issued in bottles of 5 c.c.

