

INDEX OF AUTHORS

| | | | |
|--|-----|---|-----|
| ACKLEY, SF | 303 | CARRIÈRES, T | 329 |
| Summer and early-fall sea-ice concentration in the Ross Sea: comparison of in situ ASPeCt observations and satellite passive microwave estimates | | A case study of old-ice import and export through Peary and Sverdrup Channels in the Canadian Arctic Archipelago: 1998–2005 | |
| ÅDLANDSVIK, B | 73 | CAVALIERI, DJ | 53 |
| Fine-scale sea-ice modelling of the Storfjorden polynya, Svalbard | | Interannual and regional variability of Southern Ocean snow on sea ice | |
| ALEXANDROV, DV | 118 | CHEN, Y | 30 |
| Solidification of leads: approximate solutions of non-linear problem | | The sea-ice compactness in the Greenland and Barents Seas during 1979–2003: changes and links to the surface air flow | |
| ALEXANDROVA, IV | 118 | CHENG, B | 7 |
| Solidification of leads: approximate solutions of non-linear problem | | Surface albedo measurements over sea ice in the Baltic Sea during the spring snowmelt period | |
| ALLISON, I | 288 | CHENG, B | 139 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Modelling of superimposed ice formation during the spring snowmelt period in the Baltic Sea | |
| ALT, B | 329 | CLAFFEY, K | 205 |
| A case study of old-ice import and export through Peary and Sverdrup Channels in the Canadian Arctic Archipelago: 1998–2005 | | Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover | |
| ALT, B | 391 | COMISO, JC | 288 |
| Climatic analysis of sea-ice variability in the Canadian Arctic from operational charts, 1980–2004 | | ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | |
| ARBETTER, TE | 357 | COMISO, JC | 375 |
| Data assimilation of sea-ice motion vectors: sensitivity to the parameterization of sea-ice strength | | Impacts of the variability of second-year ice types on the decline of the Arctic perennial sea-ice cover | |
| BANKS, CJ | 211 | CURRAN, MAJ | 429 |
| Measurement of sea-ice draft using upward-looking ADCP on an autonomous underwater vehicle | | Covariation of sea ice and methanesulphonic acid in Wilhelm II Land, East Antarctica | |
| BARBER, DG | 23 | DAI, M | 352 |
| Surface albedo observations of Hudson Bay (Canada) landfast sea ice during the spring melt | | High-resolution sea-ice motions from AMSR-E imagery | |
| BAREISS, J | 147 | DAI, M | 357 |
| A model study of differences of snow thinning on Arctic and Antarctic first-year sea ice during spring and summer | | Data assimilation of sea-ice motion vectors: sensitivity to the parameterization of sea-ice strength | |
| BAREISS, J | 297 | DEAL, CJ | 63 |
| The importance of diurnal processes for the seasonal cycle of sea-ice microwave brightness temperatures during early summer in the Weddell Sea, Antarctica | | Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska | |
| BASKARAN, E | 113 | DETHLEFF, D | 58 |
| Molecular dynamics simulation of ice growth from supercooled pure water and from salt solution | | The role of Langmuir circulation in suspension freezing | |
| BISHOP, JR | 217 | DIERKING, W | 224 |
| In situ measurements of the direct-current conductivity of Antarctic sea ice: implications for airborne electromagnetic sounding of sea-ice thickness | | Parameterization of Arctic sea-ice surface roughness for application in ice type classification | |
| BRANDON, MA | 211 | DOBLE, M | 247 |
| Measurement of sea-ice draft using upward-looking ADCP on an autonomous underwater vehicle | | Comparison of the sea-ice thickness distribution in the Lincoln Sea and adjacent Arctic Ocean in 2004 and 2005 | |
| BRUNT, KM | 183 | DOBLE, MJ | 108 |
| Observations of unusual fast-ice conditions in the southwest Ross Sea, Antarctica: preliminary analysis of iceberg and storminess effects | | Wave measurements on sea ice: developments in instrumentation | |
| BUDGELL, WP | 73 | EHN, JK | 23 |
| Fine-scale sea-ice modelling of the Storfjorden polynya, Svalbard | | Surface albedo observations of Hudson Bay (Canada) landfast sea ice during the spring melt | |
| CARIGNANO, MA | 113 | EHN, JK | 42 |
| Molecular dynamics simulation of ice growth from supercooled pure water and from salt solution | | Direct measurements of turbulent momentum, heat and salt fluxes under landfast ice in the Baltic Sea | |
| | | EICKEN, H | 129 |
| | | A network model for fluid transport through sea ice | |
| | | EICKEN, H | 193 |
| | | Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002 | |

- ELDER, BC 205
Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover
- ENOMOTO, H 240
Standardization of electromagnetic-induction measurements of sea-ice thickness in polar and subpolar seas
- ENOMOTO, H 269
Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica
- ENOMOTO, H 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- FISHER, DA 383
Calibration of an ice-core glaciochemical (sea-salt) record with sea-ice variability in the Canadian Arctic
- FISHER, DA 391
Climatic analysis of sea-ice variability in the Canadian Arctic from operational charts, 1980–2004
- FORSBERG, R 321
Satellite-based estimates of sea-ice volume flux through Fram Strait
- FOSTER, AFM 429
Covariation of sea ice and methanesulphonic acid in Wilhelm II Land, East Antarctica
- FOWLER, CW 361
Antarctic sea-ice velocity as derived from SSM/I imagery
- GADE, M 275
Retrieval of thin-ice thickness using the L-band polarization ratio measured by the helicopter-borne scatterometer HELISCAT
- GALLEY, R 23
Surface albedo observations of Hudson Bay (Canada) landfast sea ice during the spring melt
- GARTHWAITE, PH 211
Measurement of sea-ice draft using upward-looking ADCP on an autonomous underwater vehicle
- GEARHEARD, S 433
Bridging perspectives from remote sensing and Inuit communities on changing sea-ice cover in the Baffin Bay region
- GERLAND, S 231
Variability of fast-ice thickness in Spitsbergen fjords
- GILES, B 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- GOLDEN, KM 129
A network model for fluid transport through sea ice
- GRADINGER, RR 63
Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska
- GRANSKOG, MA 7
Surface albedo measurements over sea ice in the Baltic Sea during the spring snowmelt period
- GRANSKOG, MA 23
Surface albedo observations of Hudson Bay (Canada) landfast sea ice during the spring melt
- GRANSKOG, MA 42
Direct measurements of turbulent momentum, heat and salt fluxes under landfast ice in the Baltic Sea
- GRANSKOG, MA 80
Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea
- GRANSKOG, MA 134
Relation of ice growth rate to salt segregation during freezing of low-salinity sea water (Bothnian Bay, Baltic Sea)
- GRANSKOG, MA 139
Modelling of superimposed ice formation during the spring snowmelt period in the Baltic Sea
- GRENFELL, TC 1
Spectral transmission and implications for the partitioning of shortwave radiation in arctic sea ice
- GRENFELL, TC 193
Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002
- HAARPAINTNER, J 321
Satellite-based estimates of sea-ice volume flux through Fram Strait
- HAAS, C 147
A model study of differences of snow thinning on Arctic and Antarctic first-year sea ice during spring and summer
- HAAS, C 224
Parameterization of Arctic sea-ice surface roughness for application in ice type classification
- HAAS, C 247
Comparison of the sea-ice thickness distribution in the Lincoln Sea and adjacent Arctic Ocean in 2004 and 2005
- HAAS, C 275
Retrieval of thin-ice thickness using the L-band polarization ratio measured by the helicopter-borne scatterometer HELISCAT
- HAAS, C 297
The importance of diurnal processes for the seasonal cycle of sea-ice microwave brightness temperatures during early summer in the Weddell Sea, Antarctica
- HALL, R 231
Variability of fast-ice thickness in Spitsbergen fjords
- HARAN, T 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- HARAN, TM 345
Validation of AVHRR and MODIS ice surface temperature products using in situ radiometers
- HARBECK, J 193
Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002
- HASKELL, TG 170
Growth of first-year landfast Antarctic sea ice determined from winter temperature measurements
- HEIL, P 361
Antarctic sea-ice velocity as derived from SSM/I imagery
- HEIL, P 418
Modeling M2 tidal variability in Arctic sea-ice drift and deformation
- HENDRICKS, S 247
Comparison of the sea-ice thickness distribution in the Lincoln Sea and adjacent Arctic Ocean in 2004 and 2005
- HIBLER, WD, III 339
Sea-ice arching and multiple flow states of Arctic pack ice
- HIBLER, WD, III 418
Modeling M2 tidal variability in Arctic sea-ice drift and deformation
- HUGHES NE 200
Measurement of Arctic sea-ice thickness by submarine 5 years after SCICEX
- HUTCHINGS, JK 339
Sea-ice arching and multiple flow states of Arctic pack ice
- HYLAND, G 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- INOUE, J 37
Effect of summertime wind conditions on lateral and bottom melting in the central Arctic
- IP, CF 339
Sea-ice arching and multiple flow states of Arctic pack ice
- JABINI, A 129
A network model for fluid transport through sea ice
- JENKINS, AD 73
Fine-scale sea-ice modelling of the Storfjorden polynya, Svalbard
- JIN, M 63
Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska

| | | | |
|--|-----|---|-----|
| JOHNSTON, M | 154 | LUODEKARI, K | 80 |
| A comparison of physical properties and strength of decaying first-year ice in the Arctic and sub-Arctic | | Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea | |
| KAARTOKALLIO, H | 80 | LYTLE, V | 288 |
| Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea | | ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | |
| KANAGARATNAM, P | 288 | MacAYEAL, DR | 183 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Observations of unusual fast-ice conditions in the southwest Ross Sea, Antarctica: preliminary analysis of iceberg and storminess effects | |
| KAWAMURA, T | 163 | MAHONEY, A | 193 |
| Growth, properties and relation to radar backscatter coefficient of sea ice in Lützow-Holm Bay, Antarctica | | Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002 | |
| KAWAMURA, T | 240 | MALYGIN, AP | 118 |
| Standardization of electromagnetic–induction measurements of sea-ice thickness in polar and subpolar seas | | Solidification of leads: approximate solutions of non-linear problem | |
| KEMPEMA, EW | 58 | MARKUS, T | 53 |
| The role of Langmuir circulation in suspension freezing | | Interannual and regional variability of Southern Ocean snow on sea ice | |
| KERN, S | 30 | MARKUS, T | 288 |
| The sea-ice compactness in the Greenland and Barents Seas during 1979–2003: changes and links to the surface air flow | | ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | |
| KERN, S | 275 | MARKUS, T | 367 |
| Retrieval of thin-ice thickness using the L-band polarization ratio measured by the helicopter-borne scatterometer HELISCAT | | Recent changes in the Arctic melt season | |
| KERN, S | 321 | MARTIN, T | 310 |
| Satellite-based estimates of sea-ice volume flux through Fram Strait | | Anomalies of sea-ice transports in the Arctic | |
| KEY, E | 15 | MARTIN, T | 403 |
| Implications of shortwave cloud forcing and feedbacks in the Southern Ocean | | Comparison of different ridge formation models of Arctic sea ice with observations from laser profiling | |
| KEY, E | 288 | MASSOM, RA | 269 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica | |
| KIKUCHI, T | 37 | MASSOM, RA | 288 |
| Effect of summertime wind conditions on lateral and bottom melting in the central Arctic | | ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | |
| KINNARD, C | 383 | MASSOM, RA | 345 |
| Calibration of an ice-core glaciochemical (sea-salt) record with sea-ice variability in the Canadian Arctic | | Validation of AVHRR and MODIS ice surface temperature products using in situ radiometers | |
| KINNARD, C | 391 | McCOURT, S | 391 |
| Climatic analysis of sea-ice variability in the Canadian Arctic from operational charts, 1980–2004 | | Climatic analysis of sea-ice variability in the Canadian Arctic from operational charts, 1980–2004 | |
| KNUTH, MA | 303 | MEIER, WN | 352 |
| Summer and early-fall sea-ice concentration in the Ross Sea: comparison of in situ ASPeCt observations and satellite passive microwave estimates | | High-resolution sea-ice motions from AMSR-E imagery | |
| KOHOUT, AL | 101 | MEIER, WN | 357 |
| A model for wave scattering in the marginal ice zone based on a two-dimensional floating-elastic-plate solution | | Data assimilation of sea-ice motion vectors: sensitivity to the parameterization of sea-ice strength | |
| KUOSA, H | 80 | MEIER, WN | 367 |
| Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea | | Recent changes in the Arctic melt season | |
| LAKE, SE | 361 | MEIER, WN | 433 |
| Antarctic sea-ice velocity as derived from SSM/I imagery | | Bridging perspectives from remote sensing and Inuit communities on changing sea-ice cover in the Baffin Bay region | |
| LANGHORNE, PJ | 170 | MELDRUM, DT | 108 |
| Growth of first-year landfast Antarctic sea ice determined from winter temperature measurements | | Wave measurements on sea ice: developments in instrumentation | |
| LEE, SH | 63 | MERCER, DJL | 108 |
| Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska | | Wave measurements on sea ice: developments in instrumentation | |
| LEONARD, GH | 170 | MEYLAN, MH | 101 |
| Growth of first-year landfast Antarctic sea ice determined from winter temperature measurements | | A model for wave scattering in the marginal ice zone based on a two-dimensional floating-elastic-plate solution | |
| LIGHT, B | 1 | MILLER, J | 367 |
| Spectral transmission and implications for the partitioning of shortwave radiation in arctic sea ice | | Recent changes in the Arctic melt season | |
| LIGHT, B | 193 | MINNETT, PJ | 15 |
| Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002 | | Implications of shortwave cloud forcing and feedbacks in the Southern Ocean | |
| LOVICK, J | 418 | MORGAN, VI | 429 |
| Modeling M2 tidal variability in Arctic sea-ice drift and deformation | | Covariation of sea ice and methanesulphonic acid in Wilhelm II Land, East Antarctica | |
| | | MORRIS, M | 129 |
| | | A network model for fluid transport through sea ice | |

- MUTO, A 269
Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica
- MUTO, A 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- NAKAMURA, K 261
Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data
- NAOKI, K 261
Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data
- NICOLAUS, M 147
A model study of differences of snow thinning on Arctic and Antarctic first-year sea ice during spring and summer
- NICOLAUS, M 297
The importance of diurnal processes for the seasonal cycle of sea-ice microwave brightness temperatures during early summer in the Weddell Sea, Antarctica
- NISHIO, F 261
Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data
- NOTZ, D 123
A one-dimensional enthalpy model of sea ice
- OGASAWARA, T 95
Numerical analysis of the characteristics of waves propagating in arbitrary ice-covered sea
- OHSHIMA, KI 269
Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica
- ORTMEYER, M 205
Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover
- PAPADIMITRIOU, S 80
Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea
- PAPAKYRIAKOU, T 23
Surface albedo observations of Hudson Bay (Canada) landfast sea ice during the spring melt
- PEPPE, OC 108
Wave measurements on sea ice: developments in instrumentation
- PEROVICH, DK 1
Spectral transmission and implications for the partitioning of shortwave radiation in arctic sea ice
- PEROVICH, DK 47
The interaction of ultraviolet light with Arctic sea ice during SHEBA
- PEROVICH, DK 188
From points to Poles: extrapolating point measurements of sea-ice mass balance
- PEROVICH, DK 193
Energy- and mass-balance observations of the land–ice–ocean–atmosphere system near Barrow, Alaska, USA, November 1999–July 2002
- PEROVICH, DK 205
Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover
- PETERSON, IK 411
Ice ridging and ice drift in southern Gulf of St Lawrence, Canada, during winter storms
- PFÄFFLING, A 217
In situ measurements of the direct-current conductivity of Antarctic sea ice: implications for airborne electromagnetic sounding of sea-ice thickness
- PFÄFFLING, A 275
Retrieval of thin-ice thickness using the L-band polarization ratio measured by the helicopter-borne scatterometer HELISCAT
- PFÄFFLING, A 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- PIRAZZINI, R 7
Surface albedo measurements over sea ice in the Baltic Sea during the spring snowmelt period
- PIRAZZINI, R 139
Modelling of superimposed ice formation during the spring snowmelt period in the Baltic Sea
- PRINSENBURG, SJ 411
Ice ridging and ice drift in southern Gulf of St Lawrence, Canada, during winter storms
- PROSHUTINSKY, AY 418
Modeling M2 tidal variability in Arctic sea-ice drift and deformation
- PURDIE, CR 170
Growth of first-year landfast Antarctic sea ice determined from winter temperature measurements
- REID, JE 217
In situ measurements of the direct-current conductivity of Antarctic sea ice: implications for airborne electromagnetic sounding of sea-ice thickness
- RICHTER-MENGE, JA 188
From points to Poles: extrapolating point measurements of sea-ice mass balance
- RICHTER-MENGE, JA 205
Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover
- RIGOR, I 205
Ice mass-balance buoys: a tool for measuring and attributing changes in the thickness of the Arctic sea-ice cover
- ROBERTS, A 418
Modeling M2 tidal variability in Arctic sea-ice drift and deformation
- SAKAI, S 95
Numerical analysis of the characteristics of waves propagating in arbitrary ice-covered sea
- SCAMBOS, T 288
ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products
- SCAMBOS, T 345
Validation of AVHRR and MODIS ice surface temperature products using in situ radiometers
- SEQUEIROS, AB 134
Relation of ice growth rate to salt segregation during freezing of low-salinity sea water (Bothnian Bay, Baltic Sea)
- SERGIENKO, O 183
Observations of unusual fast-ice conditions in the southwest Ross Sea, Antarctica: preliminary analysis of iceberg and storminess effects
- SHEPSON, PB 113
Molecular dynamics simulation of ice growth from supercooled pure water and from salt solution
- SHIMODA, H 253
Ship-borne electromagnetic induction sounding of sea-ice thickness in the southern Sea of Okhotsk
- SHIMODA, H 281
Characteristics of sea-ice thickness and snow-depth distributions of the summer landfast ice in Lützow-Holm Bay, East Antarctica
- SHIN, K-H 63
Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska
- SHIRASAWA, K 240
Standardization of electromagnetic–induction measurements of sea-ice thickness in polar and subpolar seas
- SHIRASAWA, K 253
Ship-borne electromagnetic induction sounding of sea-ice thickness in the southern Sea of Okhotsk
- SIMMONS, HL 418
Modeling M2 tidal variability in Arctic sea-ice drift and deformation
- SMEDSRUD, LH 73
Fine-scale sea-ice modelling of the Storfjorden polynya, Svalbard

| | | | |
|---|-----|--|-----|
| SMITH, BT | 429 | USHIO, S | 269 |
| Covariation of sea ice and methanesulphonic acid in Wilhelm II Land, East Antarctica | | Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica | |
| SONNINEN, E | 134 | USHIO, S | 281 |
| Relation of ice growth rate to salt segregation during freezing of low-salinity sea water (Bothnian Bay, Baltic Sea) | | Characteristics of sea-ice thickness and snow-depth distributions of the summer landfast ice in Lützw-Holm Bay, East Antarctica | |
| SPREEN, G | 30 | UTO, S | 240 |
| The sea-ice compactness in the Greenland and Barents Seas during 1979–2003: changes and links to the surface air flow | | Standardization of electromagnetic–induction measurements of sea-ice thickness in polar and subpolar seas | |
| SPREEN, G | 321 | UTO, S | 253 |
| Satellite-based estimates of sea-ice volume flux through Fram Strait | | Ship-borne electromagnetic induction sounding of sea-ice thickness in the southern Sea of Okhotsk | |
| SQUIRE, VA | 88 | UTO, S | 261 |
| Scattering of ice-coupled waves by variable sea-ice terrain | | Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data | |
| STAMMER, D | 30 | UTO, S | 281 |
| The sea-ice compactness in the Greenland and Barents Seas during 1979–2003: changes and links to the surface air flow | | Characteristics of sea-ice thickness and snow-depth distributions of the summer landfast ice in Lützw-Holm Bay, East Antarctica | |
| STAMMER, D | 321 | UUSIKIVI, J | 42 |
| Satellite-based estimates of sea-ice volume flux through Fram Strait | | Direct measurements of turbulent momentum, heat and salt fluxes under landfast ice in the Baltic Sea | |
| STEFFENS, M | 80 | UUSIKIVI, J | 134 |
| Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea | | Relation of ice growth rate to salt segregation during freezing of low-salinity sea water (Bothnian Bay, Baltic Sea) | |
| STROEVE, J | 367 | VAN DER BAAREN, A | 411 |
| Recent changes in the Arctic melt season | | Ice ridging and ice drift in southern Gulf of St Lawrence, Canada, during winter storms | |
| STROEVE, J | 433 | VAN OMMEN, TD | 429 |
| Bridging perspectives from remote sensing and Inuit communities on changing sea-ice cover in the Baffin Bay region | | Covariation of sea ice and methanesulphonic acid in Wilhelm II Land, East Antarctica | |
| SZLEIFER, I | 113 | VAUGHAN, GL | 88 |
| Molecular dynamics simulation of ice growth from supercooled pure water and from salt solution | | Scattering of ice-coupled waves by variable sea-ice terrain | |
| TAMURA, T | 269 | VIHMA, T | 7 |
| Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica | | Surface albedo measurements over sea ice in the Baltic Sea during the spring snowmelt period | |
| TAMURA, T | 288 | VIHMA, T | 139 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Modelling of superimposed ice formation during the spring snowmelt period in the Baltic Sea | |
| TANAKA, N | 63 | VON SALDERN, C | 224 |
| Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska | | Parameterization of Arctic sea-ice surface roughness for application in ice type classification | |
| TATEYAMA, K | 240 | WADHAMS, P | 200 |
| Standardization of electromagnetic–induction measurements of sea-ice thickness in polar and subpolar seas | | Measurement of Arctic sea-ice thickness by submarine 5 years after SCICEX | |
| TATEYAMA, K | 253 | WAKABAYASHI, H | 163 |
| Ship-borne electromagnetic induction sounding of sea-ice thickness in the southern Sea of Okhotsk | | Growth, properties and relation to radar backscatter coefficient of sea ice in Lützw-Holm Bay, Antarctica | |
| TATEYAMA, K | 269 | WAKABAYASHI, H | 261 |
| Estimation of thin sea-ice thickness from NOAA AVHRR data in a polynya off the Wilkes Land coast, East Antarctica | | Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data | |
| TATEYAMA, K | 288 | WAKE, CP | 383 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Calibration of an ice-core glaciochemical (sea-salt) record with sea-ice variability in the Canadian Arctic | |
| THOMAS, DN | 80 | WANG, J | 63 |
| Spatial variation of biogeochemical properties of landfast sea ice in the Gulf of Bothnia, Baltic Sea | | Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska | |
| TOYOTA, T | 240 | WANG, K | 317 |
| Standardization of electromagnetic–induction measurements of sea-ice thickness in polar and subpolar seas | | Pack ice as a two-dimensional granular plastic: a new constitutive law | |
| TOYOTA, T | 253 | WHITLEDGE, TE | 63 |
| Ship-borne electromagnetic induction sounding of sea-ice thickness in the southern Sea of Okhotsk | | Controls of the landfast ice–ocean ecosystem offshore Barrow, Alaska | |
| URATSUKA, S | 261 | WILLMES, S | 147 |
| Sea-ice thickness retrieval in the Sea of Okhotsk using dual-polarization SAR data | | A model study of differences of snow thinning on Arctic and Antarctic first-year sea ice during spring and summer | |
| USHIO, S | 163 | WILLMES, S | 297 |
| Growth, properties and relation to radar backscatter coefficient of sea ice in Lützw-Holm Bay, Antarctica | | The importance of diurnal processes for the seasonal cycle of sea-ice microwave brightness temperatures during early summer in the Weddell Sea, Antarctica | |
| USHIO, S | 177 | | |
| Factors affecting fast-ice break-up frequency in Lützw-Holm Bay, Antarctica | | | |

| | | | |
|---|-----|---|-----|
| WILSON, K | 329 | YOUNG, N | 288 |
| A case study of old-ice import and export through Peary and Sverdrup Channels in the Canadian Arctic Archipelago: 1998–2005 | | ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | |
| WORBY, A | 217 | ZDANOWICZ, CM | 383 |
| In situ measurements of the direct-current conductivity of Antarctic sea ice: implications for airborne electromagnetic sounding of sea-ice thickness | | Calibration of an ice-core glaciochemical (sea-salt) record with sea-ice variability in the Canadian Arctic | |
| WORBY, A | 288 | ZDANOWICZ, CM | 391 |
| ARISE (Antarctic Remote Ice Sensing Experiment) in the East 2003: validation of satellite-derived sea-ice data products | | Climatic analysis of sea-ice variability in the Canadian Arctic from operational charts, 1980–2004 | |
| WORSTER, MG | 123 | ZHU, J | 129 |
| A one-dimensional enthalpy model of sea ice | | A network model for fluid transport through sea ice | |