

# *Paleobiology Memoirs*

(ISSN 0094-8373)

Volume 27

Supplement to Number 2

Spring, 2001

## **RESPONSES OF AFRICAN BOVIDS TO PLIOCENE CLIMATIC CHANGE**

**RENÉ BOBE AND GERALD G. ECK**

An occasional supplement to *Paleobiology*  
© 2001 The Paleontological Society. All rights reserved.  
CODEN PALBBM 27(2) 1-48 (2001)

Address manuscripts and advertising to:

Dr. Douglas H. Erwin and Dr. Scott L. Wing  
PALEOBIOLOGY  
Department of Paleobiology, NHB121  
Smithsonian Institution  
Washington, DC 20560

Address all requests for Permissions to the Editorial Office.

You can view and download *Paleobiology* from the world wide web in four places. Volumes 1–22 are at <http://www.jstor.org>. (PDF only; requires library subscription to ecology journals within JSTOR.) Current issues back to volume 26(1) are at <http://www.bioone.org/> (with a library subscription to BioOne), and at <http://www.psjournals.org> (free until 1 Jan. 2002). Titles and abstracts for volumes 22–27 are free at <http://apt.allenpress.com/>.

Source code for many programs published in PALEOBIOLOGY is available at <http://geosci.uchicago.edu/paleo/csource>.

CO-EDITORS: DOUGLAS H. ERWIN and SCOTT L. WING  
Smithsonian Institution

*Matters of the Record* EDITOR: ARNOLD I. MILLER  
University of Cincinnati

EDITORIAL ASSISTANT: FINNEGAN MARSH

COPYEDITOR: NATASHA ATKINS

FOUNDING EDITORS: THOMAS J. M. SCHOPF and RALPH G. JOHNSON


Address ALL matters regarding SUBSCRIPTIONS to:

Paleobiology Subscriptions  
P.O. Box 1897  
810 East 10th St.  
Lawrence, KS 66044-8897

Although published by The Paleontological Society, a subscription to PALEOBIOLOGY is in addition to the society dues. There are five groups of subscribers. For 2001, subscriptions are:

- (1) \$35.00 for regular subscribers.
- (2) \$33.00 for members of The Paleontological Society or the Palaeontological Association.
- (3) \$23.00 for student subscribers.
- (4) \$20.00 for student members of The Paleontological Society or the Palaeontological Association.
- (5) \$65.00 for institutions.

Back issues: \$4.00 for members, \$16.00 for nonmembers. Price includes postage and handling.



PALEOBIOLOGY (ISSN 0094-8373) is published quarterly by The Paleontological Society, 810 East 10th St., Lawrence, KS 66044, USA. Price for institutional subscriptions, \$65; individual subscriptions, \$35. Periodicals postage paid at Lawrence, KS. POSTMASTER: Send address changes to PALEOBIOLOGY, P.O. Box 1897, 810 East 10th St., Lawrence, KS 66044-8897, USA. PALEOBIOLOGY is printed offset by Allen Press, Inc., Lawrence, KS 66044.

∞ This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

*Paleobiology Memoirs*

Memoir 2

Supplement to 27(2)

**RESPONSES OF AFRICAN BOVIDS  
TO PLIOCENE CLIMATIC CHANGE**

**René Bobe and Gerald G. Eck**

Copyright © 2001 *by*  
THE PALEONTOLOGICAL SOCIETY, INC.  
Spring, 2001

CONTENTS

LIST OF FIGURES . . . . . ii  
 LIST OF TABLES . . . . . ii  
 ABSTRACT . . . . . 1  
 INTRODUCTION . . . . . 1  
     The Shungura Formation . . . . . 2  
     The Geological Setting . . . . . 2  
     Paleosols . . . . . 9  
     Vegetation and Paleobotanical Remains . . . . . 9  
     Micromammals . . . . . 11  
     Remaining Problems . . . . . 11  
 MATERIALS AND METHODS . . . . . 12  
     Collection Methods . . . . . 12  
     The Shungura Database . . . . . 13  
     Analytical Methods . . . . . 14  
 RESULTS . . . . . 19  
     Abundance and Diversity . . . . . 19  
     Taphonomic Considerations . . . . . 20  
     Bovid Taxa . . . . . 24  
         Reduncini . . . . . 24  
         Aepycerotini . . . . . 25  
         Tragelaphini . . . . . 26  
         Bovini . . . . . 27  
         Alcelaphini . . . . . 28  
         Antilopini . . . . . 28  
         Hippotragini . . . . . 28  
         Neotragini . . . . . 29  
         Ovibovini . . . . . 29  
     Patterns of Faunal Change . . . . . 29  
     Paleoenvironmental Implications . . . . . 31  
 DISCUSSION . . . . . 33  
 CONCLUSIONS . . . . . 38  
 ACKNOWLEDGMENTS . . . . . 38  
 LITERATURE CITED . . . . . 39  
 APPENDIX . . . . . 42

FIGURE 8. Log-log plot of the number of bovid species (natural logarithm) with bovid sample size (natural logarithm) per member . . . . . 18  
 FIGURE 9. Bovid diversity measured by Fisher's alpha . . . . . 19  
 FIGURE 10. Species dominance measured by Berger-Parker and Simpson indices . . . . . 20  
 FIGURE 11. Abundance of bovid specimens identified to the family level only . . . . . 21  
 FIGURE 12. Relative abundance of bovid skeletal elements in Shungura Members B to G . . . . . 22  
 FIGURE 13. Correspondence analysis of bovid skeletal elements across Shungura members . . . . . 23  
 FIGURE 14. Reduncini as proportion of all bovids per member . . . . . 25  
 FIGURE 15. Aepycerotini as proportion of all bovids per member . . . . . 26  
 FIGURE 16. Tragelaphini as proportion of all bovids per member . . . . . 27  
 FIGURE 17. Bovini as proportion of all bovids per member . . . . . 28  
 FIGURE 18. Alcelaphini and Antilopini as proportion of all bovids per member . . . . . 28  
 FIGURE 19. Correspondence analysis of bovid tribes in Shungura Member B to upper Member G . . . . . 29  
 FIGURE 20. Correspondence analysis of bovid genera in Shungura Member B to upper Member G . . . . . 30  
 FIGURE 21. Correspondence analysis of bovid species in Shungura Member B to upper Member G . . . . . 30  
 FIGURE 22. Correspondence analysis of bovid taxa across 200,000-year intervals . . . . . 32  
 FIGURE 23. Abundance of bovids indicative of closed and wet habitats . . . . . 32

FIGURES

FIGURE 1. Map of the Turkana Basin, including Lake Turkana in Kenya and the lower Omo Valley in Ethiopia . . . . . 3  
 FIGURE 2. Photograph of the Shungura Formation exposures . . . . . 4  
 FIGURE 3. Chronology, stratigraphy, and paleoenvironmental reconstructions of the Shungura Formation . . . . . 6  
 FIGURE 4. Rate of sedimentation in the Shungura Formation . . . . . 9  
 FIGURE 5. Abundance of Shungura Formation mammalian families . . . . . 13  
 FIGURE 6. Bovid abundance as a proportion of all mammals per member of the Shungura Formation . . . . . 18  
 FIGURE 7. Log-log plot of bovid sample size (natural logarithm of the number of specimens) with area of exposure of Shungura members . . . . . 18

TABLES

TABLE 1. Dating and correlations of Omo Group deposits in the Turkana Basin, Kenya and Ethiopia . . . . . 8  
 TABLE 2. Abundance of Shungura Formation families of mammals . . . . . 14  
 TABLE 3. Shungura bovid taxa across members . . . . . 15  
 TABLE 4. Shungura bovid taxa as proportion of the total number of bovids per member . . . . . 16  
 TABLE 5. Characteristics of Shungura members . . . . . 20  
 TABLE 6. Percentage of skeletal elements identified to family only and below the family level . . . . . 21  
 TABLE 7. Bovid specimens according to skeletal-element representation . . . . . 22  
 TABLE 8. Abundance of bovid taxa across 200-Kyr intervals . . . . . 31