

LASER AND PARTICLE BEAMS

Volume 12 1994

Cambridge University Press

40 West 20th Street, New York, NY 10011, USA

The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Laser and Particle Beams

Pulse Power and High Energy Densities

Editor in Chief:

G. H. MILEY
Director, Fusion Studies Laboratory,
University of Illinois,
103 S. Goodwin Ave, Urbana, Il. 61801, USA

Emeritus Editor in Chief: HEINRICH HORA

Professor Emeritus
University of New South Wales
Kensington 2033, Australia

Associate Editors:

R. DAUTRAY (for Europe)
Scientific Director, CEA Limeil, B.P. 27
94190 Villeneuve St. Georges, France

A. H. GUENTHER (for Pulse Power)
Scientific Advisor (Lab. Development)
Sandia National Laboratories
Albuquerque, NM 87115

C. YAMANAKA (for Japan)
Director, Institute of Laser Engineering,
Osaka University, Suita,
565 Osaka, Japan

Editorial Board

N. G. Basov (Moscow)
D. Cartwright (Los Alamos)
P. van Devender (Albuquerque)
S. Eliezer (Soreq, Israel)
G. Kessler (Karlsruhe)
M. H. Key (Rutherford Appleton Lab.)
M. Kristiansen (Pulse Power Lab,
Texas Tech)
R. L. McCrory (Rochester)
G. A. Mesyats (Sverdlovsk, Russia)
P. Mulser (Darmstadt)
S. Nakai (Osaka)
K. Niu (Nagatsuta)
A. A. Offenberger (Alberta)
A. M. Prokhorov (Moscow)
B. Ripin (Washington)
D. D. Ryutov (Novosibirsk)
E. Storm (Livermore)
J. P. Watteau (CEA Limeil)

Laser and Particle Beams is an international journal that covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

©Cambridge University Press 1994

Copying: This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 5/0263-0346/94/\$5.00 + 00.

ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission must be sought from Cambridge University Press.

Subscriptions: *Laser and Particle Beams* (ISSN 0263-0346) is published quarterly. The subscription price for institutions (which includes postage) of Volume 12, 1994 is US \$310 for the US, Mexico, and Canada (UK £160 elsewhere). Individual rates: US \$93 in the US, Mexico, and Canada; UK £55 elsewhere. Single parts cost US \$79 for the US, Mexico, and Canada (UK £41 elsewhere) plus postage. Four parts form a volume. Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent, or direct to the publishers: Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011-4211, USA; orders outside the US, Canada, or Mexico may be sent to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, England. Claims for missing issues should be made immediately after receipt of the next issue. POSTMASTER: Send address changes in the US, Mexico, and Canada to *Laser and Particle Beams*, Cambridge University Press, 110 Midland Avenue, Port Chester, NY 10573-9864.

Second Class Postage paid at New York, NY and at additional mailing offices.

CONTENTS OF VOLUME 12

TABLE OF CONTENTS LASER AND PARTICLE BEAMS

Vol. 12 1994

NUMBER 1

Preface

- A.P. Fews (H.H. Wills Physics Lab., Univ. of Bristol, Bristol, UK), M.J. Lamb and M. Savage (Dept. of Pure and Applied Physics, Queens Univ., Belfast, Belfast, U.K.): Three-dimensional α -particle imaging of laser-driven implosions 1
- T. Okada and H. Tazawa (Tokyo Univ. of Agriculture and Tech., Tokyo, Japan): Two-stream instability for a light ion beam-plasma system with external magnetic field 13
- C.B. McKee and John M.J. Madey (Dept. of Physics, Duke Univ., Durham, NC, USA): Electron beam control using experimentally measured transport matrices 17
- C.R. Phipps (Los Alamos National Lab., Los Alamos, NM, USA) and M.M. Michaelis (Univ. of Natal, South Africa): LISP: Laser impulse space propulsion 23
- J. Ramírez and J.R. Sanmartín (ETSI Aeronáuticos, Madrid, Spain): Self-similar expansion of laser plasmas with nonlocal heat flux 55
- A.E. Pozwolski (Education Nationale, Paris, France): Tandem acceleration of dust plasma and impact fusion 65
- V.A. Burtsev, Y.L. Ermolaev, N.V. Kalinin, and I.B. Petrov (D.V. Efremov Inst. of Electro-phys. App., St. Petersburg, Russia): Control of a high-current discharge radiation spectrum 71
- K. Niu (Teikyo Univ. of Tech., Chiba, Japan): Application of pulse power technology to inertial confinement fusion: Focusing and propagation of proton beam 85
- J. Limpouch, L. Drska, and R. Liska (Czech Tech. Univ. in Prague, Prague, Czech Republic): Fokker-Planck simulations of interactions of femtosecond laser pulses with dense plasmas 101
- R. Evans, Z. Ahmad, T.A. Hall (Univ. of Essex, Essex, UK) and Y.A. Zakharenkov (Lebedev Physical Inst., Moscow, Russia): Random-phase plate effects on burn-through measurements of laser-irradiated plane-layered targets 111

NUMBER 2

McCrorry Special Issue

- Preface 121
- Editor's Comments 123
- Gregory A. Moses and Robert R. Peterson (Fusion Technology Inst., Madison, WI, USA): Computer modeling of ICF target chamber phenomena 125

R.P.J. Town, B.J. Jones, J.D. Findlay, and A.R. Bell (Blackett Laboratory, London, UK): Three-dimensional simulations of the Rayleigh–Taylor instability during the deceleration phase	163
E.G. Gamaly (The Australia National Univ., Canberra, Australia): Ultrashort powerful laser matter interaction: Physical problems, models, and computations	185
G.J. Pert (Univ. of York, Heslington, York, UK): Computational modeling for X-ray lasers	209
K. Eidmann (Max-Planck-Inst., Garching, Germany): Radiation transport and atomic physics modeling in high-energy-density laser-produced plasmas	223
R.M. More (Lawrence Livermore National Lab., Livermore, CA, USA): Semi-classical calculation of atomic processes and numerical simulation of dense plasmas	245
E.M. Epperlein (Univ. of Rochester, Rochester, NY, USA): Fokker–Planck modeling of electron transport in laser-produced plasmas	257
Glenn Joyce, Jonathan Krall, and Steven Slinker (Naval Research Lab., Washington, DC, USA): ELBA (electron beams in accelerators) particle simulation code	273
J.P. Quintenz, D.B. Seidel, M.L. Kiefer, T.D. Pointon, R.S. Coats, S.E. Rosenthal, T.A. Mehlhorn, M.P. Desjarlais, and N.A. Krall (Sandia National Lab., Albuquerque, NM, USA): Simulation codes for light-ion diode modeling	283

NUMBER 3

Special Issue: Select Papers from the 22nd ECLIM Presented by the Centre d'Etudes de Limeil-Valenton in Paris on May 10–14, 1993.

G.H. Miley: Preface	325
J. Coutant: Editorial	327
M. André, D. Babonneau, C. Bayer, M. Bernard, J.-L. Bocher, J. Bruneau, A. Coudeville, J. Coutant, R. Dautray, A. Decoster, M. Decroisette, D. Desenne, J.-M. Dufour, J.-P. Garçonnet, P.-A. Holstein, J.-P. Jadaud, A. Jolas, D. Juraszek, J. Lachkar, P. Lascaux, J.-P. Le Breton, M. Louis-Jacquet, B. Meyer, F. Mucchielli, C. Rousseaux, D. Schirrmann, G. Schurtz, D. Véron, and J.-P. Watteau (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint-Georges Cedex France): Progress in inertial confinement fusion physics at Centre d'Etudes de Limeil-Valenton	329
A. Caruso and V.A. Pais (EURATOM-ENEA sulla Fusione, Roma, Italia): Hydrodynamical evolution and radiation confinement of rough surfaces exposed to thermal radiation in indirectly driven inertial confinement fusion targets	343
B.N. Bazylev, I.N. Burdonskii, V.V. Gavrilov, A.Yu. Gol'tsov, E.V. Zhuzhukalo, N.G. Koval'skii, V.N. Kondrashov, M.O. Koshevoj, M.I. Pergament, G.S. Romanov, A.A. Rupasov, A.S. Smetannikov, V.I. Tolkach, and A.S. Shikanov (Troitsk Inst. for Innovation and Thermonuclear Investigations, Moscow, Russia): Investigation of energy transfer in plane laser-irradiated targets with high X-ray conversion efficiency	355
I.G. Lebo, V.B. Rozanov (Lebedev Phys. Inst., Moscow, Russia), and V.F. Tishkin (Inst. Mathematical Modelling, Moscow, Russia): Hydrodynamic instability and target design	361
S.Yu. Gus'kov, V.B. Rozanov (Lebedev Phys. Inst., Moscow, Russia), and T. Pisarczyk (Inst. of Plasma Phys. and Laser Microfusion, Warsaw, Poland): Magnetic control of the plasma flows in laser targets	371

I.G. Lebo and V.B. Rozanov (Lebedev Phys. Inst., Moscow, Russia): Rayleigh-Taylor instability in the incompressible shell with allowance for ablative stabilization	379
P. Mora and J.F. Luciani (Ecole Polytechnique, Palaiseau Cedex, France): Nonlocal electron transport in laser created plasmas	387
C. Blancard (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint Georges Cedex, France) and J. Dubau (Observatoire de Paris-Meudon, Meudon Cedex, France): Inelastic electron-ion scattering in hot and dense plasmas	401
A. Calisti, L. Godbert, T. Meftah, C. Mossé, R. Stamm, and B. Talin (Université de Provence, Marseille Cedex, France): Model for the Stark broadening of plasmas created by laser interaction with matter	407
D. Gilles (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint Georges Cedex, France) and C. Stehlé (Observatoire de Paris, Meudon Cedex, France): Application of the model micro-field method to the Stark broadening of ions	413
W. Mróz (Military Univ. of Tech., Warsaw, Poland), P. Parys, J. Wolowski, E. Woryna (Inst. of Plasma Phys. and Laser Microfusion, Warsaw, Poland) B. Králiková, J. Krása, L. Láška, K. Mašek, J. Skála, and K. Rohlena (Acad. of Sciences, Prague, Czech Republic): Investigation of iodine laser interaction of intensities $I\lambda^2 \sim 10^{13}\text{--}10^{15} \text{ Wcm}^{-2} \mu\text{m}^2$ with aluminum targets	421
E. Schifano, S.D. Baton, C. Lebaune, N. Renard (Ecole Polytechnique, Palaiseau Cedex, France), V. Biancalana, A. Giulietti (Istituto di Fisica Atomica e Molecolare, Pisa, Italy), and D. Giulietti (Università di Pisa, Italy): Second harmonic emission from laser-preformed plasmas as a diagnostic for filamentation in various interaction conditions	435
K. Mašek, B. Králiková, J. Krása, L. Láška, K. Rohlena, J. Skála, O. Štirand, P. Tenda (Acad. of Sciences of the Czech Republic, Prague, Czech Republic), B. Rus (Université Paris-Sud, Orsay Cedex, France), A.V. Bessarab, S.G. Garanin, G.A. Kirillov, Yu.F. Kiryanov, G.G. Kochemasov, A.B. Ryadov, S.A. Sukharev, N.A. Suslov, and A.I. Zaretskii (VNIIEF, Nizhnii Novgorod Region, Russia): Passage of laser light through a hole-plasma shutter	445
J.P. Matte, J.C. Kieffer, M. Chaker, C.Y. Côté, Y. Beaudoin (INRS-Energie, Quebec, Canada), C.Y. Chien, S. Coe, G. Mourou (Univ. of Michigan, Ann Arbor, MI, USA), M. Busquet, D. Giles, and O. Peyrusse (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint Georges Cedex, France): Spectroscopic analysis of short-pulse laser produced plasmas	455
M.P. Kalashnikov, P.V. Nickles, I. Will, F. Billhardt, and M. Schnürer (Max-Born-Inst. of Nonlinear Optics and Ultrafast Spectroscopy, Berlin, Germany): A high-contrast all-glass ps-terawatt CPA laser system	463
H. Fiedorowicz, A. Bartnik, Z. Patron (Military Univ. of Tech., Warsaw, Poland), and P. Parys (Inst. of Plasma Phys. and Laser Microfusion, Warsaw, Poland): Generation of nanosecond soft X-ray pulses as a result of interaction of the Nd:glass laser radiation with gas puff targets	471
H. Derfoul, E. Leboucher-Dalimier, I. Gharbi (Université Pierre et Marie Curie, Paris Cedex, France), and A. Poquerusse (Ecole Polytechnique, Palaiseau Cedex, France): Radial inhomogeneity diagnostics deduced from space-resolved X-ray emission	485
T. Aoki (Max-Planck-Institut für Quantenoptik, Garching, Germany), T. Yabe (Gunma Univ., Gunma, Japan), T. Ozaki, and H. Kuroda (University of Tokyo, Tokyo, Japan): Numerical study of microcylinder target for recombination of X-ray laser	495
J.S. Wark and H. He (Univ. of Oxford, Oxford, UK): Subpicosecond X-ray diffraction	507
R.W. John and W. Brunner (Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie, Berlin, Germany): Temporal evolution of the inversion condition for the X-ray Balmer- α transition in ions of short-laser-pulse produced recombining plasmas	515

C. Lazzari, M. De Rosa, S. Rastelli, A. Ciucci, V. Palleschi, and A. Salvetti (Istituto di Fisica Atomica e Molecolare del C.N.R., Pisa, Italy): Detection of mercury in air by time-resolved laser-induced breakdown spectroscopy technique	525
M.M. Michaelis, N. Lisi, R. Kuppen, R. Buccellato, and A. Prause (Univ. of Natal, Durban, South Africa): Applications of the colliding shock lens	531
O. Renner, M. Kopecký, E. Krouský (Czech Academy of Sciences, Prague, Czech Republic), E. Förster, T. Missalla (Univ. of Jena, Jena, Germany), and J.S. Wark (Univ. of Oxford, Oxford, UK): New methods of X-ray spectroscopy of laser-produced plasmas with one-dimensional spatial resolution	539
T. Pisarczyk, R. Arendzikowski, Z. Patron (Military Univ. of Tech., Warsaw, Poland), and P. Parys (Inst. of Plasma Phys. and Laser Microfusion, Warsaw, Poland): Polari interferometer with automatic images processing for laser plasma diagnostic	549
J.-P. Garçonnet, O. Delage, D. Schirmann (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint Georges Cedex, France), A. Bertin, G. Grenier, B. Guilpart, and A. Rouyer (Centre d'Etudes de Bruyères Le Châtel, Bruyères Le Châtel, France): Neutron penumbral imaging of inertial confinement fusion targets	563
C. Reverdin, P. Troussel, F. Le Guern, J.L. Bourgade, D. Schirmann, J.M. Dalmaso, D. Gontier, and G. Lidove (Centre d'Etudes de Limeil-Valenton, Villeneuve Saint Georges Cedex, France): Absolute brightness measurements at the LURE synchrotron with a bolometer and application to the absolute calibration of photodiodes and photocathodes	573
Erratum	584

NUMBER 4

Preface	i
M. Ueda (Inst. Nacional de Pesquisas Espaciais, São Paulo, Brazil), J.B. Greenly, D.A. Hammer, and G.D. Rondeau (Cornell Univ., Ithaca, New York, USA): Intense ion beam from a magnetically insulated diode with magnetically controlled gas-breakdown ion source	585
R.B. Baksht, I.M. Datsko, A.V. Fedunin, V.V. Loskutov, V.I. Oreshkin, A.G. Russkich, and A.V. Shishlov (High Current Elect. Inst., Tomsk, Russia): High-power imploding plasma for the X-ray laser	615
Meenu Asthana, M.S. Sodha, and K.P. Maheshwari (Devi Ahilya Univ., Indore, India): Non-linear relativistic self-focusing of laser radiation in plasmas: Arbitrary intensity	623
A.S. Bugaev, N.N. Koval, M.I. Lomaev, S.V. Mel'chenko, V.V. Ryzhov, V.F. Tarasenko, I.Yu. Turchanovsky, A.V. Fedenev, and P.M. Shchanin (Inst. of High Current Elect., Tomsk, Russia): Radially convergent 30-100 μ s e-beam-pumped Xe and Ne lasers	633
K. Kasuya, K. Horioka, N. Hikida, M. Watanabe (Tokyo Inst. of Tech., Tokyo, Japan), Y. Kawakita, S. Kato (Nissin Electric Company, Ltd.), and H. Okuda (Princeton Univ., Princeton, New Jersey, USA): One-dimensional computation of the discharge-pumped excimer lasers under repetitive operations	647
J.M. Martínez-Val, S. Eliezer, and M. Piera (Madrid Polytech. Univ., Spain): Volume ignition targets for heavy-ion inertial fusion	681
V.T. Astrelin and S.V. Lebedev (Budker Inst. of Nuclear Phys., Novosibirsk, Russia): The method of an intense electron beam modulation	719
D.L. Youngs (Atomic Weapons Establishment, Reading, Berkshire, UK): Numerical simulation of mixing by Rayleigh-Taylor and Richtmyer-Meshkov instabilities	725

W.J. Blyth, N.C. Woolsey, J.S. Wark (Univ. of Oxford, Oxford, UK), P.E. Young (Lawrence Livermore Lab., Livermore, California, USA), A. Zigler (Hebrew Univ., Jerusalem), and S.J. Rose (Univ. of Birmingham, Birmingham, Alabama, USA): Production of a high-density, long scale-length iron plasma using a capillary discharge	751
Cynthia Kolb Whitney (Tufts Univ. Electro-Optics Tech. Center, Medford, Massachusetts, USA, and W.J. Schafer Associates, Inc., Chelmsford, Massachusetts, USA): Spectral structure in synchrotron radiation	759
Book Review by Heinrich Hora	769
Index	771

ESSENTIAL READING FROM CAMBRIDGE

Photodissociation Dynamics

Reinhard Schinke
*Cambridge Monographs on Atomic,
Molecular and Chemical Physics 1*
1993 400 pp.
38368-4 Hardcover \$89.95

The Ideas of Particle Physics

An Introduction for Scientists
Second Edition
G.D. Coughlan and J.E. Dodd
1991 256 pp.
38506-7 Hardcover \$64.95
38677-2 Paper \$29.95

Statistics for Nuclear and Particle Physicists

L. Lyons
1989 240 pp. 37934-2 Paper \$29.95

Diffraction Effect in Semiclassical Scattering

H.M. Nussenzveig
*Montroll Memorial Lecture Series in
Mathematical Physics 1*
1992 251 pp.
38318-8 Hardcover \$59.95

Particle Field Holography

Chandra S. Vikram
*Cambridge Studies in Modern
Optics 11*
1992 280 pp.
41127-0 Hardcover \$79.95

Quantum Measurement

*V.B. Braginsky and
F. Ya. Khalili*
1992 205 pp.
41928-X Hardcover \$39.95

Newton to Einstein: The Trail of Light

An Excursion to the Wave-Particle
Duality and the Special Theory of
Relativity
Ralph Baierlein
1992 345 pp.
41171-8 Hardcover \$34.95

Ultrafast Fiber Switching Devices and Systems

Mohammed Islam
*Cambridge Studies in Modern
Optics 12*
1992 224 pp.
43191-3 Hardcover \$49.95

Available in bookstores or from

CAMBRIDGE
UNIVERSITY PRESS

40 West 20th Street,
New York, NY 10011-4211
Call toll free 800-872-7423.
MasterCard/VISA accepted.
Prices subject to change.

Information for Contributors

1. Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favorable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Associate Editor or the Editor.
2. Manuscripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, phone and/or fax numbers, position, and affiliations. Authors are urged to send in their manuscripts on disks as well as on hard copy.
3. The title and section headings should highlight the significant points. A short abstract should precede the main text.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables.
7. References and footnotes should be cited according to the Harvard (Author/date) system, also known as the "British form". In the text, author and year are cited in parentheses e.g. "... was found by McCarthy (1980, 1980a)..." or "(Emmett *et al.* 1972)". Full references are listed in alphabetic order at the end of the paper. References are not numbered. An example of a reference list is:

DEUTSCH, C. & KLARFELD, S. 1973 *Phys. Rev.* **A7**, 2081.
NICHOLSON, D. R. 1983 *Plasma Theory* (John Wiley, New York).
OOMURA, H. *et al.* 1982 *Res. Rep ILE*, ILE-8207p.
OOMURA, H. *et al.* 1982a *Trans. Ans* **43**, 617.

Note that the year of publication appears after the author's name. If possible, all authors names should be listed in preference to "*et al.*" If one author or team is referred to more than once in any year, the letters a, b, etc should be added after the year to distinguish the individual references.
8. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

Cambridge University Press
40 West 20th Street, New York, NY 10011, USA
The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

LASER AND PARTICLE BEAMS

Pulse Power and High Energy Densities

Volume 12, Number 4, 1994

Preface i

M. Ueda (Inst. Nacional de Pesquisas Espaciais, São Paulo, Brazil), J.B. Greenly, D.A. Hammer, and G.D. Rondeau (Cornell Univ., Ithaca, New York, USA): Intense ion beam from a magnetically insulated diode with magnetically controlled gas-breakdown ion source 585

R.B. Baksht, I.M. Datsko, A.V. Fedunin, V.V. Loskutov, V.I. Oreshkin, A.G. Russkich, and A.V. Shishlov (High Current Elect. Inst., Tomsk, Russia): High-power imploding plasma for the X-ray laser 615

M. Asthana, M.S. Sodha, and K.P. Maheshwari (Devi Ahilya Univ., Indore, India): Nonlinear relativistic self-focusing of laser radiation in plasmas: Arbitrary intensity 623

A.S. Bugaev, N.N. Koval, M.I. Lomaev, S.V. Mel'chenko, V.V. Ryzhov, V.F. Tarasenko, I.Yu. Turchanovsky, A.V. Fedenev, and P.M. Shchanin (Inst. of High Current Elect., Tomsk, Russia): Radially convergent 30–100- μ s e-beam-pumped Xe and Ne lasers 633

K. Kasuya, K. Horioka, N. Hikida, M. Watanabe (Tokyo Inst. of Tech., Tokyo, Japan), Y. Kawakita, S. Kato (Nissin Electric Company, Ltd.), and H. Okuda (Princeton Univ., Princeton, New Jersey, USA): One-dimensional computation of the discharge-pumped excimer lasers under repetitive operations 647

J.M. Martínez-Val, S. Eliezer, and M. Piera (Madrid Polytech. Univ., Spain): Volume ignition targets for heavy-ion inertial fusion 681

V.T. Astrelin and S.V. Lebedev (Budker Inst. of Nuclear Phys., Novosibirsk, Russia): The method of an intense electron beam modulation 719

D.L. Youngs (Atomic Weapons Establishment, Reading, Berkshire, UK): Numerical simulation of mixing by Rayleigh-Taylor and Richtmyer-Meshkov instabilities 725


W.J. Blyth, N.C. Woolsey, J.S. Wark (Univ. of Oxford, Oxford, UK), P.E. Young (Lawrence Livermore Lab., Livermore, California, USA), A. Zigler (Hebrew Univ., Jerusalem), and S.J. Rose (Univ. of Birmingham, Birmingham, Alabama, USA): Production of a high-density, long scale-length iron plasma using a capillary discharge 751

Cynthia Kolb Whitney (Tufts Univ. Electro-Optics Tech. Center, Medford, Massachusetts, USA, and W.J. Schafer Associates, Inc., Chelmsford, Massachusetts, USA): Spectral structure in synchrotron radiation 759

Book Review by Heinrich Hora 769

Index 771

CAMBRIDGE
UNIVERSITY PRESS



0263-0346(199411)12:4;1-K