

## A Subnanoscale Study of Mg Segregation at Al/Al<sub>3</sub>Sc Interfaces

Emmanuelle A. Marquis\*, David N. Seidman\*

\*Materials Science and Engineering Department, Northwestern University, Evanston, IL, 60208

Three-dimensional atom-probe (3DAP) microscopy provides quantitative chemical information concerning an analyzed specimen on an atomic scale, and is complementary to high-resolution electron microscopy (HREM) for the study of complex precipitation processes in aluminum alloys [1]. This paper presents a specific aspect of the precipitation behavior in Al-Mg-Sc alloys, with experimental measurements of Mg segregation at coherent Al/Al<sub>3</sub>Sc interfaces using 3DAP microscopy.

A cast Al-2 wt.% Mg-0.2 wt.% Sc alloy was annealed at 618°C in air for 24 hours, quenched into cold water, and then aged in air at 300°C for times between 0.5 and 1040 hours. 3DAP microscopy tips with an end radius less than 80 nm were obtained by a double electro-polishing technique. Field evaporation was performed at 30 K with a pulse fraction of 20 % at a frequency of 1500 Hz. Between five and 12 Al<sub>3</sub>Sc precipitates were analyzed for each aging treatment.

Al<sub>3</sub>Sc precipitates are formed with a high number density (about 10<sup>22</sup> precipitates m<sup>-3</sup>), which is required for 3DAP microscope observations. The Sc concentration in the matrix decreases with aging time, as expected due to the growth of the Al<sub>3</sub>Sc precipitates. The average precipitate radius increases with aging time, in agreement with measurements by HREM. The composition of the Al<sub>3</sub>Sc precipitates is 27±1.4 at.%, which is close to the stoichiometric composition. The Al<sub>3</sub>Sc precipitate shown in Fig. 1a is defined using an isoconcentration surface corresponding to a composition threshold of 18 at.% Sc [2]. This particular data set was obtained by collecting the evaporating ions near a 110 pole, and Fig. 1b demonstrates the atomic resolution of atom-probe microscopy: every other (110) plane contains Sc atoms, in agreement with the L1<sub>2</sub> structure of the Al<sub>3</sub>Sc precipitates. The proximity histogram of the same precipitate clearly exhibits an enhanced Mg concentration by a factor of 3 at the Al/Al<sub>3</sub>Sc interface (Fig. 2). This segregation behavior is observed for all heat-treatments studied and a quantitative measure is given by the relative Gibbsian interfacial excess of Mg with respect to Al ( $\Gamma_{Mg}^{Al}$ ), which is independent of the locus of the dividing surface. It is defined as [3]:

$$\Gamma_{Mg}^{Al} = \Gamma_{Mg} - \Gamma_{Al} \frac{c_{Mg}^{\alpha} - c_{Mg}^{\beta}}{c_{Al}^{\alpha} - c_{Al}^{\beta}}$$

where  $\Gamma_{Mg}$  and  $\Gamma_{Al}$  are the Gibbsian interfacial excesses of Mg and Al, and the  $c_j^i$  are the concentrations of component  $j$  ( $j = Al$  or  $Mg$ ) in phase  $i$  ( $i = Al$  or  $Al_3Sc$ ). The measured value is  $2.7 \pm 1$  atom nm<sup>-2</sup> for all heat-treatments, demonstrating that the system is in global equilibrium; i.e., the root-mean squared diffusion distance for Mg is much greater than the inter-precipitate spacing.

This study provides direct experimental evidence for first-principles calculations by Asta et al., who showed that Mg should segregate at Al/Al<sub>3</sub>Sc {100} interfaces [4]. It also explains morphological changes of Al<sub>3</sub>Sc precipitates, e.g. disappearance of faceting for the {100} and {110} planes. Future work will involve discussion of the driving force for Mg segregation at the coherent interface, i.e. elastic strain relaxation or electronic effects.

- [1] S.P. Ringer and K. Hono, *Mat. Charact.*, 44, 2000, 101  
 [2] O. C. Hellman, J. A. Vandenbroucke, J. Rüsing, D. Isheim, and D. N. Seidman, *Microscopy & Microanalysis* 6, 437 (2000).  
 [3] C. H. P. Lupis, *Chemical Thermodynamics of Materials*, 1983, 391; D. A. Shashkov and D. N. Seidman, *Phys. Rev. Letters* 75, 268 (1995).  
 [4] M. Asta, V. Ozolins and C. Woodward, *JOM*, 53, 2001, 16  
 [5] This research is supported by the DOE (contract DE-FG02-98ER45721)




Fig. 1: (a) 3D reconstruction of an  $\text{Al}_3\text{Sc}$  precipitate analysed after aging at  $300^\circ\text{C}$  for 1040 hours  
 (b) Slice showing the  $[110]$  planes.




Fig. 2: Proximity histogram for a  $\text{Al}_3\text{Sc}$  precipitate obtained after aging at  $300^\circ\text{C}$  for 1040 hours.