

THE  
GEOLOGICAL MAGAZINE:

OR,

Monthly Journal of Geology :

WITH WHICH IS INCORPORATED

“THE GEOLOGIST.”

NOS. CCCLXVII TO CCCLXXVIII.

EDITED BY

HENRY WOODWARD, LL.D., F.R.S., PRES.G.S., F.Z.S., F.R.M.S.,

OF THE BRITISH MUSEUM OF NATURAL HISTORY;

VICE-PRESIDENT OF THE PALÆONTOGRAPHICAL SOCIETY,

AND OF THE MALACOLOGICAL SOCIETY ;

MEMBER OF THE LYCEUM OF NATURAL HISTORY, NEW YORK; AND OF THE AMERICAN PHILOSOPHICAL

SOCIETY, PHILADELPHIA; HONORARY MEMBER OF THE YORKSHIRE PHILOSOPHICAL SOCIETY;

OF THE GEOLOGISTS' ASSOCIATION, LONDON; OF THE INSTITUTION OF MINING AND

METALLURGY, LONDON; OF THE GEOLOGICAL SOCIETIES OF EDINBURGH, GLAS-

GOW, HALIFAX, LIVERPOOL, AND SOUTH AFRICA; CORRESPONDING MEMBER

OF THE GEOLOGICAL SOCIETY OF BELGIUM; OF THE IMPERIAL

SOCIETY OF NATURAL HISTORY OF MOSCOW; OF THE

NATURAL HISTORY SOCIETY OF MONTREAL;

AND OF THE MALACOLOGICAL

SOCIETY OF BELGIUM.

ASSISTED BY

ROBERT ETHERIDGE, F.R.S. L. & E., F.G.S., F.C.S., &c.

WILFRID H. HUDLESTON, M.A., F.R.S., V.P.G.S., F.L.S., F.C.S.

GEORGE J. HINDE, PH.D., F.G.S., &c.

AND

HORACE BOLINGBROKE WOODWARD, F.G.S., &c.

NEW SERIES. DECADE IV. VOL. II.

JANUARY—DECEMBER, 1895.

LONDON:

MESSRS. DULAU & CO., 37, SOHO SQUARE.

F. SAVY, 77, BOULEVART ST.-GERMAIN, PARIS.

1895.


HERTFORD :  
PRINTED BY STEPHEN AUSTIN AND SONS.

## LIST OF PLATES.

PLATE	FACING PAGE
I. Skeleton of <i>Pareiasaurus Baini</i> , Seeley . . . . .	1
II. Fossil Ostracoda from Canada . . . . .	20
III. New Bala Trilobites . . . . .	49
IV. Evolution of the Brachiopoda . . . . .	65
V. Stages of Generic Development of Brachiopoda . . . . .	103
VI. Fossil Insects from Eningen . . . . .	116
VII. Purbeck Fishes and <i>Osteorachis macrocephalus</i> . . . . .	145
VIII. Cambridge Greensand Ganoids . . . . .	207
IX. Skeleton of a young Plesiosaur from the Oxford Clay . . . . .	241
X. Skeleton of <i>Iguanodon</i> from Bernissart, Belgium . . . . .	289
Portrait of Professor Huxley . . . . .	337
XI. Pitted Pebbles from the Bunter Conglomerate . . . . .	341
XII. <i>Squaloraja</i> and <i>Chimera</i> . . . . .	385
XIIA. A Restoration of <i>Hyænodon eruentus</i> , Leidy . . . . .	441
XIII. <i>Didymograptus minutus</i> and <i>D. gracilis</i> . . . . .	482
XIV. <i>Phyllograptus angustifolius</i> and <i>Tetragraptus Bigsbyi</i> . . . . .	482
XV. Palæozoic Phyllopoas, etc. . . . .	539



	PAGE
<i>Baculites anceps</i> , Lam. . . . .	395
<i>Cardioceras cordatum</i> , Sow. . . . .	395
<i>Arietites obtusus</i> , Sow. . . . .	396
<i>Egoceras capricornus</i> , Schloth. . . . .	396
— <i>Davæi</i> , Sow. . . . .	396
<i>Grammoceras serpentinus</i> , Schloth. . . . .	397
<i>Desmoceras ligatum</i> , d'Orb. . . . .	397
<i>Stephanoceras Blagdeni</i> , Sow. . . . .	398
— <i>coronatum</i> , d'Orb. . . . .	398
<i>Cosmoceras Jason</i> , Rein. . . . .	399
<i>Hoplites radiatus</i> , Brug. . . . .	399
<i>Scaphites Hugardianus</i> , d'Orb. . . . .	399
<i>Crioceras Emerici</i> , Léveillé . . . . .	400
<i>Ancyloceras Matheronianum</i> , d'Orb. . . . .	400
Diagram to show Viscous Flow of Glacier-Ice . . . . .	410
"    "    "    "    " . . . . .	412
"    "    "    "    " . . . . .	413
Diagram-map of the Island of Trinidad . . . . .	422
Topography of the immediate area of the Pitch Lake of Trinidad . . . . .	423
Distribution of Grenville Limestone in the district north of Papineauville . . . . .	446
Topography of Côte St. Pierre, from the North-east . . . . .	447
Section in the Valley of Calumet River . . . . .	448
Bent and dislocated Quartzite in Contorted Schists near Montebello . . . . .	448
<i>Tetragraptus Bigsbyi</i> , Hall . . . . .	485
<i>Bryograptus Callavei</i> . . . . .	530
<i>Tetragraptus Hicksii</i> . . . . .	530
<i>Didymograptus affinis</i> . . . . .	530
<i>Bryograptus ramosus</i> . . . . .	530
<i>Tetragraptus fruticosus</i> . . . . .	530
<i>Didymograptus Murchisoni</i> . . . . .	530
<i>Bryograptus retroflexus</i> . . . . .	531
<i>Tetragraptus denticulatus</i> . . . . .	531
<i>Didymograptus fasciculatus</i> . . . . .	531
<i>Dichograptus octonarius</i> . . . . .	532
<i>Tetragraptus serra</i> . . . . .	532
<i>Didymograptus arcuatus</i> . . . . .	532
<i>Tetragraptus crucifer</i> . . . . .	533
<i>Didymograptus pennatulus</i> . . . . .	533
<i>Tetragraptus Headi</i> . . . . .	533
<i>Didymograptus V-fractus</i> . . . . .	533
<i>Dichograptus octobrachiatus</i> . . . . .	534
<i>Tetragraptus Bigsbyi</i> . . . . .	535
<i>Didymograptus gibberulus</i> . . . . .	535
<i>Tetragraptus quadribrahiatus</i> . . . . .	536
<i>Didymograptus extensus</i> . . . . .	536
<i>Tetragraptus approximatus</i> . . . . .	537
<i>Didymograptus nitidus</i> . . . . .	537
Typical Arrangement of Canals, etc. in a Lamina of <i>Eozoön Canadense</i> . . . . .	546
Cross-section of minute Tubuli           ditto           ditto . . . . .	547
Cross-section of Tubuli more highly magnified           ditto . . . . .	547



*Skeleton of Pareiasaurus bairdi*, Seeley.

Karoo Formation (Trias), Bad, near Tamboer Fontein, Cape Colony.  
The original preserved in the British Museum (Natural History). Length of skeleton 7 feet 9 inches.