

GENETICAL RESEARCH

EDITORIAL BOARD

C. H. WADDINGTON (*Chairman*)
CHARLOTTE AUERBACH D. LEWIS
A. GRÜNEBERG G. PONTECORVO
W. HAYES A. ROBERTSON

EXECUTIVE EDITOR

E. C. R. REEVE

Volume 2. 1961



CAMBRIDGE
AT THE UNIVERSITY PRESS
1961

*Printed in Great Britain by Spottiswoode, Ballantyne & Co. Ltd.
London and Colchester
and published by the Cambridge University Press
Bentley House, 200 Euston Road, London, N.W.1
American Branch: 32 East 57th Street, New York 22, N.Y.
Agents in Canada: The Macmillan Company of Canada Limited*

CONTENTS

No. 1 (February 1961)

KNIGHT, G. R. Structural polymorphism in <i>Drosophila subobscura</i> Coll. from various localities in Scotland	page 1
HASKELL, G. and TUN, N. N. Developmental sequence of chromosome number in a cytologically unstable <i>Rubus</i> hybrid	10
CHAI, C. K. Analysis of quantitative inheritance of body size in mice. IV. An attempt to isolate polygenes	25
GRÜNEBERG, HANS. Genetical studies on the skeleton of the mouse. XXVII. The development of oligosyndactylism	33
FROST, L. C. Heterogeneity in recombination frequencies in <i>Neurospora crassa</i>	43
REDDI, O. S. and AUERBACH, C. Sensitivity of the <i>Drosophila</i> testis to tri-ethylene melamine (TEM)	63
CLARKE, JEAN M., SMITH, J. MAYNARD and SONDHI, K. C. Asymmetrical response to selection for rate of development in <i>Drosophila subobscura</i>	70
GIBSON, I. and BEALE, G. H. Genic basis of the mate-killer trait in <i>Paramecium aurelia</i> , stock 540	82
LYON, MARY F. Linkage relations and some pleiotropic effects of the dreher mutant of the house mouse	92
GILBERT, NEIL. Polygene analysis	96
YOUNG, S. S. Y. A further examination of the relative efficiency of three methods of selection for genetic gains under less-restricted conditions	106
SEARLE, A. G. Topsy, a new mutant in linkage group VII of the mouse	122
KIMURA, MOTOO. Natural selection as the process of accumulating genetic information in adaptive evolution	127
LEWIS, D. Genetical analysis of methionine suppressors in <i>Coprinus</i>	141
CATTANACH, BRUCE M. XXY Mice	156
REEVE, E. C. R. Modifying the sternopleural hair pattern in <i>Drosophila</i> by selection	158

No. 2 (July 1961)

THODAY, J. M. and BOAM, T. B. Regular responses to selection. I. Description of responses	page 161
KOJIMA, KEN-ICHI. Effects of dominance and size of population on response to mass selection	177
ROBERTSON, ALAN. Inbreeding in artificial selection programmes	189
REEVE, E. C. R. A note on non-random mating in progeny tests	195
HOLLIDAY, ROBIN. The genetics of <i>Ustilago maydis</i>	204
HOLLIDAY, ROBIN. Induced mitotic crossing-over in <i>Ustilago maydis</i>	231
BURNET, B. On the distribution of recessive embryonic lethals in a natural population of <i>Coelopa frigida</i> (Fab.)	249
FOWLER, RUTH E. and EDWARDS, R. G. 'Midget', a new dwarfing gene in the house mouse dependant on a genetic background of small body size for its expression	272
RANDELIA, HOMAI P. and SANGHVI, L. D. 'Bare', a new hairless mutant in the mouse—genetics and histology	283
PHILLIPS, RITA, J. S. 'Dappled', a new allele at the <i>Mottled</i> locus in the house mouse	290
CARTER, T. C. and LYON, MARY F. An attempt to estimate the induction by X-rays of recessive lethal and visible mutations in mice	296
COHEN, B. L. and SHREFFLER, D. C. A revised nomenclature for the mouse transferrin locus	306

No. 3 (November 1961)

DHALIWAL, S. S. Studies on histocompatibility mutations in mouse tumour cells using isogenic strains of mice	page 309
RICHTER, ALAN. Attachment of wild-type <i>F</i> factor to a specific chromosomal region in a variant strain of <i>Escherichia coli</i> K12: the phenomenon of episomic alternation	333
ROBERTSON, FORBES W. The ecological genetics of growth in <i>Drosophila</i> . 4. The influence of larval nutrition on the manifestation of dominance	346
GILBERT, NEIL. A tomato selection experiment	361
SHASTRY, S. V. S. and RAO, D. R. RANGA. Timing imbalance in the meiosis of the F_1 hybrid <i>Oryza sativa</i> \times <i>O. australiensis</i>	373
GRÜNEBERG, HANS. Genetical studies on the skeleton of the mouse. XXIX. Pudgy	384
MACCACARO, G. A. and HAYES, W. The genetics of fimbriation in <i>Escherichia coli</i>	394
MACCACARO, G. A. and HAYES, W. Pairing interaction as a basis for negative interference	406
DAY, P. R. and ANDERSON, G. E. Two linkage groups in <i>Coprinus lagopus</i>	414
PRABHU, S. S. and ROBERTSON, F. W. The ecological genetics of growth in <i>Drosophila</i> . V. Gene-environment interaction and inbreeding	424
TRUSLOVE, GILLIAN M. Genetical studies on the skeleton of the mouse. XXX. A search for correlations between some minor variants	431
ABPLANALP, HANS. Linear heritability estimates	439
RASMUSSEN, DAVID I. Erythrocytic antigenic differences between individuals of the deer mouse, <i>Peromyscus maniculatus</i>	449
GILBERT, NEIL. Polygene analysis. II. Selection	456
<i>Index of subjects and authors</i>	461

PLATES should only be included where absolutely essential. They should be supplied as unmounted glossy prints; any lettering to be inserted on them is best indicated on a separate sketch. Please do not damage prints by writing heavily on their backs or by using paper clips.

DIAGRAMS should be about twice the size of the finished block, and the thickness of lines and size of points determined accordingly. They must be drawn in Indian ink on white Bristol Board or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Lettering should be lightly inserted in soft pencil only, so that the printer can put in the finished lettering.

Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their position indicated on the typescript. It will hasten refereeing if a photograph of each diagram can be supplied with the carbon copy of the paper.

TABLES should each be typed on a separate sheet of paper and their approximate positions in the text indicated on the typescript. Each table should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion.

FOOTNOTES should be avoided where possible. They can often be incorporated into the text, in parentheses.

SYMBOLS. Italic letters should generally be adopted for both gene symbols and quantities in mathematical formulae. Bold letters add to printing costs, and should only be used where they are necessary to avoid confusion.

SPELLING should follow the *Concise Oxford Dictionary*.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, titles of periodicals should be abbreviated according to the *World List of Scientific Periodicals* (third edition).

PROOFS. Two sets of single-sided page proofs, together with the typescript, of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

Proofs of short notes will only be sent to authors if time permits.

OFFPRINTS. Fifty offprints of each paper, but not of short notes, are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt; these will normally be limited to a maximum of 150.

CONTENTS

DHALIWAL, S. S. Studies on histocompatibility mutations in mouse tumour cells using isogenic strains of mice	page 309
RICHTER, ALAN. Attachment of wild-type <i>F</i> factor to a specific chromosomal region in a variant strain of <i>Escherichia coli</i> K12: the phenomenon of episomic alternation	333
ROBERTSON, FORBES W. The ecological genetics of growth in <i>Drosophila</i> . 4. The influence of larval nutrition on the manifestation of dominance	346
GILBERT, NEIL. A tomato selection experiment	361
SHASTRY, S. V. S. and RAO, D. R. RANGA. Timing imbalance in the meiosis of the F_1 hybrid <i>Oryza sativa</i> \times <i>O. australiensis</i>	373
GRÜNEBERG, HANS. Genetical studies on the skeleton of the mouse. XXIX. Pudgy	384
MACCACARO, G. A. and HAYES, W. The genetics of fimbriation in <i>Escherichia coli</i>	394
MACCACARO, G. A. and HAYES, W. Pairing interaction as a basis for negative interference	406
DAY, P. R. and ANDERSON, G. E. Two linkage groups in <i>Coprinus lagopus</i>	414
PRABHU, S. S. and ROBERTSON, F. W. The ecological genetics of growth in <i>Drosophila</i> . V. Gene-environment interaction and inbreeding	424
TRUSLOVE, GILLIAN M. Genetical studies on the skeleton of the mouse. XXX. A search for correlations between some minor variants	431
ABPLANALP, HANS. Linear heritability estimates	439
RASMUSSEN, DAVID I. Erythrocytic antigenic differences between individuals of the deer mouse, <i>Peromyscus maniculatus</i>	449
GILBERT, NEIL. Polygene analysis. II. Selection	456
<i>Index of subjects and authors</i>	461