

INDEX TO VOLUME XXIII, 1908.

SUBJECTS.

| | PAGE |
|---|----------|
| ABSCCESS in frontal lobe (Cargill, Turner, Thomson) | 379 |
| ——— of right temporal lobe (Paul Gilbert) | 582 |
| Accessory sinuses diseases in scarlet fever (Killian) | 690 |
| ——— of nose, complications in diseases of (von Eicken) | 691 |
| Acoumeter, millimetric (Trétröp) | 419 |
| Adenoid subjects, Pignet's numerical index in (Gaulleux l'Hardy) | 171 |
| ——— and tonsil operations (Payson Clarke) | 704 |
| Adenoids and tonsils (H. G. Langworthy) | 265 |
| ——— long-neglected (Donelan) | 252 |
| ——— operation for (Glover) | 417 |
| Adenotome, new (H. J. Davis) | 192 |
| Adenotomy, modification in classical technique of (Lermoyez) | 123 |
| Adhesion of soft palate to pharynx (Hill) | 392 |
| Air-ventilator for hot-air apparatus (Lermoyez and Mahu) | 124 |
| Anaesthesia, local, in operation for suppuraton of antrum (Luc) | 418 |
| ——— general, by ethyl chloride (Piaget) | 424 |
| Anaesthetics, general, for short operations (Bonain) | 418 |
| Angeioma (Phillips) | 164 |
| ——— large, palate and pharynx, cured by electrolysis (Paul Laurens) | 53 |
| ——— of right tonsil (A. Wylie) | 320 |
| ——— of velum palati and pharynx (Paul Laurens) | 121 |
| ——— pulsating, of nose (W. D. Harmer) | 391 |
| Angeio-neurotic oedema (Henry Bazett) | 219 |
| Angina Ludovici, operation for (Stuart-Low) | 382 |
| Anosmia (Clayton-Fox) | 47 |
| Anterior nares, complete occlusion of (R. H. Craig) | 396 |
| Antral disease (Herbert Tilley) | 607, 623 |
| Antritis, chronic frontal (Luc) | 566 |
| Antrotomy, early (Henry Caboche) | 453 |
| Antrum of Highmore, calculus (E. Oppikofer) | 62 |
| ——— suppuraton, bacteriological examination (K. W. Goadby) | 626 |
| Aphonia (Donelan) | 190 |
| ——— (de Havilland Hall) | 189 |
| Arterio-sclerosis, adrenalin in causation of (F. E. Hopkins) | 516 |
| ——— ear symptoms in (John J. Kyle) | 115 |
| Arytænoid cartilage, carcinomatous growth of (Arthur Evans) | 689 |
| ——— necrosis of (Harold Barwell) | 146, 182 |
| ——— swelling of (W. H. Kelson) | 320 |
| Asthma, bronchial, bronchoscopy in (F. Nowoiny) | 219 |
| Auditory nerve, tumours of (W. Küstner) | 174 |
| Aural discharges, clinical pathology (Wyatt Wingrave) | 302, 347 |
| ——— discussion | 332 |
| ——— disturbance in herpes of the trifacial (Escat) | 425 |
| Auricle, botryomycosis of (Pasquier) | 567 |
| ——— function of (Geigel) | 128 |
| ——— hyperplasia of (Furniss Potter) | 332 |

| | PAGE |
|---|----------|
| Basedow's disease (W. O. Woltke) | 707 |
| Basilar membrane, "piano-string" theory of (W. Sohler Bryant) | 455 |
| Bardella bandages (Down Bros.) | 175 |
| Baritone voice, girl with (Cyril Horsford) | 149 |
| Bezold's mastoid empyema (W. S. Syme) | 327 |
| Bier's method in oto-rhino-laryngology (Gaudier) | 420, 526 |
| Bleeding polypus of the nose (W. H. Kelson) | 93 |
| Blood-corpuscles, red, in adenoid subjects (Enrico Tormene) | 266 |
| Brain, abscess of, in connection with frontal sinusitis (Paul Laurens) | 339 |
| ——— of otitic origin (Gaudier) | 337 |
| ——— complications of nasal diseases (Onodi) | 564 |
| Branchial sinus from neck into external auditory meatus (Fægge) | 198 |
| Branchiogenetic cyst (Thomas J. Harris) | 574 |
| Breast-bone of chicken in larynx (F. A. Rose) | 39 |
| "Bridle" formation of the larynx (Herbert Tilley) | 78 |
| Bronchoscope, œsophagoscope, and gastroscope (Halstead) | 445 |
| Calculus from tonsil (Mignon) | 419 |
| Calmette's reaction and von Pirquet's cutaneous tuberculin test (Lenhartz) | 127 |
| Caries of middle ear (G. H. Powers) | 399 |
| Caseous sinusitis (Collet) | 420 |
| Cauterisation of inferior turbinated bodies, fatality (Theoris) | 343 |
| Cavernous sinus thrombosis (Henry Hanna) | 364 |
| ——— septic thrombosis of (J. A. Stucky) | 529 |
| Celloidin, thin, sections through the temporal bone (Hegener) | 444 |
| Cellulitis, extensive, of the neck, further notes (Abercrombie) | 44, 680 |
| Central London Throat and Ear Hospital (annual dinner) | 708 |
| Cervical fistula (Dundas Grant and Dan McKenzie) | 150 |
| ——— tumours (Andrew Wylie) | 513 |
| Cervico-œsophageal fistula (Moty) | 267 |
| Chair for consulting room (F. Schäfer) | 635 |
| Chondromata of the nasal cavities (W. Uffenorde) | 269 |
| Chorea, bacterial, as a cause for (Ponthière) | 417 |
| Cleft palate, congenital (W. Brophy) | 165 |
| Cocainism through nose (A. Hautant) | 338 |
| Congestion of right vocal cord (Herbert Tilley) | 79 |
| Constriction of trachea, fibrous and eccentric (Herbert Tilley) | 94 |
| Coryfin (Baumgarten) | 705 |
| Crico-tracheal polypus removed by direct tracheoscopy (Guisez) | 338 |
| Czermak, autograph letter (Jobson Horne) | 251 |
| Deaf-mute apparently regaining hearing (L. A. Lawrence) | 110 |
| Deaf-mutes, Bárány's test to (Alex R. Tweedie) | 592 |
| Deaf-mutism (Castex) | 424 |
| Deafness arising in the course of acute osteo-myelitis (Siebenmann) | 222 |
| ——— bilateral central (Jules Glover) | 398 |
| ——— chronic middle-ear (Sohler Bryant) | 133 |
| ——— from epidemic cerebro-spinal meningitis (Cunningham) | 193 |
| ——— sudden, during treatment for tertiary syphilis (Lake) | 104 |
| Demonstration of specimens (Wm. Milligan) | 114 |
| Diagnosis, case for (Buckland Jones) | 392 |
| ——— (Felix Semon) | 677 |
| ——— mistaken, which led to omission of operation (Goris) | 705 |
| Diathetic conditions in diseases of throat and nose in children (Kerley) | 54 |
| Digital examination of nose (Dan McKenzie) | 248 |
| Diphtheria complicated by acute purulent otitis media, mastoiditis, and infective sinus thrombosis (P. D. Kerrison) | 221 |
| ——— formic acid in the treatment of (C. B. Ker and D. H. Croom) | 580 |
| ——— post-operative, prophylaxis of (H. A. Barnes) | 61 |
| ——— relapses in (J. D. Rolleston) | 61 |
| ——— of the skin (A. B. Slater) | 223 |

| | PAGE |
|--|------|
| Discharge in middle-ear and maxillary sinus suppuration, cytological examination (John M. Darling) | 504 |
| Disinfection of hands (Grasmann) | 224 |
| ——— of skin (v. Brunn) | 279 |
| Ductus cochlearis, dilatation of (E. Ruttin) | 434 |
| Ear-models, demonstration of (Denker) | 431 |
| ——— (Schönemann) | 432 |
| Ear operations, wound clip for (Fr. Müller) | 440 |
| ——— stand for operative practice on (Kirchner) | 443 |
| Editorial: British Medical Association at Sheffield | 457 |
| ——— Dr. Otto Freer and submucous resection of the septum | 641 |
| ——— examination of nose and throat, recent methods | 587 |
| ——— German Otological and Laryngological Societies | 345 |
| ——— labyrinthine suppuration, operative surgery of | 177 |
| ——— tests | 587 |
| ——— laryngeal paralysis in goitre | 65 |
| ——— laryngostomy for laryngeal stenoses | 585 |
| ——— retirement of Professor Politzer | 129 |
| ——— Schrötter, the late Professor | 233 |
| ——— Sheffield Meeting of British Medical Association, "Other Sections" | 401 |
| ——— submucous resection of nasal septum in children | 234 |
| Empyema of mastoid process in acute suppurative median otitis (Arthur Af. Forselles) | 276 |
| Endoscopic tubes, principles of illuminating (Brünings) | 632 |
| Endothelioma removed from hard palate (Dan McKenzie) | 150 |
| ——— from œsophagus and trachea (Betham Robinson) | 184 |
| Epidemic, pneumococcal catarrhal disease (H. C. Beck and W. R. Stokes) | 126 |
| Epiglottitis, cysts, abscesses and œdema of (Henry L. Swain) | 696 |
| ——— disease of the (Jobson Horne) | 93 |
| Epistaxis, from pulsating growth of middle turbinate (Alex. Tweedie) | 36 |
| ——— recurrent, in nasal epithelioma (Stuart-Low) | 687 |
| Epithelioma of ear (Hunter Tod) | 112 |
| ——— of epiglottis and half of larynx (Dundas Grant) | 191 |
| ——— extrinsic, of larynx and hypo-pharynx (Dundas Grant) | 674 |
| ——— of fauces (Dundas Grant) | 151 |
| ——— of left nasal fossa (Guisez) | 564 |
| ——— of the left tonsil, faucial pillar, and uvula (Dundas Grant) | 90 |
| ——— of left vocal cord (Felix Semon) | 676 |
| ——— (Luc) | 566 |
| ——— early, of left vocal cord (Herbert Tilley) | 149 |
| ——— of middle ear, traumatic (W. Milligan) | 199 |
| ——— of pharynx, œsophagus, and larynx (Wm. Hill) | 685 |
| ——— of tongue and fauces (Chichele Nourse) | 147 |
| Ethmoidal and (?) sphenoidal suppuration (James Donelan) | 390 |
| ——— sinusitis, closed (Vernieuwe) | 125 |
| Eustachian tube, foreign body in (Otto Piff)l | 454 |
| Examination, direct, of larynx, trachea and œsophagus (Brown Kelly) | 514 |
| Exophthalmic goitre (J. M. Jackson and L. G. Mead) | 266 |
| Exostosis of internal auditory meatus (Manasse) | 437 |
| Extra-dural abscess induced by middle-ear disease (Rafael Spira) | 14 |
| Fauces, fenestration of anterior pillars (P. Watson Williams) | 213 |
| Faucial tonsil, modern surgery of (Thomas J. Gallaher) | 151 |
| ——— (Robert C. Myles) | 119 |
| Fibroma removed from left vocal cord (Cyril Horsford) | 85 |
| ——— (L. H. Pegler) | 89 |
| Fistula of right external semi-circular canal (A. Hautant) | 565 |
| Fistulous opening in the middle line of the neck (Dan McKenzie) | 38 |
| Foreign body in the ear (L. Lawrence) | 332 |

| | PAGE |
|---|----------|
| Foreign body, microscopic specimen and drawing of (Macleod Yearsley) | 103 |
| Foul breath (A. Wylie) | 263 |
| Fracture through the temporal bone (Arthur Cheatle) | 107 |
| Frontal sinus and affections of the eye (Homer Dupuy) | 268 |
| ——— cases, two unusual (J. Price-Brown) | 449, 535 |
| ——— cyst of (Clement F. Theisen) | 449 |
| ——— disease, stereoscopic photographs (W. S. Syme) | 314 |
| ——— (J. Price-Brown) | 449 |
| ——— infundibulum, use of bougies for dilating (Dundas Grant) | 513 |
| ——— mucocele of (F. J. Steward) | 185 |
| ——— (StClair Thompson) | 143 |
| ——— two operations (H. Tilley) | 261 |
| ——— operation, double, results of (StClair Thomson) | 47 |
| ——— osteoplastic method of operating on (Watson Williams) | 553 |
| ——— fracture of walls (J. Gay French) | 684 |
| ——— sinusitis, acute fistulous (Canzard) | 209 |
| ——— bilateral (Chichele Nourse) | 86 |
| ——— disease, suppuration in ear (Gallemaerts, Delsaux) | 271 |
| Fronto-ethmoido-maxillary suppuration, acute (Luc) | 566 |
| Fulguration by the De Keating Hart method (Wiesner) | 279 |
| ——— in laryngology (v. Eichhorn) | 689 |
| Galvanic treatment in cases of difficulty in hearing (Ernst Urbanschtsch) | 443 |
| Geniculate ganglion, herpetic inflammations of (J. R. Hunt) | 173 |
| Glyco-Thymoline (Kress), Birmingham Nasal Douche (Thos. Christy & Co.) | 176 |
| Goitre, treatment of, by removal (James Berry) | 21 |
| Grafting, partial (J. Stoddart Barr) | 492 |
| Gumma of the larynx (Lawrence Jones) | 80 |
| Gummatous infiltration, diffuse, of half of nose (Horne) | 48 |
| Hæmatoma with abscess of septum (Dan McKenzie) | 258 |
| Hæmophilia (Cauzard) | 210 |
| Hæmorrhage following removal of tonsils (E. A. Crockett) | 265 |
| ——— following quinsy (James E. Newcomb) | 289, 699 |
| Hay fever, treatment of (R. Grace) | 637 |
| Hearing, organ of, malformation (Hugo Frey) | 435 |
| ——— of railway employees, examination of (Putelli) | 223 |
| Hydrocephalus, acute internal (S. R. Scott) | 455 |
| Hyoido-thyrotomy (Glover and Sébilleau) | 426 |
| Hypertrophy of nose, surgical treatment (Jules Broeckaert) | 271 |
| Hyperplasia lateralis linguæ (H. L. Wagner) | 514 |
| Hypo-pharyngoscopy (Harold S. Barwell) | 169 |
| Hypo-pharynx, carcinoma (Körner) | 689 |
| Hysteria of ear (Christian R. Holmes) | 58 |
| ——— with very unusual laryngeal manifestations (Sir Felix Semon) | 384 |
| Injuries, experimental acoustic (Yoshii and Siebenmann) | 433 |
| Injury to pharyngeal portion of Eustachian tube (W. S. Syme) | 328 |
| Instrument to facilitate intra-laryngeal operations (Horsford) | 85 |
| ——— for passing suture through epiglottis (Cyril Horsford) | 260 |
| Interarytænoid and subglottic infiltration (Herbert Tilley) | 678 |
| Intra-nasal hypertrophy, headaches and sweating (Donelan) | 142 |
| Intra-tracheal injections in diseases of lungs (Galelsky) | 125 |
| Intubation, prolonged (W. K. Simpson) | 697 |
| Iodide treatment of tubercular and lupoid ulcers (Jacques) | 419 |
| Jugular vein, operative exposure of bulb (J. Tandler) | 277 |
| Keratosi laryngis circumscripta (W. G. Porter) | 310 |
| Khartoum, fire at Gordon College | 344 |

| | PAGE |
|---|--------------------|
| Killian's radical operation for chronic empyema of frontal sinus (L. Mader) | 62 |
| ——— operation for chronic empyema of frontal sinus (Herbert Tilley) | 94 |
| ——— ——— for chronic suppuration of frontal sinus (Dundas Grant) | 324 |
| Labyrinth, disturbance of equilibrium (Krotoschiner) | 219 |
| ——— extirpation of (Sydney Scott) | 102 |
| ——— human, histological preparations (Sydney Scott) | 200 |
| ——— injury by influence of rays (Marx) | 434 |
| ——— non-purulent inflammations (Voss) | 435 |
| ——— pathological conditions (Albert Gray) | 199 |
| ——— purulent affection (Clarence J. Blake) | 117 |
| ——— of reptiles (stereoscopic photographs) (Gray) | 501 |
| ——— sequestra in middle-ear carcinoma (Nager) | 435 |
| ——— ——— from a case of necrosis (Macleod Yearsley) | 331 |
| ——— suppuration, microscopic preparations (Ferdinand Alt) | 433 |
| Labyrinthine suppuration (Macleod Yearsley) | 199 |
| ——— v. Stein's symptom (W. P. Eagleton) | 63 |
| Labyrinthitis, operative surgery (S. Ernest West and Sydney Scott) | 201 |
| ——— circumscribed, specimens (Siebenmann and Yoshii) | 433 |
| Laryngeal case for diagnosis (Andrew Wylie) | 149 |
| ——— complications of typhoid fever (W. Rieser) | 272 |
| ——— disease (Frederick Spicer) | 46 |
| ——— ——— for diagnosis (Scanes Spicer) | 46 |
| ——— ——— (Watson Williams) | 375 |
| ——— growth (K. Donelan) | 251 |
| ——— ——— for diagnosis (Stanley Green and Lambert Lack) | 256 |
| ——— ——— intrinsic (Jobson Horne) | 688 |
| ——— growths, innocent, treatment by galvano-cautery (A. Wylie) | 217 |
| ——— leukoplasia (Laurens) | 421 |
| ——— paralysis (Clayton Fox) | 319 |
| ——— ——— in goitre (Eugene Felix) | 126 |
| ——— spasm in the adult (L. Neufeld) | 397 |
| ——— stenosis due to amyloid degeneration (G. Strazza) | 271 |
| ——— ——— surgical treatment (E. von Navratil) | 238 |
| ——— stridor, congenital (Dundas Grant) | 321 |
| ——— symptoms in Friedreich's disease (Collet) | 419 |
| ——— tuberculosis, Marmorek's anti-tuberculous serum (G. A. Weill) | 54 |
| ——— ——— local treatment with mono-iodised guaiacol (Delacour) | 452 |
| ——— ulceration (P. Watson Williams) | 84 |
| ——— webs, congenital (Hansberg) | 706 |
| Laryngectomy, partial (Castex) | 421 |
| Laryngitis nodulosa (Gerber) | 706 |
| Laryngology, retrospect, 1907 | 1 |
| Laryngoscopy, bronchoscopy and œsophagoscopy, direct (E. B. Waggett) | 514 |
| ——— and tracheoscopy, direct (Guisez) | 565 |
| Laryngostomy and tracheo-laryngostomy (Sargnon and Barlatier) | 365, 411, 475, 649 |
| Larynx, abscess of (T. Melville Hardie) | 572 |
| ——— and accidents of occupation (G. Dupond) | 453 |
| ——— cancer of (Biaggi and Gavello) | 218 |
| ——— extrinsic epithelioma of (Dundas Grant) | 261 |
| ——— and fauces, lupus of (Dundas Grant) | 190 |
| ——— leukæmic affection of; preparations (A. Meyer) | 634 |
| ——— malignant disease of (Dan McKenzie) | 383 |
| ——— ——— tumours of (Teets and Shearer) | 274 |
| ——— and upper end of œsophagus, direct examination (H. P. Mosher) | 273 |
| ——— severe parasyphilis of (A. Castex) | 207 |
| ——— papillomata of, in little children (Van den Wildenberg) | 173 |
| ——— polypoid growth from (H. Betham Robinson) | 255 |
| ——— and trachea, treatment of chronic stenosis (J. Rogers) | 273 |

| | PAGE |
|--|----------|
| Larynx, tubercular perichondritis of (Massier) | 420 |
| ——— tuberculosis, with perichondritis (Hill) | 151 |
| ——— large villous tumour of (Lannois) | 421 |
| Lateral sinus disease (W. S. Syme) | 325 |
| ——— infection of (W. Permewan) | 487 |
| ——— peri-sinusitis of (Mahu) | 423 |
| ——— thrombosis, pathological researches (Uffenorde) | 442 |
| ——— thrombo-phlebitis of (Cornet) | 568 |
| Leprosy of the larynx, specimen (Arthur Evans) | 78 |
| ——— showing lesions in soft palate and pharynx (StClair Thomson) | 188 |
| Leprous lesions in nasal fossa, palate and larynx (Castex) | 49 |
| Lumbar puncture, cell enumeration (Ernest Jones) | 526 |
| Lupoid ulcer on floor of vestibule of nose (Dundas Grant) | 321 |
| Lupus of epiglottis (Jobson Horne) | 319 |
| ——— erythematous (Lambert Lack) | 688 |
| | |
| Malignant growth behind cricoid (T. W. Bond) | 322 |
| ——— soft, of turbinated body (Cresswell Baber) | 98 |
| Mastoid, epithelioma, cured by X-rays (Labarrière) | 419 |
| ——— operation, preservation of membrane and ossicles (Turner) | 490, 491 |
| ——— radical, unusual sequel (W. G. Porter) | 491 |
| ——— operations, periosteal flap for use in (G. A. Leland) | 525 |
| ——— post-operative methods of Eemann and Roy (H. Luc) | 335 |
| Mastoiditis with aberrant cells (Raoult) | 425 |
| ——— with brain complications (F. Knause) | 455 |
| ——— and diabetes (Furet) | 50 |
| ——— acute, in a diabetic (Luc) | 51 |
| ——— in diabetic subjects (John D. Richards) | 278 |
| Maxilla and mandible, bony outgrowths from (W. H. Kelson) | 259 |
| Maxillary antrum, adeno-carcinoma of (Lee M. Hurd) | 162 |
| ——— foreign body in (Chavanne) | 417 |
| ——— malignant disease (C. A. Parker) | 679 |
| ——— operation (Stuart-Low) | 148 |
| ——— methods of opening (John O. Roe) | 570 |
| ——— suppuration in (StClair Thomson) | 557 |
| ——— (Logan Turner) | 559 |
| ——— chronic suppuration, treated through meatus (Grant) | 90 |
| ——— sinus, permeatal exploration of (Helat) | 525 |
| ——— in relation to teeth (A. S. Underwood) | 620, 623 |
| ——— sinusitis and gangrene of lung (Labarrière) | 418 |
| Mechanical drill in operations on ear and nose (Vacher) | 418 |
| Medical inspection of school-children, compulsory (Wilkinson) | 505 |
| Medicine, history of, in Province of Quebec (Birkett) | 444 |
| Megaphone (Cresswell Baber) | 128 |
| Ménière's disease (Lannois and Chavanne) | 422 |
| ——— depending on inflammation of nasal sinuses (Burger) | 279 |
| Meningitis, otitic (Sydney Scott) | 502 |
| ——— septic, treatment (Laurens) | 423 |
| ——— suppurative, of otitic origin (Claoué) | 398 |
| ——— tubercular, cured by injecting Beranech's tuberculin (A. Vernet) | 175 |
| ——— subsequent to mastoid operation in tuberculous subject, lumbar puncture (Percy Jakins) | 34 |
| Meningo-encephalitis, serous (A. Blau) | 221 |
| Menses, sudden cessation of, with angina (Zella St. Bl. Sehlbach) | 266 |
| Mergal, treatment of syphilis with (D. Sommerville) | 279 |
| Middle-ear apparatus for hearing (K. K. Schaeffer and H. Sessous) | 429 |
| ——— development of (Thos. Guthrie) | 541 |
| ——— suppuration, chronic, conservative treatment (O. Körner) | 426 |
| ——— (Scheibe) | 427 |
| ——— intercranial complications (C. A. Ballance) | 545 |
| ——— (A. L. Whitehead) | 549 |

| | PAGE |
|--|----------|
| Middle-ear suppuration; phlebitis of lateral sinus; cerebellar abscess (McBride) | 483 |
| Mucocele of accessory nasal sinuses (Logan Turner) | 581 |
| — of anterior ethmoidal cell (Dan McKenzie) | 315 |
| Myeloid sarcoma of right nasal fossa (Koenig) | 53 |
| Narcosis with warm chloroform (Haun) | 128 |
| Nares, anterior, complete closure of (Stuart-Low) | 147 |
| — partial occlusion by cutaneous web (Geo. K. Grimmer) | 183 |
| Naris, right posterior, congenital occlusion of (Harold Barwell) | 684 |
| Nasal catarrh, hypertrophic (C. A. Bucklin) | 171 |
| — cavities, infiltration of (C. A. Parker) | 257 |
| — fossae, bilateral growths on floor of (Koenig) | 569 |
| — headaches, sphenopalatine ganglion in (G. Sluder) | 524 |
| — impotence, functional (R. Foy) | 337 |
| — obstruction from a cyst (Davis) | 261 |
| — obstruction (de Santi) | 258 |
| — — almost complete (H. J. Davis) | 389 |
| — — collapse induration of apex, diagnosis from pulmonary tuberculosis | 705 |
| — polyp, œdematous (Wendell C. Phillips) | 163 |
| — polypi, microscopic sections (Watson Williams) | 144 |
| — septum, resection of (Bouvillois) | 417 |
| — — treatment of deformities of (Kretschmann) | 441 |
| — sinuses, primary tumours of (Citelli and Bellotti) | 270 |
| — diseases in singers (Trétrôp) | 419 |
| — syphilis (Herbert Tilley) | 48 |
| Naso-pharyngeal fibrous polypi (Jacques) | 417 |
| — polypi, point of insertion (Texier) | 417 |
| — polypus (E. Jauquet) | 124 |
| — — (Cauzard) | 207 |
| Naso-pharyngo-laryngeal syndrome (A. Sicre and L. Vaquier) | 394 |
| Naso-pharynx, anomalous folds in (J. P. Clark) | 452 |
| — atresia of (Coubro Potter) | 77 |
| — epithelioma of (Dupond) | 418 |
| — remarkable anomaly of (Jurasz) | 635 |
| Needles for paracentesis, means for keeping aseptic (Lermoyez) | 122 |
| Negative pressure in oto-rhinology (H. Halasz) | 277 |
| Neoplasm, intrinsic, of left vocal cord (Scanes Spicer) | 255 |
| Nerve-deafness, unilateral (Dundas Grant) | 201, 330 |
| — — hysterical (Dundas Grant) | 201, 329 |
| Nodules, symmetrical, on cords of a boy (Harold Barwell) | 79 |
| Noise apparatus (Robert Bárány) | 363, 428 |
| Non-tuberculous intra-nasal and post-nasal abnormalities (W. C. Rivers) | 215 |
| Nose, chronic inflammatory œdema of submucous tissues (J. S. Fraser) | 402 |
| — foreign bodies, empyema of antrum (Krebs) | 216 |
| — operation for depressed fracture (T. G. Ouston) | 557 |
| — sarcoma of (Chichele Nourse) | 146 |
| — tuberculosis of (Lindt) | 439 |
| — ulceration of (Kelson) | 151 |
| Nystagmus in deaf-mutes (Tweedie) | 552 |
| Œsophageal diverticulum (Tilmann) | 343 |
| Œsophagoscopy (Canyard) | 420 |
| — actual results of (Guizez) | 459 |
| — extraction of artificial dentures by (Guizez) | 422 |
| — from a diagnostic and therapeutic point of view (M. Guizez) | 267 |
| — and bronchoscopy, instruments (Cauzard) | 50 |
| Œsophagus of a child, open safety-pin in (J. S. Manson) | 223 |
| — — removal of open safety-pin (D. R. Paterson) | 223 |
| — — circular electrolysis in cicatricial contractions (Guizez) | 423 |

| | PAGE |
|---|----------|
| Œsophagus, painful spasm of (Bichaton and Blum) | 453 |
| — spasms of (Guisez) | 423 |
| Optic neuritis (H. M. Fish) (<i>concluded</i>) | 26 |
| — in diseases of middle ear (J. S. Barr and J. Rowan) | 174 |
| Ossicles, model showing mechanism of (Denker) | 435 |
| Osteomata of accessory sinuses (Marx) | 439 |
| Otalgia (J. R. Hunt) | 277 |
| Otitic brain abscess (E. B. Dench) | 275 |
| — meningitis (A. Knapp) | 220 |
| — purulent sinus thrombosis without fever (H. Schroeder) | 221 |
| — septicæmia (Chatallier) | 211 |
| — thrombo-phlebitis of cavernous sinus (Bourgeois) | 423, 707 |
| — pyæmia (Chatellier) | 212 |
| Otitis media, acute, statistics and treatment (Lermoyez) | 422 |
| — catarrhalis chronica (W. Sohler Bryant) | 164 |
| — purulent, in secondary syphilis (Adolph Bronner) | 197 |
| — with involvement of sigmoid sinus (J. G. Connal) | 343 |
| Otogenic facial paralysis (Ferdinand Alt) | 438 |
| Otology, retrospect (Dundas Grant and Chichele Nourse) | 6 |
| Oto-sclerosis, anatomical condition of foot-plate of stapes in (Politzer) | 432 |
| — and auto-intoxication (Cornet) | 424 |
| — microscopical demonstration (Brühl) | 433 |
| Ozæna, treatment of (Gault) | 417 |
| — unilateral (Mermod) | 637 |
| | |
| Pachydermia laryngis, pathogenesis of (Horne) | 383 |
| — specific (StClair Thomson) | 142 |
| Palate, hard, form of (Harris P. Mosher) | 447 |
| — soft, adhesion to the pharynx (Grossard) | 210 |
| — perforation (P. Abercrombie) | 681 |
| — venous angioma (Hunter Tod) | 187 |
| Pan-sinusitis, models of operations (Watson Williams) | 689 |
| Papilloma of larynx in children (Payson Clarke) | 575 |
| — sub-glottic (Thos. J. Hardie) | 573 |
| Paraffin, cold, external prothesis with (Mahu) | 124 |
| — in nasal prothesis (R. Leroux) | 171 |
| — prothesis in rhinology (O. Seifert) | 215 |
| — subcutaneous injection, in nose (Walker Downie) | 563 |
| Paralysis, oculo-motor and recurrent (Körner) | 633 |
| — crossed abducens in case of cerebellar abscess (D. R. Paterson) | 197 |
| — of sixth cranial nerve (J. Stoddart Barr) | 553 |
| — of palate and vocal cords in tabes dorsalis (C. M. H. Howell) | 214 |
| — recurrent and abductor, central causes (Gleitsman) | 517 |
| — peripheral causes (Delavan) | 518 |
| Paralysis, recurrent and abductor, symptomatology (Clarence C. Rice) | 519 |
| — diagnosis and treatment (W. E. Casselberry) | 520 |
| Paresis, functional, of palate and cords (E. A. Peters) | 45 |
| — of vocal cord (Dan McKenzie) | 37 |
| Pathological exhibits | 166 |
| Pemphigus of mucous membrane (Bichaton) | 424 |
| Periostitis of temporal, new method of diagnosis and treatment (Luc) | 423 |
| Peritonsillar abscess (Jacques) | 419 |
| Petrous temporal bone, decalcification (Herschel) | 443 |
| Pharyngeal lymphoid tissue, hypertrophy (Nobécourt, Tixier) | 636 |
| — paræsthesia (Boulay and Le Marc'hadour) | 420 |
| Pharyngitis, chronic (R. M. Niles) | 169 |
| Pharynx and larynx, extensive cicatricial changes (Betham Robinson) | 184 |
| — lower, benign tumour of (P. Magne) | 580 |
| — and naso-pharynx, chronic inflammation (Peter McBride) | 505 |
| — resection, with laryngectomy (Sampson Handley) | 265 |
| — pulsating vessels in (J. G. Connal) | 130 |

| | PAGE |
|--|------|
| Phlegmons of neck of bucco-pharyngeal origin (A. Fallas) | 125 |
| Piriform sinus, tumour (Paul Laurens) | 122 |
| Pneumococccic invasion of the throat (Semon) | 636 |
| Pneumococcal otitis media (W. H. Bowen) | 275 |
| Politzer bag, electrical attachment (Blodgett) | 454 |
| Polypi, nasal, preparations showing development (J. S. Fraser) | 564 |
| ——— from naso-pharynx (Lavrاند) | 417 |
| Polypus, bleeding, of septum (C. A. Parker and L. H. Pegler) | 87 |
| ——— post-nasal (Dundas Grant) | 316 |
| ——— specimen (Herbert Tilley) | 377 |
| Posterior nares, occlusion (Hunter Tod) | 332 |
| Preparations illustrating diseases of trachea (Jobson Horne) | 95 |
| Presidential address (Peter McBride) | 98 |
| ——— abstract (Dundas Grant) | 674 |
| Pseudo-Bezold mastoiditis (Chatellier) | 212 |
| Pyæmia of otitic origin (Paul Laurens) | 569 |
| | |
| “ Radical ” operation, preservation of membrane and ossicles (Grant) | 201 |
| Radiograph to show orbito-ethmoidal and frontal cells (Thomson) | 144 |
| Radiography in the diagnosis of accessory sinus disease (W. Albrecht) | 268 |
| Report of cases (Gordon King) | 638 |
| ——— of Morbid Growths Committee | 77 |
| Reports from private clinic (Schönemann) | 224 |
| Retro-auricular openings, closure of (Hartmann) | 440 |
| Review: Beiträge zur Anatomie, Physiologie, Pathologie und Therapie des Ohres, der Nase und des Kehlkopfes (Passow and Schaeffer) | 283 |
| ——— Consumption (H. Warren Crowe) | 527 |
| ——— Corps Thyroïde, Myxœdèmes, Thyroidites et Strumites, Goïtres, Cancers Thyroïdiens (Lénon Bérard) | 584 |
| ——— Cosmetic Surgery (Charles C. Miller) | 400 |
| ——— Diagnosis in Diseases of the Throat, Nose, and Ear (Dan McKenzie) | 226 |
| ——— Diseases of Ear, Nose and Throat (John Johnson Kyle) | 528 |
| ——— Diseases of Nose and Throat (Herbert Tilley) | 399 |
| ——— Geschichte der Laryngologie in Würzburg (Otto Seifert) | 225 |
| ——— Hygiene and Therapeutics of Diseases of Mouth (Cruet) | 64 |
| ——— Maladies de la Gorge, du Larynx, des Oreilles et du Nez (B. J. Moure and A. Brindel) | 456 |
| ——— Maladies du Nez et du Larynx (Cartaz, Castex and Barbier) | 526 |
| ——— Mastoid Region, Topographical Surgical Anatomy of (H. E. Kanasugi) | 640 |
| ——— Manuel des Maladies du Tube Digestif (Part I) | 285 |
| ——— Medical Annual (twenty-sixth year) | 284 |
| ——— Nisbet's Medical Directory | 175 |
| ——— Nose, Diseases of (E. B. Waggett) | 344 |
| ——— Ophthalmoscope, vol. vi, no. 4 (Sydney Stephenson) | 283 |
| ——— Otology, Handbook of (Bezold and Siebenmann—English trans- lation by Hollinger) | 280 |
| ——— Pharmacopœia, Extra (Martindale and Westcott) | 640 |
| ——— Sinusiti Frontali (Robert Falcone) | 282 |
| ——— Treatment, On (Harry Campbell) | 583 |
| ——— Vignettes of the Regency (Wm. Toynbee) | 282 |
| Rheumatism through tonsillar infection (George B. Hope) | 698 |
| Rhinitis, atrophic (James Adam) | 563 |
| Rhinology, retrospect, 1907 | 5 |
| Rhinometry, clinical (Escat) | 425 |
| Rhinoscleroma (Stuart-Low) | 687 |
| Röntgen photography (Groedel and Horn) | 279 |
| ——— rays in diagnosis of stricture of œsophagus (Bertram Dawson) | 125 |
| Rosenmüller's fossæ (F. P. Emerson) | 399 |

| | PAGE |
|---|--------------------------------------|
| Saddle nose, repair of (J. Gibb Wishart) | 396 |
| Safety-pin closer (Chevalier Jackson) | 165 |
| Saliva, loss of oxydase of (P. Hellat) | 395 |
| ——— in nose (von Eicken) | 692 |
| Salpingoscope (Voss) | 441 |
| Sarcoma of upper maxillæ (Arthur Hutchison) | 81 |
| ——— of nasal orifice and frontal sinus (Raoult) | 416 |
| ——— of nasal septum, radical operation (Goris) | 633 |
| ——— specimens (Jobson Horne) | 314 |
| Schadle, Dr., obituary notice | 456 |
| Schrötter, the late Professor | 233 |
| Screen, anti-tubercle (Robert Levy) | 166 |
| Septal deflection, extreme form (Harold Barwell) | 40 |
| ——— deviations (P. J. Mink) | 270 |
| ——— perforations (Chevalier Jackson) | 215 |
| Septico-pyæmia of otitic origin (Raoult) | 425 |
| Septum, deflected (Cathcart) | 688 |
| ——— deviation (StClair Thomson) | 382 |
| ——— extreme deviation of (H. J. Davis) | 188 |
| ——— deviated, and phthisis (Hamilton Burt) | 322 |
| ——— and naso-pharynx, malignant growth of (Watson Williams) | 373 |
| ——— primary tuberculosis of (Joseph H. Abraham) | 163 |
| ——— nasal, submucous resection of (Brünings) | 692 |
| ——— ——— primary syphilitic lesion of (Neugass) | 693 |
| ——— nasi, accessory air-cells in (C. A. Parker) | 562 |
| ——— nasal septum, letter on submucous resection (Freer) | 701 |
| Sequestrum, free, in nostril (Koenig) | 121 |
| Sigmoid sinus thrombosis (A. Logan Turner) | 485 |
| Silver nitrate, interstitial injections for tonsillar hypertrophy (Goodale) | 698 |
| Sinus phlebitis, ligature of jugular, etc. (Dundas Grant) | 335 |
| ——— thrombosis, infective (J. D. Richards) | 220 |
| ——— ——— fatal (A. Knapp) | 276 |
| ——— ——— (W. R. Dabney) | 454 |
| Sinusitis, influenzal (Brindel) | 416 |
| ——— pyæmia (Lewis A. Coffin) | 450 |
| Skiagrams of accessory sinuses of nose (Watson Williams) | 376 |
| Skiagraphs of sphenoidal sinus (StClair Thomson) | 382 |
| Snare, nasal (L. L. Mial) | 166 |
| Societies, proceedings of: American Laryngological | 444, 514, 570, 693 |
| ——— American Laryngological, Rhinological and Otological | 54, 115, 151 |
| ——— British Medical Association | 393, 401, 457, 505, 545, 623 |
| ——— French Congress of Laryngology, Otology and Rhinology | 416 |
| ——— French Society of Oto-Rhino-Laryngology | 226 |
| ——— German Otological and Laryngological Societies | 345 |
| ——— German Otological Society | 339, 426 |
| ——— International Medical Congress, Sixteenth | 285 |
| ——— International Congress of Tuberculosis | 227 |
| ——— Laryngological Section—Royal Society of Medicine | 36, 77, 140, 182, 251, 314, 373, 674 |
| ——— Laryngo-Rhinological Congress in Vienna | 178 |
| ——— Otological Section—Royal Society of Medicine | 98, 193, 227, 325, 483 |
| ——— Parisian Society of Laryngology, Otology, and Rhinology | 49, 121, 207, 335, 564 |
| ——— South German Laryngologists, Society of | 341, 632, 689 |
| Specimen of large pedunculated fibroma (H. J. Davis) | 388 |
| ——— of pharyngeal tonsil in sheep (Davis) | 388 |
| ——— of supposed "cyst" (H. J. Davis) | 389 |
| Speech and writing disturbance (V. Urbantschitsch) | 278 |
| ——— production, essentials of (G. Hudson Makuen) | 577 |
| Sphenoidal sinus, case illustrating surgery of (StClair Thomson) | 380 |
| ——— ——— unusually large (James Donelan) | 390 |

| | PAGE |
|---|------|
| Sphenoidal sinus disease and visual disturbances (John W. Murphy) | 116 |
| Spirographs of nasal "breath pictures" (Wyatt Wingrave) | 214 |
| Stapes ankylosis, aetiology (E. Bloch) | 437 |
| Stenosis of auditory meatus (W. H. Kelson) | 111 |
| Stria vascularis, cells in deeper layer of (G. E. Shambaugh) | 278 |
| Subcutaneous induration of front of neck (E. Ward) | 323 |
| Subdural abscess (Uffenorde) | 440 |
| Subglottic hyperplasia (Herbert Tilley) | 378 |
| Submucous inflammation of larynx (John Sendziak) | 66 |
| Suppurative mastoiditis with fistula (Chatellier) | 212 |
| — otitis, fœtid (Chatellier) | 211 |
| Swimming tank, menace of (Cobb) | 707 |
| Syncope in hæmoptysis (Bosviel) | 49 |
| Synechiæ, treatment of (Jacques and Mathieu) | 418 |
| Syphilis, congenital, functional examination (Wanner) | 430 |
| — and tuberculosis (Mathieu) | 424 |
| — hypertrophic, involving fauces and epiglottis (Chappell) | 694 |
| — of larynx, secondary (Castex) | 121 |
| Syphilitic lesions, membranous tertiary (D. Braden Kyle) | 695 |
| Syringe for use after radical post-aural operation (Urban Pritchard) | 495 |
| Syringo-bulbia, laryngeal affections in (A. Iwanoff) | 638 |
| Tabloid quinine compound (Burroughs and Wellcome) | 176 |
| Telangiectases, multiple (Parkes Weber) | 140 |
| — (Sir Felix Semon) | 141 |
| — (Brown Kelly) | 141 |
| — (E. B. Waggett) | 185 |
| Temporal bone, specimens of (C. E. West) | 200 |
| — surgery of (E. Ruttin) | 437 |
| Temporo-sphenoidal abscess and sigmoid sinus thrombosis (A. Logan Turner) | 486 |
| — operation for (A. Logan Turner) | 486 |
| Therapeutic preparations (Down Bros., Burroughs and Wellcome, Christy) | 175 |
| — (Bayer) | 231 |
| — (Rouse) | 232 |
| — (Handford and Dawson) | 528 |
| Throat, acute inflammations (J. L. Goodale) | 524 |
| Thrombo-phlebitis of cranial sinuses (v. Delsaux) | 128 |
| Thyro-arytæoid muscles, contracture of, effect on vocal pitch (Lithgow) | 643 |
| Thyro-lingual fistula (Dundas Grant) | 254 |
| — sinus (Dundas Grant) | 676 |
| Thyroid adenoma, acute suppuration (Melandri and Legg) | 223 |
| — gland, congestion of (M. L. Berard) | 170 |
| — malignant disease of (W. Trotter) | 639 |
| — gland, tumour of (Donelan) | 141 |
| Thyrotomy, new operative method (Lafites-Dupont) | 421 |
| — performed for tuberculous laryngitis (Harold Barwell) | 41 |
| Tone limit, upper (Hegener) | 428 |
| Tones, soft high (Hegener) | 428 |
| Tongue, black (N. Blegvad) | 262 |
| — depressor, self-retaining (Mahu) | 421 |
| — unilateral paralysis of (Jobson Horne) | 145 |
| Tonsil, applied anatomy (Harry A. Barnes) | 704 |
| — lympho-sarcoma of (J. L. Goodale) | 704 |
| — removal, in capsule (D. A. Hefferman) | 394 |
| — new growth (C. A. Parker) | 390 |
| — punch with hooks (Leroux) | 424 |
| — sarcoma of (J. Edwin Rhodes) | 515 |
| Tonsillar and peri-tonsillar inflammations (Merrill) | 525 |
| Tonsillitis, acute poliomyelitis following (Kendall Emerson) | 704 |
| Tonsils, anatomy and surgery (James Hardy Neil) | 513 |

| | PAGE |
|---|----------|
| Tonsils, faucial and pharyngeal, hypertrophy (E. B. Gleason) | 213 |
| ——— and their relation to general health (C. P. Sylvester) | 580 |
| ——— composed of mass of papillomata (A. R. Tweedie) | 184 |
| ——— specimens of primary tuberculosis (Goris) | 693 |
| Trachea, removal of foreign body from (J. H. Bryan) | 444 |
| Tracheal injection of paratoxin (Labarrière) | 421 |
| ——— scleroma (Emil Mayer) | 573 |
| ——— wounds, infected (H. Streit) | 639 |
| Tracheotomy associated with febrile toxæmia (A. O. Bisson) | 217 |
| Tubercular perichondritis, sub-glottic (Pasquier) | 567 |
| Tuberculoma of tongue (E. M. von Eberts) | 393 |
| Tuberculosis, laryngeal (Robert Levy) | 165 |
| ——— ——— and pregnancy (Wolff Freudenthal) | 158 |
| ——— ——— extensive, of larynx (StClair Thomson) | 43 |
| ——— ——— of larynx, lasting anæsthesia in (R. Hoffmann) | 274 |
| ——— ——— and syphilis in larynx (Sir Felix Semon) | 386 |
| ——— ——— of upper respiratory tract, diagnosis (Hurd) | 157 |
| ——— ——— of upper respiratory tract (Geo. B. Wood) | 156 |
| ——— ——— of nasal mucous membrane (Mancioli) | 215 |
| ——— ——— and artificial interruption of pregnancy (J. Frigyesi) | 224 |
| Tuberculous larynx, surgical emergencies (C. P. Grayson) | 574 |
| ——— disease of larynx (Dan McKenzie) | 686 |
| ——— tumour of nose and maxillary antrum (Guyot) | 634 |
| Tumour in cerebello-pontine angle (Kander) | 634 |
| ——— of ascending process of superior maxilla (Grossard) | 210 |
| ——— of naso-pharynx (Furniss Potter) | 44 |
| ——— of neck (Jobson Horne) | 96 |
| ——— of right lobe of thyroid gland (James Donelan) | 96 |
| Tumours, malignant, of accessory sinuses (Manasse) | 634 |
| ——— of naso-pharynx (F. R. Nager) | 635 |
| Turbinals, morphology of (J. M. Ingersoll) | 693 |
| University of Naples, report (Trifiletti) | 280 |
| Uvula, primary carcinoma of (Clement F. Theisen) | 161 |
| ——— ——— epithelioma of (James F. McCaw) | 162 |
| Vapour, hot sulphur, for trachea, nose and tympanum (Bosquet) | 424 |
| Vaso-motor affections in throat, ear and nose diseases (Moure and Bouyer) | 425 |
| Vertigo, laryngeal (StClair Thomson) | 682 |
| ——— ——— and tinnitus, treatment of (Trétrøp) | 422 |
| Vestibular apparatus in deafness (Pike) | 596, 656 |
| Vestibules, ablation of (George Gibson and Richard Lake) | 496 |
| Vestibulotomy (J. S. Fraser) | 495 |
| Vincent's angina (H. W. Bruce) | 219 |
| Vocal cord, growth on (H. J. Davis) | 260 |
| ——— ——— hæmangioma of (O. Horn and J. Moller) | 172 |
| ——— ——— regeneration of (Lannois) | 424 |
| ——— ——— tumour of (H. Pegler) | 43 |
| ——— ——— cords, neoplasms of (Jobson Horne) | 47 |
| ——— ——— papillated new growth of (Scanes Spicer) | 192 |
| ——— ——— paralysis of (Trétrøp) | 419 |
| Voice production, essentials in (Wesley Mills) | 577 |
| “ Wolf face ” (Grossard) | 210 |
| X ray photograph showing Hajek's hook in sphenoidal sinus (H. J. Davis) | 388 |
| X rays in sounding and washing out frontal sinus (StClair Thomson) | 253 |

AUTHORS.

| | PAGE |
|--|--------------------|
| ABERCROMBIE (Peter), extensive cellulitis of the neck, further notes | 44, 680 |
| ——— perforation of soft palate | 681 |
| ABRAHAM (Joseph H.), primary tuberculosis of septum | 163 |
| ADAM (James), atrophic rhinitis | 563 |
| ALBRECHT (W.), radiography in diagnosis of accessory sinus disease | 268 |
| ALT (Ferdinand), microscopic preparations of labyrinth suppuration | 433 |
| ——— operative treatment of otogenic facial paralysis | 438 |
| BABER (Cresswell), megaphone | 128 |
| ——— soft malignant growth of the turbinated body | 98 |
| BALLANCE (Chas. A.), intercranial complications of middle-ear suppuration | 545 |
| BÁRÁNY, noise apparatus | 363, 428 |
| BARRIER, <i>Maladies du Nez, et du Larynx</i> (review) | 526 |
| BARLATIER, laryngo-stomy and tracheo-laryngostomy | 365, 411, 475, 649 |
| BARNES (Harry A.), applied anatomy of tonsil | 704 |
| ——— prophylaxis of post-operative diphtheria | 61 |
| BARR (J. Stoddart), optic neuritis in diseases of the middle ear | 174 |
| ——— paralysis of sixth cranial nerve | 553 |
| ——— partial grafting | 492 |
| BARWELL (Harold), congenital occlusion of posterior naris | 684 |
| ——— extreme form of septal deflection | 40 |
| ——— hypo-pharyngoscopy | 169 |
| ——— necrosis of arytenoid cartilage | 146, 182 |
| ——— symmetrical nodules on cords | 79 |
| ——— thyrotomy performed for tuberculous laryngitis | 41 |
| BAUMGARTEN, coryfin | 705 |
| BAZETT (Henry), a fatal case of angeio-neurotic œdema | 219 |
| BECK (H. C.), epidemic pneumococcal catarrhal disease | 126 |
| BELLOTTI, primary tumours of nasal sinuses | 270 |
| BÉRARD (M. L.), congestion of thyroid gland | 170 |
| BÉRARD (Léon), <i>Corps Thyroïde, Myxœdèmes, etc.</i> (review) | 584 |
| BERRY (James), treatment of goitre | 21 |
| BEZOLD (Professor), death of | 585 |
| BEZOLD (Fr.), <i>Text-book of Otology</i> , translated by Hollinger (review) | 280 |
| BIAGGI, cancer of larynx | 218 |
| BICHATON, painful spasm of œsophagus | 453 |
| ——— pemphigus of mucous membrane | 424 |
| BIRKETT, history of medicine in the Province of Quebec | 444 |
| BISSON (A. O.), tracheotomy in slight respiratory obstruction | 217 |
| BLAKE (Clarence J.), purulent affection of labyrinth | 117 |
| BLAU (A.), serous meningo-encephalitis | 221 |
| BLEGVAD (N.), black tongue | 262 |
| BLOCH (E.), aetiology of stapes ankylosis | 437 |
| BLODGETT, electrical attachment for Politzer bag | 454 |
| BLUM, painful spasm of œsophagus | 453 |
| BLUMEL (K.), collapse induration of apex in nasal obstruction, diagnosis | |
| from pulmonary tuberculosis | 705 |
| BONAIN, general anæsthetics for short operations | 418 |
| BOND (T. W.), malignant growth behind cricoid | 322 |
| BOSQUET, hot sulphur vapour for trachea, nose and tympanum | 424 |
| BOSVIEL, rôle of syncope in hæmoptysis | 49 |
| BOULAY, pharyngeal paræsthesia | 420 |
| BOURGEOIS, otitic thrombo-phlebitis of cavernous sinus | 423, 707 |
| BOUVILLOIS, resection of nasal septum | 417 |
| BOUYER, vaso-motor affections in throat, ear and nose diseases | 425 |
| BOWEN (W. H.), pneumococcal otitis media | 275 |

| | PAGE |
|---|------|
| BRINDEL (A.), Guide Pratique des Maladies de la Gorge, du Larynx, des Oreilles et du Nez (review) | 456 |
| BRINDEL, influenzal sinusitis | 416 |
| BROECKAERT (Jules), surgical treatment of hypertrophy of nose | 271 |
| BRONNER (Adolph), purulent otitis media in secondary syphilis | 197 |
| BROPHY (Truman W.), cleft palate | 165 |
| BRUCE (H. W.), Vincent's angina | 219 |
| BRÜHL, microscopical demonstration on oto-sclerosis | 433 |
| BRÜNINGS, principles of illuminating endoscopic tubes | 632 |
| —— submucous resection of nasal septum | 692 |
| BRUNN (v.), disinfection of skin | 279 |
| BRYAN (J. H.), removal of foreign body from trachea | 444 |
| BRYANT (Sohier), chronic middle-ear deafness | 133 |
| —— otitis media catarrhalis chronica | 164 |
| —— "piano-string" theory of basilar membrane | 455 |
| BUCKLIN (C. A.), hypertrophic nasal catarrh and complications | 171 |
| BURGER (H.), Ménière's disease depending on inflammation of nasal accessory sinuses | 279 |
| BURT (Hamilton), deviated septum and phthisis | 322 |
| CABOCHE (Henry), early antrotomy | 453 |
| CAMPBELL (Harry), on treatment (review) | 583 |
| CANYARD, œsophagoscopy | 420 |
| CARGILL (L. V.), abscess of left cerebral frontal lobe | 379 |
| CARTAZ, Maladies du Nez et du Larynx (review) | 526 |
| CASSELBERRY (W. E.), recurrent and abductor paralysis | 520 |
| CASTEX, deaf-mutism | 424 |
| —— leprous lesions in nasal fossa, palate and larynx | 49 |
| —— Maladies du Nez et du Larynx (review) | 526 |
| —— parasyphilis of larynx | 207 |
| —— partial laryngectomy by lateral opening | 421 |
| —— secondary syphilis of larynx | 121 |
| CATHCART, deflected septum | 688 |
| CAUZARD, acute fistulous frontal sinusitis | 209 |
| —— hæmophilia | 210 |
| —— instruments for œsophagoscopy and bronchoscopy | 50 |
| —— naso-pharyngeal polypus | 207 |
| CHAPPELL (W. F.), hypertrophic syphilis involving fauces and epiglottis | 694 |
| CHATELLIER, fetid suppurative otitis | 211 |
| —— otitic septicæmia | 211 |
| —— pseudo-Bezold mastoiditis | 212 |
| —— severe otitic pyæmia | 212 |
| —— suppurative mastoiditis with fistula | 212 |
| CHAVANNE, clinical notes on Ménière's disease | 422 |
| —— foreign body in maxillary antrum | 417 |
| CHEATLE (Arthur), fracture through temporal bone | 107 |
| CITELLI, primary tumours of nasal sinuses | 270 |
| CLAOUÉ, suppurative meningitis of otitic origin | 398 |
| CLARK (J. Payson), anomalous folds in naso-pharynx | 452 |
| —— papilloma of larynx in children | 575 |
| COBB, menace of the swimming tank | 707 |
| COFFIN (Lewis A.), sinusitis pyæmia | 450 |
| COLLET, caseous sinusitis | 420 |
| —— laryngeal symptoms in Friedreich's disease | 419 |
| CONNAL (J. Galbraith), abnormal pulsating vessels in pharynx | 130 |
| —— purulent otitis media with involvement of sigmoid sinus | 343 |
| CORNET, oto-sclerosis and auto-intoxication | 424 |
| —— thrombo-phlebitis of lateral sinus | 568 |
| CRAIG (R. H.), complete occlusion of both anterior nares | 396 |
| CROCKETT (E. A.), hæmorrhage following removal of tonsils | 265 |
| CROOM (D. H.), formic acid in diphtheria | 580 |

| | PAGE |
|---|----------|
| CROWE (H. Warren), Consumption (review) | 527 |
| CRUET, Hygiene and Therapeutics of Diseases of the Mouth (review) | 64 |
| CUNNINGHAM (H. H. B.), deafness from epidemic meningitis | 193 |
| DABNEY (W. R.), sinus thrombosis | 454 |
| DARLING (John M.), cytological examination of discharge in middle-ear and maxillary sinus suppuration | 504 |
| DAVIS (H. J.), new adenotome | 192 |
| — extreme deviation of bony septum (?) | 188, 389 |
| — growth on left vocal cord | 260 |
| — nasal obstruction from a cyst on floor of inferior meatus | 261 |
| — specimen of supposed cyst | 389 |
| — specimens showing pharyngeal tonsil in sheep | 388 |
| — specimen of large pedunculated fibroma | 388 |
| — X-ray photograph of Hajek's hook in sphenoidal sinus | 388 |
| DAWSON (Bertram), Röntgen rays in diagnosis of stricture of œsophagus | 125 |
| DELACOUR, laryngeal tuberculosis, mono-iodised guaiacol | 452 |
| DELAVAN (D. Bryson), recurrent and abductor paralysis, peripheral | 518 |
| DELSAUX (V.P.), frontal sinusitis complicated by suppuration in middle ear | 271 |
| — thrombo-phlebitis of cranial sinuses | 128 |
| DENCH (E. B.), otitic brain abscess | 275 |
| DENKER, demonstration of ear models | 431 |
| — model showing mechanism of ossicles | 435 |
| DONELAN (James), aphonia | 190 |
| — effects of adenoids on development of jaws and septum | 252 |
| — ethmoidal and (?) sphenoidal suppuration | 390 |
| — intra-nasal hypertrophy with headaches and continual sweating | 142 |
| — laryngeal growth | 251 |
| — specimen and microscopic sections of tumour of thyroid gland | 141 |
| — tumour of right lobe of thyroid gland with dysphagia, right recurrent paralysis and paresis of left tensors | 96 |
| — unusually large sphenoidal sinus | 390 |
| DOWNIE (Walker), subcutaneous injection of paraffin in nose | 563 |
| DUPOND, epithelioma of naso-pharynx | 418 |
| — larynx and accidents of occupation | 453 |
| DUPUY (Homer), pathologic relation between frontal sinus and affections of eye | 268 |
| EAGLETON (W. P.), v. S. in labyrinthine suppuration | 63 |
| EBERTS (E. M. von), ngue | 393 |
| EICHHORN (v.), fulguration in laryngology | 689 |
| EICKEN (von), complications in diseases of accessory sinuses of nose | 691 |
| — saliva in the nose | 692 |
| EMERSON (F. P.), Rosenmüller's fossæ | 399 |
| EMERSON (Kendall), acute poliomyelitis following tonsillitis | 704 |
| ESCAT, clinical rhinometry | 425 |
| — functional and trophic aural disturbance in herpes of trifacial | 425 |
| EVANS (Arthur), carcinoma of arytaenoid cartilage | 689 |
| — specimen of leprosy of larynx | 78 |
| FAGGE, branchial sinus from neck to external auditory meatus | 198 |
| FALCONE (Robert), sinusiti frontali (review) | 282 |
| FALLAS (A.), phlegmons of neck, bucco-pharyngeal | 125 |
| FELIX (Eugène), laryngeal paralysis in goitre | 126 |
| FISH (Henry Manning), thirty-six cases of optic neuritis (<i>concluded</i>) | 26 |
| FORSELLES, A.F. (Arthur), early diagnosis in empyema of mastoid | 276 |
| FOX (Clayton), anosmia, dryness and crustings of nose | 47 |
| — laryngeal paralysis for diagnosis | 319 |
| FOY (R.), functional nasal impotence | 337 |
| FRASER (J. S.), chronic inflammatory œdema of submucous tissues of nose | 402 |
| — patient after vestibulotomy | 495 |
| — preparations showing development of nasal polypi | 564 |

| | PAGE |
|---|----------|
| FREER (Otto), letter on submucous resection of nasal septum | 701 |
| FRENCH (J. Gay), fracture of walls of frontal sinuses | 684 |
| FREUDENTHAL (Wolff), pregnancy and laryngeal tuberculosis | 158 |
| FREY (Hugo), malformations of the organ of hearing | 435 |
| FRIGYESI (J.), artificial interruption of pregnancy in tuberculosis | 224 |
| FURET, mastoiditis and diabetes | 50 |
| | |
| GALEBSKY, intra-tracheal injections in chronic diseases of the lungs | 125 |
| GALLAHER (Thomas J.), modern surgery of the faucial tonsil | 151 |
| GALLEMAERTS (E.) and DELSAUX (V.), double frontal sinusitis complicated by suppuration in left middle ear | 271 |
| GAUDIER, Bier's method in oto-rhino-laryngology | 420, 526 |
| —— brain abscess of otitic origin | 337 |
| GAULLIEUR (L'Hardy), Pignet's numerical index in adenoid subjects | 171 |
| GAULT, treatment of ozæna | 417 |
| GAVELLO, cancer of larynx | 218 |
| GEIGEL, function of auricle | 128 |
| GERBER, investigation | 342 |
| —— "laryngitis nodulosa" | 706 |
| GIBSON (George), ablation of both vestibules | 496 |
| GILBERT (Paul), abscess of right temporal lobe | 582 |
| GLEASON (E. B.), treatment of hypertrophy of tonsils | 213 |
| GEILTSMANN (J. W.), recurrent and abductor paralysis, central | 517 |
| GLOVER (Jules), bilateral central deafness | 398 |
| —— development of nasal septum and operation for adenoids | 417 |
| —— hyoido-thyrotomy | 426 |
| GOADBY (K. W.), bacteriological examination of antrum suppuration | 626 |
| GOODALE (J. L.), interstitial injections of silver nitrate | 698 |
| —— local treatment of acute inflammations of throat | 524 |
| —— lympho-sarcoma of tonsil | 704 |
| GORIS, mistaken diagnosis which led to omission of operation | 705 |
| —— radical operation on beginning sarcoma of nasal septum | 633 |
| —— specimens of primary tuberculosis of tonsils | 693 |
| GRACE (R.), treatment of hay fever | 637 |
| GRANT (Dundas), use of bougies for dilating frontal sinus infundibulum | 513 |
| —— median cervical fistula | 150 |
| —— epithelioma of larynx extending on to pharyngeal wall | 191 |
| —— epithelioma of fauces | 151 |
| —— of left tonsil, faucial pillar and uvula | 90 |
| —— extrinsic epithelioma of larynx | 261 |
| —— and hypo-pharynx | 674 |
| —— Killian's operation for chronic suppuration of frontal sinus | 324 |
| —— congenital laryngeal stridor | 321 |
| —— lupoid ulcer on floor of vestibule of nose | 321 |
| —— lupus of larynx and fauces | 190 |
| —— large post-nasal polypus | 316 |
| —— presidential address (abstract) | 674 |
| —— "radical" operation with preservation of membrane and ossicles | 201 |
| —— retrospect of otology | 6 |
| —— sinus phlebitis, ligature of jugular, etc. | 335 |
| —— chronic suppuration of antrum; operation through meatus | 90 |
| —— thyro-lingual fistula treated by electrolysis | 254 |
| —— sinus | 676 |
| —— unilateral nerve-deafness | 201, 330 |
| —— hysterical nerve-deafness | 329 |
| GRASMANN, disinfection of hands | 224 |
| GRAY (Albert), specimens and photographs of pathological conditions in labyrinth | 199 |
| GRAY (Albert A.), stereoscopic photographs of anatomy of labyrinth of reptiles, birds and mammals | 501 |

| | PAGE |
|--|------|
| GRAYSON (Charles P.), surgical emergencies associated with tuberculous larynx | 574 |
| GREEN (Stanley), laryngeal growth for diagnosis | 256 |
| GRIMMER (George K.), partial occlusion of both anterior nares by a cutaneous web | 183 |
| GROEDEL, instantaneous Röntgen photography | 279 |
| GROSSARD, complete adhesion of soft palate to pharynx | 210 |
| ——— " wolf face " | 210 |
| ——— tumour of ascending process of superior maxilla | 210 |
| GUISEZ, circular electrolysis in cicatricial contractions of œsophagus | 423 |
| ——— large crico-tracheal polypus removed by direct tracheoscopy | 338 |
| ——— epithelioma of left nasal fossa | 564 |
| ——— direct laryngoscopy and tracheoscopy | 565 |
| ——— actual results of œsophagoscopy | 459 |
| ——— the value of œsophagoscopy from a diagnostic and therapeutic point of view | 267 |
| ——— extraction of three artificial dentures by œsophagoscopy | 422 |
| ——— spasms of œsophagus | 423 |
| GUTHRIE (Thos.), development of middle ear and its contents | 541 |
| GUYOT, tuberculous tumour of nose and maxillary antrum | 634 |
| | |
| HALASZ (H.), value of negative pressure in oto-rhinology | 277 |
| HALL (de Havilland), aphonia | 189 |
| HALSTED (Thomas H.), experience with bronchoscope, œsophagoscope and gastrocope | 445 |
| HANDLEY (Sampson), complete resection of pharynx with laryngectomy | 265 |
| HANNA (Henry), cavernous sinus thrombosis | 364 |
| HANSBERG, congenital laryngeal webs | 706 |
| HARDIE (T. Melville), abscess of larynx | 572 |
| HARMER (W. D.), pulsating angioma of nose | 391 |
| HARRIS (Thos. J.), branchiogenetic cyst | 574 |
| ——— subglottic papilloma | 573 |
| HARTMANN, closure of retro-auricular openings | 440 |
| HAUN, narcosis with warm chloroform | 128 |
| HAUTANT (A.), chronic cocaineism through the nose | 338 |
| ——— fistula of external semi-circular canal | 565 |
| HEFFERNAN (D. A.), removal of tonsil in capsule | 394 |
| HEGENER, thin celloidin sections through temporal bone | 444 |
| ——— estimation of number of vibrations of soft high tones | 428 |
| ——— of upper tone limit | 428 |
| HÉLAT, permeatal exploration of maxillary sinus | 525 |
| HELLAT (P.), loss of oxydase of saliva as a cause of disease | 395 |
| HERSCHEL, decalcification process in petrous temporal bone | 443 |
| HILL (W.), adhesion of soft palate to pharynx | 392 |
| ——— epithelioma of pharynx, œsophagus and larynx | 685 |
| ——— tuberculosis of larynx with perichondritis | 151 |
| HOFFMANN (R.), lasting anaesthesia in tuberculosis of larynx | 274 |
| HOLMES (Christian R.), hysteria of the ear | 58 |
| HOPE (George B.), rheumatism through tonsillar infection | 698 |
| HOPKINS (Fred. E.), adrenalin in causation of arterio-sclerosis | 516 |
| HORN (O.), hæmangioma of vocal cord | 172 |
| ——— instantaneous Röntgen photography | 279 |
| HORNE (Jobson), autograph letter by Johann Nepomuk Czermak | 251 |
| ——— disease of epiglottis | 93 |
| ——— diffuse gummatous infiltration of nose | 48 |
| ——— intrinsic laryngeal growth | 688 |
| ——— lupus of epiglottis | 319 |
| ——— pathogenesis of pachydermialaryngis verrucosa et diffusa | 383 |
| ——— preparations illustrating diseases of trachea | 95 |
| ——— sarcoma, specimens | 314 |

| | PAGE |
|--|------|
| HORNE (Jobson), symmetrical neoplasms of vocal cords | 47 |
| ——— tumour of neck | 96 |
| ——— unilateral paralysis of tongue | 145 |
| HORSFORD (Cyril), baritone voice in a girl | 149 |
| ——— fibroma removed from vocal cord | 85 |
| ——— (?) new instrument to facilitate intra-laryngeal operations | 85 |
| ——— new instrument for passing suture through epiglottis | 260 |
| HOWELL (C. M. H.), paralysis of palate and vocal cords in tabes dorsalis | 214 |
| HUNT (J. R.), herpetic inflammations of the geniculate ganglion | 173 |
| ——— otalgia | 277 |
| HURD (Lee M.), differential diagnosis of tuberculosis and syphilis of upper respiratory tract | 157 |
| ——— adeno-sarcoma of maxillary antrum | 162 |
| HUTCHISON (Arthur), bilateral sarcoma of upper maxilla | 81 |
| INGERSOLL, (J. M.), morphology of turbinals | 693 |
| IWANOFF (A.), laryngeal affections in syringo-bulbia | 638 |
| JACKSON (Chevalier), safty-pin closer | 165 |
| ——— septal perforations | 215 |
| JACKSON (J. M.), exophthalmic goitre | 266 |
| JACQUES, pathological anatomy and treatment of naso-pharyngeal fibrous polypi | 417 |
| ——— treatment of certain intractable synechiæ | 418 |
| ——— iodide treatment of tubercular and lupoid ulcers | 419 |
| ——— case of peri-tonsillar abscess | 419 |
| JAKINS (Percy), meningitis subsequent to mastoid operation in a tuberculous subject; lumbar puncture | 34 |
| JAUQUET (E.), naso-pharyngeal polypus | 124 |
| JONES (Buckland), case for diagnosis | 392 |
| JONES (Ernest), cell enumeration in lumbar puncture | 526 |
| JONES (Lawrence), gumma of larynx | 80 |
| JURASZ, remarkable anomaly of naso-pharynx | 356 |
| KANASUGI (H. E.), Topographical Surgical Anatomy of Mastoid Region (review) | 640 |
| KANDER, tumour in cerebello-pontine angle | 634 |
| KELLY (Brown-), direct examination of larynx, trachea and œsophagus | 514 |
| ——— multiple telangiectases | 141 |
| KELSON (W. H.), bleeding polypus of nose | 93 |
| ——— bony outgrowths from the maxilla and mandible | 259 |
| ——— stenosis of auditory meatus | 111 |
| ——— swelling of arytenoid | 320 |
| ——— ulceration of nose | 151 |
| KER (Claude B.), formic acid in treatment of diphtheria | 580 |
| KERLEY (Charles G.), diathetic conditions in diseases of throat and nose in children | 54 |
| KERRISON (P. D.), diphtheria, complicated by acute purulent otitis media, mastoiditis and infective sinus thrombosis | 221 |
| KILLIAN, diseases of accessory sinuses of nose in scarlet fever | 690 |
| KING (Gordon), report of cases | 638 |
| KIRCHNER, stand for operative practice on the ear | 443 |
| KNAPP (A.), fatal cases of sinus thrombosis | 276 |
| ——— otitic meningitis | 220 |
| KNAUSE (F.), mastoiditis with brain complications | 455 |
| KOENIG, bilateral growths of floor of nasal fossæ | 569 |
| ——— free sequestrum in right nostril | 121 |
| ——— myeloid sarcoma of right nasal fossa | 53 |
| KÖRNER, carcinoma of hypo-pharynx | 689 |
| ——— conservative treatment of chronic middle-ear suppuration | 426 |
| ——— oculo-motor and recurrent paralyses | 633 |

| | PAGE |
|--|---------|
| KREBS (J.), foreign bodies in nose giving rise to empyema of maxillary antrum | 216 |
| KRETSCHMANN, operative treatment of deformities of nasal septum | 441 |
| KROTOSCHNER, disturbance of equilibrium in one-sided disease of labyrinth | 219 |
| KÜSTNER (W.), tumours of auditory nerve | 174 |
| KYLE (D. Braden), membranous tertiary syphilitic lesions | 695 |
| KYLE (John Johnson), ear symptoms in arterio-sclerosis | 115 |
| —— Manual of Diseases of the Ear, Nose and Throat (review) | 528 |
| | |
| LABARRIÈRE, epithelioma of mastoid cured by X rays | 419 |
| —— maxillary sinusitis and gangrene of lung | 418 |
| —— tracheal injection of paratoxin | 421 |
| LACK (Lambert), laryngeal growth for diagnosis | 256 |
| —— lupus erythematosus | 688 |
| LAFITES-DUPONT, new operative method in thyrotomy | 421 |
| LAKE (Richard), ablation of both vestibules | 496 |
| —— sudden deafness during treatment for tertiary syphilis | 104 |
| LANGWORTHY (H. G.), adenoids and tonsils | 265 |
| LANNOIS, clinical notes on Ménière's disease | 422 |
| —— regeneration of vocal cord | 424 |
| —— villous tumour of larynx | 421 |
| LAURENS (Paul), abscess of brain with frontal sinusitis | 339 |
| —— angioma cured by electrolysis | 53, 121 |
| —— laryngeal leucoplasia | 421 |
| —— pyæmia of otitic origin | 569 |
| —— septic meningitis | 423 |
| —— tumour of piriform sinus | 122 |
| LAVRAND, polypi from naso-pharynx | 417 |
| LAWRENCE (L. A.), deaf-mute apparently regaining hearing | 110 |
| —— foreign body in ear | 332 |
| LEGG (T. P.), acute suppuration in thyroid adenoma due to Bacillus typhosus | 223 |
| LELAND (G. A.), periosteal flap | 525 |
| LEMOYEZ, asepsis of needles for paracentesis | 122 |
| —— compressed air ventilator for hot-air apparatus | 124 |
| —— classical technique of adenotomy | 123 |
| —— statistics and treatment of acute otitis media | 422 |
| LEROUX (R.), paraffin in nasal prothesis | 171 |
| —— tonsil punch with hooks | 424 |
| LENHARTZ, Calmette's reaction and von Pirquet's tuberculin test | 127 |
| LEVY (Robert), anti-tubercle screen | 166 |
| —— laryngeal tuberculosis | 165 |
| LINDT, tuberculosis of nose | 439 |
| LITHGOW, contracture of thyro-arytænoid muscles and vocal pitch | 643 |
| LUC, local anæsthesia in radical operation for suppuration of maxillary antrum | 418 |
| —— mastoid, post-operative methods of Eeman and Roy | 335 |
| —— epithelioma of left vocal cord | 566 |
| —— chronic frontal antritis | 566 |
| —— acute fronto-ethmoido-maxillary suppuration | 566 |
| —— acute mastoiditis in diabetic | 51 |
| —— periostitis of temporal bone | 423 |
| | |
| MCBRIDE (Peter), chronic inflammation of pharynx and naso-pharynx | 505 |
| —— middle-ear suppuration; phlebitis of lateral sinus; cerebellar abscess | 483 |
| —— presidential address | 98 |
| MCCAW (James F.), case of primary epithelioma of uvula | 162 |
| MCKENZIE (Dan), Diagnosis in Diseases of the Throat, Nose and Ear (review) | 226 |

| | PAGE |
|---|----------|
| McKENZIE (Dan), digital examination of nose | 248 |
| —— endothelioma removed from hard palate | 150 |
| —— fistulous opening in middle line of neck | 38, 150 |
| —— hæmatoma with abscess of septum | 258 |
| —— malignant disease of larynx | 383 |
| —— mucocele of anterior ethmoidal cell | 315 |
| —— paresis of vocal cord | 37 |
| —— tuberculous disease of larynx | 686 |
| MADER (L.), experiences of Killian's radical operation | 62 |
| MAGNE (P.), benign tumour of lower pharynx | 580 |
| MAHU, compressed-air ventilator for hot-air apparatus | 124 |
| —— external prothesis with cold paraffin | 124 |
| —— self-retaining tongue depressor | 421 |
| —— peri-sinusitis of lateral sinus | 423 |
| MAKUEN (G. Hudson), essentials of speech production | 578 |
| MANASSE, exostoses of internal auditory meatus | 437 |
| —— malignant tumours of accessory sinuses | 634 |
| MANCIOLI, tuberculosis of nasal mucous membrane | 215 |
| MANSON (J. S.), open safety-pin in œsophagus of child | 223 |
| MARC'HADOUR (Le), pharyngeal paræsthesia | 420 |
| MARTINDALE (W. Harrison), <i>Extra Pharmacopœia</i> , 13th edition (review) | 640 |
| MARX, demonstration of osteomata of accessory sinuses | 439 |
| —— injury inflicted on labyrinth by rays | 434 |
| MASSIER, tubercular perichondritis of larynx | 420 |
| MATHIEU, treatment of certain intractable synechiæ | 418 |
| —— syphilis and tuberculosis | 424 |
| MAYER (Emil), tracheal scleroma | 573 |
| MEAD (L. G.), exophthalmic goitre | 266 |
| MELANDRI (F. G.), acute suppuration in thyroid adenoma due to <i>Bacillus typhosus</i> | 223 |
| MERMOD, <i>ozæna</i> , unilateral | 637 |
| MERRILL (W. H.), atypical cases of tonsillar and peri-tonsillar inflam- mations | 525 |
| MEYER (A.), leukæmic affection of larynx; preparations | 634 |
| MIAL (L. L.), nasal snare | 166 |
| MIGNON, calculus removed from tonsil | 419 |
| MILLER (Charles C.), <i>Cosmetic Surgery</i> (review) | 400 |
| MILLIGAN (Wm.), demonstration of specimens | 114 |
| —— epithelioma of middle ear, traumatic | 199 |
| MILLS (Wesley), essentials in voice production | 577 |
| MINK (P. J.), causation of septal deviations | 270 |
| MOLLER (J.), case of hæmangioma of left vocal cord | 172 |
| MOSHER (Harris P.), form of hard palate | 447 |
| —— direct examination of larynx and upper end of œsophagus | 273 |
| MOTY, cervical œsophageal fistula | 267 |
| MOURE (E. J.), <i>Guide Pratique des Maladies de la Gorge, du Larynx,</i> <i>des Oreilles et du Nez</i> (review) | 456 |
| —— vaso-motor affections in throat, ear and nose diseases | 425 |
| MÜLLER (Fr.), wound clip for ear operations | 440 |
| MURPHY (John W.), visual disturbances in disease of sphenoidal sinuses | 116 |
| MYLES (Robert C.), faucial tonsil | 119 |
| NAGER (F. R.), labyrinth sequestra in middle-ear carcinoma | 435 |
| —— tumours of the naso-pharynx | 635 |
| NAVRATIL (E. von), surgical treatment of laryngeal stenosis | 239 |
| NEIL (James Hardy), anatomy and surgery of tonsils | 513 |
| NEUFELD (L.), laryngeal spasm in adult | 397 |
| NEUGASS, primary syphilitic lesion of nasal septum | 693 |
| NEWCOMB (James E.), hæmorrhage following quinsy | 289, 699 |
| NILES (R. M.), chronic pharyngitis | 169 |
| NOBÉCOURT (P.), hypertrophy of the pharyngeal lymphoid tissue | 636 |

| | PAGE |
|---|----------|
| NOURSE (Chichele), epithelioma of tongue and fauces | 147 |
| ——— retrospect of otology | 6 |
| ——— bilateral frontal sinusitis after operation | 86 |
| ——— sarcoma of nose | 146 |
| NOWOJNY (F.), bronchoscopy and bronchoscopic treatment in bronchial asthma | 219 |
| ONODI, brain complications of nasal diseases | 564 |
| OPPIKOFER (E.), calculus of antrum of Highmore | 62 |
| OUSTON (T. G.), operation for depressed fracture of nose | 557 |
| PARKER (C. A.), accessory air-cells in septum nasi | 562 |
| ——— bleeding polypus removed from septum | 87 |
| ——— inflammation of nasal cavities | 257 |
| ——— new-growth of right tonsil | 390 |
| ——— malignant disease of right maxillary antrum | 679 |
| PASQUIER, botryomycosis of auricle | 567 |
| ——— sub-glottic tubercular perichondritis | 567 |
| PASSOW, Beiträge zur Anatomie, etc. (review) | 283 |
| PATERSON (D. R.), crossed abducens paralysis in cerebellar abscess | 197 |
| ——— removal of open safety-pin in œsophagus of a child | 223 |
| PEGLER (L. H.), bleeding polypus removed from septum | 87 |
| ——— œdematous fibroma removed from vocal cord | 89 |
| ——— tumour of vocal cord | 43 |
| PERMEWAN (W.), infection of lateral sinus | 487 |
| PETERS (E. A.), functional paresis of palate and cords | 45 |
| PHILLIPS (Wendell C.), angioma | 164 |
| ——— œdematous nasal polyp | 163 |
| PIAGET, general anaesthesia by ethyl chloride | 424 |
| PIFFL (Otto), foreign body in Eustachian tube | 454 |
| PIKE (Norman H.), vestibular apparatus in deafness of non-suppurative origin | 596, 656 |
| POLITZER, anatomical condition of foot-plate of stapes in oto-sclerosis | 432 |
| PONTHIÈRE, naso-pharyngeal cause for chorea | 417 |
| PORTER (W. G.), keratosis laryngis circumscripta | 310 |
| ——— unusual sequel to radical mastoid operation | 491 |
| POTTER (Coubro), atresia of naso-pharynx | 77 |
| POTTER (Furniss), hyperplasia of auricle | 332 |
| ——— tumour removed from naso-pharynx | 44 |
| POWERS (G. H.), case of caries of middle ear | 399 |
| PRICE-BROWN (J.), two interesting cases of frontal sinus disease | 449, 535 |
| PRITCHARD (Urban), syringe for use after radical post-aural operation | 495 |
| PUTELLI (F.), examination of hearing of railway employees | 223 |
| RAOULT, mastoiditis with aberrant cells | 425 |
| ——— sarcoma of nasal orifice and frontal sinus | 416 |
| ——— septico-pyæmia of otitic origin | 425 |
| RHODES (J. Edwin), sarcoma of tonsil | 515 |
| RICE (Clarence C.), recurrent and abductor paralysis, symptomatology | 519 |
| RICHARDS (John D.), infective sinus thrombosis | 220 |
| ——— mastoiditis in diabetic subjects | 278 |
| RIESER (W.), laryngeal complications of typhoid fever | 272 |
| RIVERS (W. C.), non-tuberculous intra-nasal and post-nasal abnormalities | 215 |
| ROBINSON (Betham), endothelioma from upper part of œsophagus and trachea | 184 |
| ——— extensive cicatricial changes in pharynx and larynx, syphilitic | 184 |
| ——— polypoid growth from larynx (lymphangioma) | 255 |
| ROE (John O.), methods of opening maxillary antrum | 570 |
| ROGERS (J.), treatment of chronic stenosis of the larynx and trachea | 273 |
| ROLLESTON (J. D.), relapses in diphtheria | 61 |
| ROSE (F. A.), breastbone of chicken impacted in larynx | 39 |
| ROWAN (J.), optic neuritis in diseases of middle ear | 174 |

| | PAGE |
|---|--------------------|
| RUTTIN (E.), dilatation of ductus cochlearis | 434 |
| ——— surgery of temporal bone | 437 |
| SANTI (P. de), nasal obstruction | 258 |
| SARGNON, laryngostomy and tracheo-laryngostomy | 365, 411, 475, 649 |
| SCHÄFER (F.), chair for consulting-room | 635 |
| SCHAEFER (K. L.), importance of middle-ear apparatus for hearing | 429 |
| SCHAEFFER, Beiträge zur Anatomie, etc. (review) | 283 |
| SCHIEBE, conservative treatment of chronic middle-ear suppuration | 427 |
| SCHÖNEMANN, demonstration of five flat models of human ear | 432 |
| ——— reports from private clinic | 224 |
| SCHROEDER (H.), otitic purulent sinus thrombosis without fever | 221 |
| SCOTT (Sydney), extirpation of labyrinth | 102 |
| ——— histological preparations of human labyrinth | 200 |
| ——— acute internal hydrocephalus | 455 |
| ——— operative surgery of labyrinthitis | 201 |
| ——— otitic meningitis | 502 |
| SEBILEAU, hyoido-thyrotomy | 426 |
| SEHLBACH (Zella St. Bl.), cessation of menses with angina | 266 |
| SEIFERT (Otto), Geschichte der Laryngologie in Würzburg (review) | 225 |
| ——— paraffin prothesis in rhinology | 215 |
| SEMON (Sir Felix), case for diagnosis | 677 |
| ——— (?) combination of tuberculosis and syphilis in larynx | 386 |
| ——— epithelioma of left vocal cord | 676 |
| ——— hysteria with unusual laryngeal manifestations | 384 |
| ——— pneumococcic invasion of throat | 636 |
| ——— multiple telangiectases | 141 |
| SENDZIAK (John), submucous inflammation of the larynx | 66 |
| SESSOUS (K. L.), importance of middle-ear apparatus for hearing | 429 |
| SHAMBAUGH (G. E.), origin of cells found in deeper layer of stria vascularis | 278 |
| SHEARER (T. L.), malignant tumours of larynx | 274 |
| SICRE (A.) and VAQUIER (L.), naso-pharyngo-laryngeal syndrome | 394 |
| SIEBENMANN (Fr.), acoustic experiments | 433 |
| ——— specimens of circumscribed labyrinthitis | 433 |
| ——— Text-book of Otology for Physicians and Students, translated by HOLLINGER (review) | 280 |
| ——— deafness in acute osteo-myelitis | 222 |
| SIMPSON (W. K.), prolonged intubation | 697 |
| SLATER (A. B.), diphtheria of skin | 223 |
| SLUDER (G.), spheno-palatine ganglion in nasal headaches | 524 |
| SOMMERVILLE (D.), treatment of syphilis with mercial | 279 |
| SPICER (Scanes), laryngeal disease for diagnosis | 46 |
| ——— papillated new growth affecting both vocal cords | 192 |
| ——— intrinsic neoplasm of vocal cord | 255 |
| SPICER (Frederick), laryngeal disease | 46 |
| SPIRA (Rafael), extra-dural abscess from middle-ear disease | 14 |
| STEPHENSON (Sydney), The Ophthalmoscope, vol. vi, No. 4 (review) | 283 |
| STEWART (F. J.), mucocele of frontal sinus | 185 |
| STOKES (W. R.), epidemic pneumococcal catarrhal disease | 126 |
| STRAZZA (Prof. G.), laryngeal stenosis due to amyloid degeneration | 271 |
| STREIT (H.), healing of infected tracheal wounds | 639 |
| STUART-LOW, complete closure of anterior nares | 147 |
| ——— operation for angina Ludovici | 382 |
| ——— recurring epistaxis in nasal epithelioma | 687 |
| ——— radical maxillary antrum operation | 148 |
| ——— rhino-scleroma | 687 |
| STUCKY (J. A.), septic thrombosis of cavernous sinus | 529 |
| SWAIN (Henry L.), cysts, abscesses and œdema of epiglottis | 696 |
| SYLVESTER (C. P.), tonsils and their relation to general health | 580 |
| SYME (W. S.), Bezold's mastoid empyema | 327 |

| | PAGE |
|---|----------|
| SYME (W. S.), lateral sinus disease | 325 |
| —— injury to pharyngeal portion of Eustachian tube | 328 |
| —— stereoscopic photographs, frontal sinus disease | 314 |
| TANDLER (J.), operative exposure of jugular bulb | 277 |
| TEETS (C. E.), malignant tumours of larynx | 274 |
| TEXIER, point of insertion of naso-pharyngeal polypi | 417 |
| THEISEN (Clement F.), cyst of frontal sinus | 449 |
| —— primary carcinoma of uvula | 161 |
| THOMSON (StClair), abscess in left cerebral frontal lobe | 379 |
| —— double frontal sinus operation | 47 |
| —— deviation of septum | 382 |
| —— laryngeal vertigo. | 682 |
| —— leprosy showing lesions in soft palate and pharynx | 188 |
| —— mucocele of frontal sinus | 143 |
| —— radiograph to show orbito-ethmoidal and frontal cells before operation | 144 |
| —— skiagraphs of sphenoidal sinus | 382 |
| —— specific pachydermia | 142 |
| —— suppuration in maxillary antrum | 557 |
| —— surgery of sphenoidal sinus | 380 |
| —— tuberculosis of larynx | 43 |
| —— X rays in sounding and washing out frontal sinus | 253 |
| THORIS (A.), fatality subsequent to cauterisation of inferior turbinated bodies | 343 |
| TILLEY (Herbert), antral disease | 607, 623 |
| —— "bridle" formation of larynx | 78 |
| —— congestion of vocal cord | 79 |
| —— Diseases of Nose and Throat (review) | 399 |
| —— epithelioma of vocal cord | 149 |
| —— fibrous and eccentric constriction of trachea | 94 |
| —— interarytænoid and subglottic infiltration | 678 |
| —— modified Killian operation for chronic empyema of frontal sinus | 94 |
| —— nasal syphilis | 48 |
| —— operations on frontal sinuses | 261 |
| —— specimen of large post-nasal polypus | 377 |
| —— subglottic hyperplasia | 378 |
| TILMANN, œsophageal diverticulum | 343 |
| TIXIER (Léon), hypertrophy of pharyngeal lymphoid tissue | 636 |
| TOD (Hunter), epithelioma of ear | 112 |
| —— occlusion of posterior nares | 332 |
| —— venous angioma of soft palate | 187 |
| TORMENE (Enrico), resistances of red blood-corpuscles in adenoid subjects | 266 |
| TOYNBEE (William), Vignettes of the Regency (review) | 282 |
| TRETRÒP, acoumeter, millimetric | 419 |
| —— nasal diseases in singers | 419 |
| —— paralysis of vocal cords after influenza | 419 |
| —— treatment of vertigo, tinnitus and partial deafness | 422 |
| TRIFILETTI, University of Naples, Report | 280 |
| TROTTER (W.), malignant disease of thyroid | 639 |
| TURNER (A. Logan), mastoid operation with preservation of tympanic membrane and ossicles | 490, 491 |
| —— mucocele of accessory nasal sinuses | 581 |
| —— sigmoid sinus thrombosis | 485 |
| —— suppuration in maxillary antrum | 559 |
| —— temporo-sphenoidal abscess | 486 |
| —— and sigmoid sinus thrombosis: preparations | 486 |
| TURNER (William), abscess of left cerebral frontal lobe | 379 |
| TWEEDE (Alex. R.), Bárány's tests to "deaf-mutes" | 592 |
| —— microscopic specimen of pulsating growth of middle turbinate body | 36 |

| | PAGE |
|--|----------|
| TWEEDIE (Alex. R.), testing for nystagmus in deaf-mutes | 552 |
| —— tonsils, composed of mass of papillomata | 184 |
| UFFENORDE, subdural abscess | 440 |
| —— chondromata of nasal cavities | 269 |
| —— lateral sinus thrombosis; researches | 442 |
| UNDERWOOD (A. S.), maxillary sinus in relation to teeth | 620, 623 |
| URBANTSCHITSCH (Ernst), galvanic treatment in difficulty in hearing | 443 |
| URBANTSCHITSCH (V.), speech and writing disturbances | 278 |
| VACHER, mechanical drill in operations on ear and nose | 418 |
| VAQUIER (L.), naso-pharyngo-laryngeal syndrome | 394 |
| VERNET (A.), tubercular meningitis cured with Beranech tuberculin | 175 |
| VERNIEUWE, closed ethmoidal sinusitis | 125 |
| VOSS, salpingoscope | 441 |
| —— non-purulent inflammations of labyrinth | 435 |
| WADE (Henry), temporo-sphenoidal abscess and sigmoid sinus thrombosis; preparations | 486 |
| WAGGETT (E. B.), direct laryngoscopy, bronchoscopy and œsophagoscopy | 514 |
| —— Diseases of the Nose (review) | 344 |
| —— multiple telangiectasis | 185 |
| WAGNER (Henry L.), hyperplasia lateralis linguæ | 514 |
| WANNER, functional examination in congenital syphilis | 430 |
| WARD (E.), subcutaneous induration of front of neck | 323 |
| WEBER (Parkes), multiple telangiectases | 140 |
| WEILL (G. A.), Marmorek's anti-tuberculous serum in laryngeal tuberculosis | 54 |
| WEST (C. Ernest), surgery of labyrinthitis | 201 |
| —— specimens of temporal bone | 200 |
| WESTCOTT (W. Wynn), Extra Pharmacopœia (review) | 640 |
| WHITEHEAD (A. L.), intercranial complications of middle-ear suppuration | 549 |
| WILDENBERG (van den), papillomata of larynx in children treated by Killian's direct method | 173 |
| WIESNER, fulguration by de Keating Hart method | 279 |
| WILKINSON, compulsory medical inspection of school-children | 505 |
| WILLIAMS (P. Watson), skiagrams of accessory sinuses of nose | 376 |
| —— fenestration of anterior pillars of fauces | 213 |
| —— laryngeal disease | 375 |
| —— ulceration | 84 |
| —— malignant growth of septum and naso-pharynx | 373 |
| —— models of operations for pan-sinusitis | 689 |
| —— osteoplastic method of operating on frontal sinus | 553 |
| —— pathogenesis of some forms of nasal polypi (microscopic sections) | 144 |
| WINGRAVE (Wyatt), clinical pathology of aural discharges | 302, 347 |
| —— discussion | 332 |
| —— spiographs of nasal "breath pictures" | 214 |
| WISHART (J. Gibb), repair of saddle-nose | 396 |
| WOLTKE (W. O.), specific therapy in Basedow's disease | 707 |
| WOOD (George B.), tuberculosis of upper respiratory tract | 156 |
| WYLIE (Andrew), angioma of tonsil | 320 |
| —— cervical tumours | 513 |
| —— foul breath | 263 |
| —— laryngeal case for diagnosis | 149 |
| —— treatment of innocent laryngeal growths by galvano-cautery | 217 |
| YEARSLEY (Macleod), labyrinthine suppuration | 199 |
| —— microscopic specimen and drawing of foreign body | 103 |
| —— sequestra from necrosis of labyrinth | 331 |
| YOSHII, acoustic experiments | 433 |
| —— specimens of circumscribed labyrinthitis | 433 |

