

Index of Subjects

- Abattoirs, the generation time, lag time, and minimum temperature of growth of coliform organisms on meat, and the implications for codes of practice in, 289
- Arboviruses, mosquito-borne, in Norway: further isolates and detection of antibodies to California encephalitis viruses in human, sheep and wildlife sera, 114
- Bacteriocin, the assessment and application of a, typing scheme for *Clostridium perfringens*, 69
- Bluetongue, a preliminary survey of the epidemiology of, in Costa Rica and Northern Colombia, 357
- Bordetella pertussis*, the severity of whooping cough in hospitalized children – is it declining?, 151
- California encephalitis viruses, mosquito-borne arboviruses in Norway: further isolations and detection of antibodies to, in human, sheep and wildlife sera, 111
- Camels, Rift Valley Fever in Kenya: the presence of antibody to the virus in (*Camelus dromedarius*), 241
- Campylobacter, a one-year survey of, enteritis and other forms of bacterial diarrhoea in Hong Kong, 55
- Campylobacter jejuni*, evidence of udder excretion of, as the cause of milk-borne campylobacter outbreak, 205
- Campylobacter jejuni*, the virulence of clinical and environmental isolates of, 45
- Clostridium perfringens*, the assessment and application of a bacteriocin typing scheme for, 69
- Coumatetralyl, evaluation of, against two predominant murid species, 327
- Diarrhoea, a one-year survey of campylobacter enteritis and other forms of bacterial, in Hong Kong, 55
- Electrical measurements, rapid and automated detection of salmonella by, 245
- Enterotoxigenic, a study of, *Escherichia coli*, serogroup O126, by bacterial restriction endonuclease DNA analysis (BRENDA), 263
- Escherichia coli*, a study of enterotoxigenic, serogroup O126, by bacterial restriction endonuclease DNA analysis (BRENDA), 263
- Escherichia coli* O142.H6; a drug-resistant enteropathogenic clone?, 181
- Fish farm workers, the risk of leptospirosis in United Kingdom. Results from a 1981 serological survey, 81
- Glomerulonephritis, group G streptococci in healthy school-children and in patients with, in Trinidad, 61
- Goat's milk, microbiological aspects of. A Public Health Laboratory Service survey, 31
- Hand washing, efficacy of low-concentration iodophors for germicidal, 269
- Immunization, antibody response and persistence in volunteers following, with varying dosages of a trivalent surface antigen influenza virus vaccine, 87
- Influenza A, concurrent outbreaks of, and influenza B, 331
- Influenza A (H3N2), antigenic heterogeneity among, field isolates during an outbreak in 1982/83, estimated by methods of numerical taxonomy, 97
- Influenza B, concurrent outbreaks of influenza A and, 331
- Influenza B, the HI test modified by ether treatment in the sero-epidemiological surveillance of, 341
- Influenza, morphology and antigenicity studies of reassortant (H3N2) viruses for use in inactivated vaccines, 229
- Influenza virus vaccine, antibody responses and persistence in volunteers following immunization with varying dosages of a trivalent surface antigen, 87
- Iodophors, efficacy of low-concentration, for germicidal hand washing, 269

- Leptospirosis, the risk of, in United Kingdom fish farm workers. Results from a 1981 serological survey, 81
- Meat, the generation time, lag time, and minimum temperature of growth of coliform organisms on, and the implications for codes of practice in abattoirs, 289
- Milk, evidence of udder excretion of *Campylobacter jejuni* as the cause of -borne campylobacter outbreak, 205
- Milk, microbiological aspects of goat's. A Public Health Laboratory Service survey, 31
- Molecular Epidemiology, biochemical techniques for the genetic and phenotypic analysis of viruses, 1
- Mosquito-borne arboviruses in Norway: further isolations and detection of antibodies to California encephalitis viruses in human, sheep and wildlife sera, 111
- Mycobacterium marinum* infections in man, 135
- Mycobacterium tuberculosis*, subdivision of, for epidemiological purposes: a seven year study of the 'Classical' and 'Asian' types of the human tubercle bacillus in South-East England, 9
- Mycoplasma pneumonia* IgM, a μ -capture ELISA for detecting; comparison with indirect immunofluorescence and indirect ELISA, 217
- Neisseria lactamica*, carriage of *Neisseria meningitides* and, in a school population during an epidemic period in Spain, 279
- Neisseria meningitides*, carriage of, and *Neisseria lactamica* in a school population during an epidemic period in Spain, 279
- Neonates, the development of bacterial flora of premature, 309
- Nephropathia epidemica, reservoir animals for, in Norway: indications of a major role for the bank vole (*C. glareolus*) in comparison with the woodmouse (*A. sylvaticus*), 123
- Numerical taxonomy, antigenic heterogeneity among influenza A (H3N2) field isolates during an outbreak in 1982/83, estimated by methods of, 97
- Prawns, the microbiology of cooked, and shrimps on retail sale, 319
- Rabies, immunofluorescent staining of trypsinized formalin-fixed brain smears for, antigen: results compared with those obtained by standard methods for 221 suspect animal cases in Nigeria, 129
- Recreational waters, implications of coliform variability in the assessment of the sanitary quality of, 193
- Respiratory syncytial virus, surveillance of respiratory viral infections by rapid immunofluorescence diagnosis with emphasis on the epidemiological development of, infections, 349
- Rift Valley Fever in Kenya: the presence of antibody to the virus in camels (*Camelus dromedarius*), 241
- Salmonella, rapid and automated detection of, by electrical measurements, 245
- Salmonellae in sewage sludge and abattoir effluent in South-east Scotland, 301
- Sewage sludge, salmonella in, and abattoir effluent in South-east Scotland, 301
- Shigella dysenteriae* 1, plasmid characterization of drug-resistant, from an epidemic in Central Africa, 163
- Shrimps, the microbiology of cooked prawns and, on retail sale, 319
- Staphylococci, studies on, from toxic shock syndrome in France, 1981–1983, 23
- Staphylococcus aureus*, hospital infection caused by non-typable: application of reverse typing, 201
- Streptococci, group G, in healthy school-children and in patients with glomerulonephritis in Trinidad, 61
- Toxic shock syndrome, studies on staphylococci from, in France, 1981–1983, 23
- Vaccination programmes, age-related changes in the rate of disease transmission: implications for the design of, 365
- Vaccines, morphology and antigenicity studies on reassortant influenza (H3N2) viruses for use in inactivated, 229

- Water chlorination, feasibility and efficacy of in-home, in rural North-eastern Brazil, 173
- Waters, implications of coliform variability in the assessment of the sanitary quality of recreational, 193
- Whooping cough, the severity of, in hospitalized children – is it declining?, 151