




New and Exciting Titles!


**Hydrodynamics of High-Speed Marine Vehicles**  
**ODD M. FALTINSEN**  
 \$123.00: Hb: 978-0-521-84568-7: 474 pp.  
 \$65.00: Pb: 978-0-521-17873-0



**Principles of Continuum Mechanics**  
 A Study of Conservation Principles with Applications  
**J. N. REDDY**  
 \$99.00: Hb: 978-0-521-51369-2: 244 pp.




**Elastic Waves at High Frequencies**  
 Techniques for Radiation and Diffraction of Elastic and Surface Waves  
**JOHN G. HARRIS**  
*Cambridge Monographs on Mechanics*  
 \$85.00: Hb: 978-0-521-87530-1: 182 pp.




**Biomedical Engineering**  
 Bridging Medicine and Technology  
**W. MARK SALTZMAN**  
*Cambridge Texts in Biomedical Engineering*  
 \$104.00: Hb: 978-0-521-84099-6: 656 pp.



**Noncircular Gears**  
 Design and Generation  
**FAYDOR L. LITVIN**  
**ALFONSO FUENTES-AZNAR**  
**IGNACIO GONZALEZ-PEREZ**  
**KENICHI HAYASAKA**  
 \$115.00: Hb: 978-0-521-76170-3: 214 pp.



**Mechanical Efficiency of Heat Engines**  
**JAMES R. SENFT**  
 \$120.00: Hb: 978-0-521-86880-8: 192 pp.  
 \$39.99: Pb: 978-0-521-16928-8




**Fast Multipole Boundary Element Method**  
 Theory and Applications in Engineering  
**YIJUN LIU**  
 \$88.00: Hb: 978-0-521-11659-6: 254 pp.



**Vibration of Mechanical Systems**  
**ALOK SINHA**  
 \$75.00: Hb: 978-0-521-51873-4: 328 pp.



**Robotics for Electronics Manufacturing**  
 Principles and Applications in Cleanroom Automation  
**KARL MATHIA**  
 \$130.00: Hb: 978-0-521-87652-0: 250 pp.



**Reliability in Scientific Research**  
 Improving the Dependability of Measurements, Calculations, Equipment, and Software  
**I. R. WALKER**  
 \$85.00: Hb: 978-0-521-85770-3: 600 pp.



**NIST Handbook of Mathematical Functions**  
*Edited by*  
**FRANK W. J. OLVER**  
**DANIEL W. LOZIER**  
**RONALD F. BOISVERT**  
**CHARLES W. CLARK**  
 \$99.00: 1 Hb, 1 CD-ROM: 978-0-521-19225-5: 968 pp.  
 \$50.00: 1 Pb, 1 CD-ROM: 978-0-521-14063-8



**New Directions in Linear Acoustics and Vibration**  
 Quantum Chaos, Random Matrix Theory and Complexity  
*Edited by*  
**MATTHEW WRIGHT**  
**RICHARD WEAVER**  
 \$125.00: Hb: 978-0-521-88508-9: 284 pp.

Prices subject to change.

CAMBRIDGE

## Great Titles in Robotics from Cambridge!

### SECOND EDITION


## Computational Principles of Mobile Robotics

GREGORY DUDEK *and* MICHAEL JENKIN

This textbook for advanced undergraduates and graduate students emphasizes computation and algorithms for a range of strategies for locomotion, sensing, and reasoning. It concentrates on wheeled and legged mobile robots but discusses a variety of other propulsion systems. This second edition presents advances in robotics and intelligent machines over the last ten years and includes additional mathematical background and an extensive list of sample problems.

\$99.00: Hardback: 978-0-521-87157-0: 406 pp.

\$49.99: Paperback: 978-0-521-69212-0




## Sparse Image and Signal Processing

Wavelets, Curvelets, Morphological Diversity

JEAN-LUC STARCK, FIONN MURTAGH, *and*  
JALAL M. FADILI

This book presents the state of the art in sparse and multiscale image and signal processing, covering linear multiscale transforms, such as wavelet, ridgelet, or curvelet transforms, and non-linear multiscale transforms based on the median and mathematical morphology operators. Matlab and IDL code accompany these methods and applications to reproduce the experiments and illustrate the reasoning and methodology of the research available for download at the associated Web site.

\$70.00: Hardback: 978-0-521-11913-9: 336 pp.



*Prices subject to change.*

[www.cambridge.org/us/computerscience](http://www.cambridge.org/us/computerscience)  
800.872.7423



CAMBRIDGE  
UNIVERSITY PRESS

## Instructions for contributors

*Robotica* aims to be an outlet for publication of original papers of the highest quality in the field of Robotics and closely related areas. This includes: novel robotic mechanism and actuator design; robot kinematics, dynamics and control; computer vision; sensor fusion; teleoperation and haptic interfaces; robot motion planning; and artificial intelligence. In addition, papers that apply techniques from Robotics to other fields are also welcome. Examples include dynamics and control models applied to biological systems, the description of implementations of robots in factories, service and agricultural settings, and general mechatronic design. Works may be theoretical, computational or experimental, or some combination. Both short papers (rapid communications), and longer archival papers are welcome. Proposals for special issues on topics of current interest are welcome, and can be submitted via email to the editor.

Authors are urged to ensure that their papers are written clearly and attractively, in order that their work will be readily accessible to readers. Manuscripts must be written in English. *Robotica* employs a rigorous peer-review process whereby all submitted manuscripts are sent to recognized experts in their subjects for evaluation. The Editor's decision on the suitability of a manuscript for publication is final. Manuscripts, whether accepted or rejected, will not be returned to authors.

## Submission of manuscripts

Manuscripts for consideration by *Robotica* should be submitted electronically, using the Manuscript Central System, via <http://mc.manuscriptcentral.com/cup/robotica>. This system will allow authors to benefit from faster review and earlier, online publication. The system will accept PDF files; most other file types will be automatically converted directly into PDF. Source files are required for any paper accepted for publication. Authors who are unable to submit online should contact the Editorial Office ([gregc@jhu.edu](mailto:gregc@jhu.edu)) for assistance.

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Upon acceptance of a paper, the author will be asked to transfer copyright to the publisher. Authors are responsible for obtaining written permission from the copyright owners to reprint any previously published material included in their article.

## Layout of manuscripts

Text should be double spaced throughout, on one side of the paper, allowing generous margins on all sides of the paper. Please avoid footnotes if possible. Papers should begin with an abstract of not more than 100 words and should end with a brief concluding section. The title and section headings should be concise and descriptive. All measurements should be given in SI units. On acceptance of a manuscript, authors are asked to send the electronic source file of the final version together with a PDF copy produced using the same file. The publisher reserves the right to typeset material by conventional means if an author's file proves unsatisfactory.

## Illustrations

Figures should be composed to occupy a single column (80mm) or two columns (166mm) after reduction. The preferred format for figure files is .eps or .tiff at resolution 1200 dpi for lines, 600 dpi for greyscale and 300 dpi for colour (which preferably should also be in CMYK – cyan magenta yellow black – format). However,

most standard image formats such as pct, ppm, png, psd, Word, ppt, CorelDraw, ChemDraw, AutoCAD can also be used, but not customized output of software not designed for publishing purposes such as Matlab, nor PDF. Figures to be printed in black and white must be submitted as black and white files.

Figures should be numbered consecutively, with Arabic numerals, have descriptive captions, and be mentioned in the text. A list of captions should be attached separately, and as far as possible, information relating to a figure should be placed in the caption rather than on the figure. Each figure should be clearly numbered. Photographs should be the same size as they will appear in the journal and should be selected to fit neatly into one column (80 mm) or two columns (166 mm). Photographs should be clearly identified and numbered as for line drawings.

## Tables

Tables should be presented on separate sheets. A descriptive title should be given to each table. If possible, very wide tables should be avoided. Tables should be numbered consecutively in Roman numerals. Exceptionally lengthy tables may be summarized for publication with a note that fuller details can be obtained from the authors.

## Equations

Mathematical equations should be typewritten, with subscripts and superscripts clearly indicated. All mathematical symbols will be set in italics unless otherwise indicated: symbols or letters to be set in Roman (upright) type should be marked clearly.

## References

In the text, references are indicated by superior Arabic numbers (without brackets), and should be confined to published work that is directly pertinent. References should be listed at the end of the paper in numerical order. Authors' initials should precede their names: cited article titles should be quoted in full, enclosed in quotation marks; and abbreviations of journal names should follow the style of Chemical Abstracts or Physical Abstracts, and be underlined for italics:

P.W. Anderson, "More is different" *Science* **177**, 393-399 (1972);  
C.V. Negoita, *Fuzzy Systems* (Abacus Press. Tunbridge Wells, UK, 1980).

Citations such as 'personal communication', 'unpublished work', etc., are not acceptable as numbered references but can be included in parenthesis in the text. Do not use summaries as references.

## Proof Reading

The corresponding author will receive PDF copies of page proofs for final proofreading. Only typographical or factual errors may be changed at proof stage. The publisher reserves the right to charge authors for correction of non-typographical errors. Authors are requested to return proofs within 48 hours by airmail. No page charge is made.

## Offprints

No paper offprints are provided, but the corresponding author will be sent the pdf of the published article. Print offprints may be purchased at extra cost at proof stage.

© CAMBRIDGE UNIVERSITY PRESS 2010

Cambridge University Press  
The Edinburgh Building, Cambridge CB2 8RU, United Kingdom  
32 Avenue of the Americas, New York, NY 10013-2473, USA  
477 Williamstown Road, Port Melbourne, VIC 3207, Australia  
Ruiz de Alarcón 13, 28014, Madrid, Spain  
Dock House, The Waterfront, Cape Town 8001, South Africa

Printed in the United Kingdom at the University Press, Cambridge

# ROBOTICA

Volume 28 Part 7 December 2010

- An improved multipurpose field robot for installing construction materials,  
**Seungyeol Lee, Seungnam Yu, Seokjong Yu and Changsoo Han** 945
- Determining maximum load carrying capacity of planar flexible-link robot:  
closed-loop approach, **M. H. Korayem, R. Haghghi, A. H. Korayem,  
A. Nikoobin and A. Alamdari** 959
- Output feedback sliding mode control for robot manipulators,  
**Shafiqul Islam and Peter X. Liu** 975
- Orientation workspace analysis of a special class of the Stewart–Gough parallel  
manipulators, **Yi Cao, Zhen Huang, Hui Zhou and Weixi Ji** 989
- Outdoor mapping and localization using satellite images, **C. U. Dogruer,  
A. B. Koku and M. Dolen** 1001
- Azimuthal source localization using interaural coherence in a robotic dog:  
modeling and application, **Rong Liu and Yongxuan Wang** 1013
- Stochastic optimization-based approach for multifingered grasps synthesis,  
**Belkacem Bounab, Abdenour Labed and Daniel Sidobre** 1021
- A linear optimal tracker designed for omnidirectional vehicle dynamics linearized  
based on kinematic equations, **Kuo-Yang Tu** 1033
- A smart hydraulic joint for future implementation in robotic structures,  
**J. Berring, K. Kianfar, C. Lira, C. Menon and F. Scarpa** 1045
- Sound source tracking considering obstacle avoidance for a mobile robot,  
**Naoki Uchiyama, Shigenori Sano and Akihiro Yamamoto** 1057
- Design and kinematics analysis of a new 3CCC parallel mechanism,  
**Dongming Gan, Qizheng Liao, Jian S. Dai and Shimin Wei** 1065
- Tendon sheath analysis for estimation of distal end force and elongation  
for sensorless distal end, **S. J. Phee, S. C. Low, P. Dario and A. Menciassi** 1073
- Determining maximum load-carrying capacity of robots using adaptive robust  
neural controller, **M. H. Korayem, A. Alamdari, R. Haghghi  
and A. H. Korayem** 1083

Robotica now accepts submissions via Manuscript Central  
Go to <http://mc.manuscriptcentral.com/cup/robotica>

Cambridge Journals Online  
For further information about this journal  
please go to the journal website at:  
[journals.cambridge.org/rob](http://journals.cambridge.org/rob)

 **Mixed Sources**  
Product group from well-managed  
forests and other controlled sources  
[www.fsc.org](http://www.fsc.org) Cert no. SA-COC-1527  
© 1996 Forest Stewardship Council

**CAMBRIDGE**  
UNIVERSITY PRESS